

Cytoskeleton, Inc.

MSDS COVERSHEET

CATALOG # BK008-S

RAS ACTIVATION ASSAY BIOCHEM KIT

PART/CATALOG #	DESCRIPTION
RF02-S	Raf RBD beads
AES02	Anti-Pan Ras monoclonal antibody
RS02	His-Ras control protein
CLB01-S	Cell Lysis Buffer
WB01-S	Wash Buffer
LB01	Loading Buffer
STP01	STOP Buffer
BS01	GTP γ S
GDP01	GDP
PIC02	Protease inhibitor cocktail
DMSO	Anhydrous DMSO

MATERIAL SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG/PRODUCT#: RF02-S

NAME: RAF-RBD PROTEIN GST BEADS

USE: LABORATORY CHEMICALS

MANUFACTURER/SUPPLIER:

CYTOSKELETON INC.
1830 S. Acoma St.
Denver, CO 80223
PHONE: 303-322-2254
FAX: 303-322-2257

24H EMERGENCY TOLL-FREE NUMBER: CALL INFOTRAC DAY OR NIGHT
WITHIN USA AND CANADA: 1-800-535-5053
OUTSIDE USA AND CANADA: +1 352-323-3500 (COLLECT CALLS ACCEPTED)

SECTION 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

OSHA HAZARDS

THIS PRODUCT IS NOT CONSIDERED HAZARDOUS

GHS CLASSIFICATION

THIS PRODUCT IS NOT CONSIDERED HAZARDOUS

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM NONE
SIGNAL WORD NONE

HAZARD STATEMENTS

NONE

PRECAUTIONARY STATEMENTS

NONE

NFPA RATINGS (SCALE 0-4)

FIRE = 0
HEALTH = 0
REACTIVITY = 0

HMIS RATINGS

HEALTH = 0
FIRE = 0
REACTIVITY = 0

POTENTIAL HEALTH EFFECTS

INHALATION MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION
SKIN MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION
EYES MAY CAUSE EYE IRRITATION
INGESTION MAY BE HARMFUL IF SWALLOWED

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

PROTEIN	CAS#: NONE	≥90%
	EINECS#: NONE	
SUCROSE	CAS#: 57-50-1	8%
	EINECS#: 200-334-9	
DEXTRAN	CAS#: 9004-54-0	1.5%
	EINECS#: 232-677-5	
SODIUM CHLORIDE	CAS#: 7647-14-5	<1%
	EINECS#: 231-598-3	
TRIS BASE	CAS#: 77-86-1	<1%
	EINECS#: 201-064-4	
GLUTATHIONE SEPHAROSE 4B BEADS	CAS#: NONE	
	EINECS#: NONE	

SECTION 4. FIRST-AID MEASURES

AFTER INHALATION: SUPPLY FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT PHYSICIAN
AFTER SKIN CONTACT: IMMEDIATELY WASH SKIN WITH SOAP AND RINSE WITH COPIOUS AMOUNTS OF WATER. CONSULT PHYSICIAN
AFTER EYE CONTACT: RINSE OPENED EYE FOR AT LEAST 15 MINUTES UNDER RUNNING WATER. THEN CONSULT PHYSICIAN
AFTER SWALLOWING: WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CONSULT PHYSICIAN

WASH CONTAMINATED CLOTHING BEFORE REUSE.

SECTION 5. FIREFIGHTING MEASURES

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING AGENTS: CARBON DIOXIDE, EXTINGUISHING POWDER OR WATER SPRAY.

ADVICE FOR FIREFIGHTERS

PROTECTIVE EQUIPMENT: MOUNT RESPIRATORY PROTECTIVE DEVICE
PREVENT CONTACT WITH SKIN AND EYES

HAZARDOUS COMBUSTION PRODUCTS: NO DATA AVAILABLE

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: WEAR PROTECTIVE CLOTHING, RESPIRATOR, CHEMICAL SAFETY GOGGLES, GLOVES. AVOID DUST FORMATION. AVOID BREATHING DUST. AVOID BREATHING VAPORS, MIST, OR GAS. ENSURE ADEQUATE VENTILATION.

ENVIRONMENTAL PRECAUTIONS: DILUTE WITH PLENTY OF WATER. DO NOT ALLOW TO ENTER SEWERS/SURFACE OR GROUND WATER.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP: AFTER RECONSTITUTION, ABSORB WITH LIQUID-BINDING MATERIAL (SAND, DIATOMITE, ACID BINDERS, UNIVERSAL BINDERS, SAWDUST). IN LYOPHILIZED STATE, SWEEP UP POWDER. AVOID BREATHING DUST. DISPOSE CONTAMINATED MATERIAL AS WASTE ACCORDING TO SECTION 13. ENSURE ADEQUATE VENTILATION.

REFERENCE TO OTHER SECTIONS: SEE SECTION 8 FOR INFORMATION ON PERSONAL PROTECTION EQUIPMENT. SEE SECTION 13 FOR DISPOSAL INFORMATION.

SECTION 7. HANDLING AND STORAGE

HANDLING

PRECAUTIONS FOR SAFE HANDLING: ENSURE GOOD VENTILATION/EXHAUSTION AT THE WORKPLACE. WEAR APPROPRIATE PROTECTIVE CLOTHING (SEE SECTION 8). DO NOT RE-USE CONTAINER. AVOID GENERATING DUST. AVOID BREATHING DUST.

INFORMATION ABOUT PROTECTION AGAINST EXPLOSIONS AND FIRES: NOT IGNITABLE

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES
STORAGE

REQUIREMENTS TO BE MET BY STOREROOMS AND RECEPTACLES: STORE AT 2-8°C. KEEP CONTAINER TIGHTLY CLOSED AND SEALED UNTIL READY FOR USE. STORE DESICCATED.

FURTHER INFORMATION ABOUT STORAGE CONDITIONS: KEEP RECEPTACLE TIGHTLY SEALED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES

PERSONAL PROTECTIVE EQUIPMENT

GENERAL PROTECTIVE AND HYGIENIC MEASURES

KEEP AWAY FROM FOODSTUFFS, BEVERAGES AND FEED
WASH HANDS BEFORE BREAKS AND AT THE END OF WORK
IMMEDIATELY REMOVE ALL SOILED AND CONTAMINATED CLOTHING
AVOID CONTACT WITH THE EYES AND SKIN

BREATHING EQUIPMENT

SHORT TERM FILTER DEVICE: TYPE FILTER P1 (EU EN 143) OF TYPE P95 (US)
DO NOT BREATHE VAPORS. USE MECHANICAL EXHAUST SYSTEM

PROTECTION OF HANDS

PROTECTIVE GLOVES.

THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/SUBSTANCE/PREPARATION. AS THE PRODUCT IS A PREPARATION OF SEVERAL SUBSTANCES, THE RESISTANCE OF THE GLOVE MATERIAL CANNOT BE CALCULATED IN ADVANCE AND THEREFORE HAS TO BE CHECKED PRIOR TO APPLICATION. NO RECOMMENDATION CAN BE GIVEN FOR THE GLOVE MATERIAL FOR THIS PRODUCT. SELECT GLOVE MATERIALS BASE ON PENETRATION TIMES, RATES OF DIFFUSION AND DEGRADATION OF MATERIAL.

MATERIAL OF GLOVES

THE SELECTION OF SUITABLE GLOVES DEPENDS NOT ONLY ON THE MATERIAL BUT ON QUALITY OF MATERIAL AND VARIES FROM MANUFACTURER TO MANUFACTURER.

PENETRATION TIME OF GLOVE MATERIAL

THE EXACT BREAK THROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.

FOR THE PERMANENT CONTACT OF A MAXIMUM OF 15 MINUTES, GLOVES MADE OF THE FOLLOWING MATERIALS ARE SUITABLE:

NEOPRENE GLOVES

EYE PROTECTION: TIGHTLY SEALED GOGGLES

BODY PROTECTION: PROTECTIVE WORK CLOTHING

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

GENERAL INFORMATION

FORM: LYOPHILIZED POWDER

CHANGE IN CONDITION

MELTING POINT/MELTING RANGE: NO DATA AVAILABLE

BOILING POINT/BOILING RANGE: NO DATA AVAILABLE

FLASH POINT: NO DATA AVAILABLE

SELF-IGNITING: PRODUCT IS NOT SELF-IGNITING

DANGER OF EXPLOSION: PRODUCT IS NOT EXPLOSIVE.

DENSITY: NO DATA AVAILABLE

SOLUBILITY IN/MISCIBILITY WITH WATER: FULLY MISCIBLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY

CHEMICAL STABILITY

STABLE WHEN STORED AS RECOMMENDED.

THERMAL DECOMPOSITION/CONDITIONS TO BE AVOIDED: NO DATA AVAILABLE

MATERIALS TO AVOID: STRONG OXIDIZING AGENTS

POSSIBILITY OF HAZARDOUS REACTIONS: NO DATA AVAILABLE

HAZARDOUS DECOMPOSITION PRODUCTS: NO DATA AVAILABLE

SECTION 11. TOXICOLOGICAL INFORMATION

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC, ACGIH, NTP, OR OSHA.

POTENTIAL HEALTH EFFECTS

INHALATION	MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION
SKIN	MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION
EYES	CAUSES EYE IRRITATION
INGESTION	MAY BE HARMFUL IF SWALLOWED

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES OF THIS PRODUCT HAVE NOT BEEN THOROUGHLY INVESTIGATED.

SECTION 12. ECOLOGICAL INFORMATION

NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISPOSAL OF THIS PRODUCT, SOLUTIONS AND ANY BY-PRODUCTS SHOULD AT ALL TIMES COMPLY WITH THE REQUIREMENTS OF ENVIRONMENTAL PROTECTION AND WASTE DISPOSAL LEGISLATION AND ANY REGIONAL LOCAL AUTHORITY REQUIREMENTS. AVOID DISPERSAL OF SPILLED MATERIAL AND RUNOFF AND CONTACT WITH SOIL, WATERWAYS, DRAINS AND SEWERS. OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

DISPOSE OF CONTAMINATED PACKAGING AS UNUSED PRODUCT

SECTION 14. TRANSPORT INFORMATION

DOT CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IATA-DGR CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IMDG CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

SECTION 15. REGULATORY INFORMATION

UNITED STATES REGULATORY INFORMATION

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA) SECTION 302/304 (40CFR355.30/40CFR355.40):

NONE OF THE INGREDIENTS IS LISTED.

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA) SECTION 313:

THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

CALIFORNIA PROP. 65 COMPONENTS

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

SECTION 16. OTHER INFORMATION

THIS INFORMATION IS BASED ON OUR PRESENT KNOWLEDGE. HOWEVER, THIS SHALL NOT CONSTITUTE A GUARANTEE FOR ANY SPECIFIC PRODUCT FEATURES AND SHALL NOT ESTABLISH A LEGALLY VALID CONTRACTUAL RELATIONSHIP. THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT, BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. CYTOSKELETON INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM CONTACT WITH THE ABOVE PRODUCT.

COPYRIGHT 2018 CYTOSKELETON, INC.

MATERIAL SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG/PRODUCT#: AES02

NAME: ANTI-PAN Ras MONOCLONAL ANTIBODY

USE: LABORATORY CHEMICALS

MANUFACTURER/SUPPLIER:

CYTOSKELETON INC.

1830 S. Acoma St.

Denver, CO 80223

PHONE: 303-322-2254

FAX: 303-322-2257

24H EMERGENCY TOLL-FREE NUMBER: CALL INFOTRAC DAY OR NIGHT

WITHIN USA AND CANADA: 1-800-535-5053

OUTSIDE USA AND CANADA: +1 352-323-3500 (COLLECT CALLS ACCEPTED)

SECTION 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

OSHA HAZARDS

THIS PRODUCT IS NOT CONSIDERED HAZARDOUS

GHS CLASSIFICATION

THIS PRODUCT IS NOT CONSIDERED HAZARDOUS

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM NONE

SIGNAL WORD NONE

HAZARD STATEMENTS

NONE

PRECAUTIONARY STATEMENTS

NONE

NFPA RATINGS (SCALE 0-4)

FIRE = 0

HEALTH = 0

REACTIVITY = 0

HMIS RATINGS

HEALTH = 0

FIRE = 0
REACTIVITY = 0

POTENTIAL HEALTH EFFECTS

INHALATION MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION
SKIN MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION
EYES MAY CAUSE EYE IRRITATION
INGESTION MAY BE HARMFUL IF SWALLOWED

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

COMPRISED OF:

PROTEIN	CAS#: NONE EINECS#: NONE	≥94%
SUCROSE	CAS#: 57-50-1 EINECS#: 200-334-9	5%
PIPES (PIPERAZINE-N, N-BIS(2-ETHANESULFONIC ACID), SESQUISODIUM SALT	CAS#: 100037-69-2 EINECS#: UNLISTED	<1%
DEXTRAN	CAS#: 9004-54-0 EINECS#: 232-677-5	1%

SECTION 4. FIRST-AID MEASURES

AFTER INHALATION: SUPPLY FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT PHYSICIAN IN CASE OF COMPLAINTS
AFTER SKIN CONTACT: IMMEDIATELY WASH SKIN WITH SOAP AND RINSE WITH COPIOUS AMOUNTS OF WATER
AFTER EYE CONTACT: RINSE OPENED EYE FOR AT LEAST 15 MINUTES UNDER RUNNING WATER. THEN CONSULT PHYSICIAN
AFTER SWALLOWING: WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL FOR PHYSICIAN

WASH CONTAMINATED CLOTHING BEFORE REUSE.

SECTION 5. FIREFIGHTING MEASURES

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING AGENTS: CARBON DIOXIDE, EXTINGUISHING POWDER, ALCOHOL-RESISTENT FOAM OR WATER SPRAY.

ADVICE FOR FIREFIGHTERS

PROTECTIVE EQUIPMENT: MOUNT RESPIRATORY PROTECTIVE DEVICE
PREVENT CONTACT WITH SKIN AND EYES

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: WEAR PROTECTIVE CLOTHING, RESPIRATOR, CHEMICAL SAFETY GOGGLES, GLOVES. AVOID DUST FORMATION. AVOID BREATHING VAPORS, MIST OR GAS.

ENVIRONMENTAL PRECAUTIONS: DILUTE WITH PLENTY OF WATER. DO NOT ALLOW TO ENTER SEWERS/SURFACE OR GROUND WATER.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP: ABSORB WITH LIQUID-BINDING MATERIAL (SAND, DIATOMITE, ACID BINDERS, UNIVERSAL BINDERS, SAWDUST). DISPOSE CONTAMINATED MATERIAL AS WASTE ACCORDING TO SECTION 13. ENSURE ADEQUATE VENTILATION.

REFERENCE TO OTHER SECTIONS: SEE SECTION 8 FOR INFORMATION ON PERSONAL PROTECTION EQUIPMENT. SEE SECTION 13 FOR DISPOSAL INFORMATION.

SECTION 7. HANDLING AND STORAGE

HANDLING

PRECAUTIONS FOR SAFE HANDLING: ENSURE GOOD VENTILATION/EXHAUSTION AT THE WORKPLACE. WEAR APPROPRIATE PROTECTIVE CLOTHING (SEE SECTION 8). DO NOT RE-USE CONTAINER.

INFORMATION ABOUT PROTECTION AGAINST EXPLOSIONS AND FIRES: NOT IGNITABLE

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES
STORAGE

REQUIREMENTS TO BE MET BY STOREROOMS AND RECEPTACLES: STORE AT 2-8°C. KEEP CONTAINER TIGHTLY CLOSED AND SEALED UNTIL READY FOR USE. STORE DESICCATED.

FURTHER INFORMATION ABOUT STORAGE CONDITIONS: KEEP RECEPTACLE TIGHTLY SEALED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES

PERSONAL PROTECTIVE EQUIPMENT

GENERAL PROTECTIVE AND HYGIENIC MEASURES

KEEP AWAY FROM FOODSTUFFS, BEVERAGES AND FEED
WASH HANDS BEFORE BREAKS AND AT THE END OF WORK
IMMEDIATELY REMOVE ALL SOILED AND CONTAMINATED CLOTHING
AVOID CONTACT WITH THE EYES AND SKIN

BREATHING EQUIPMENT

SHORT TERM FILTER DEVICE: USE TYPE N95 OR TYPE P1 DUST MASKS
DO NOT BREATHE. USE MECHANICAL EXHAUST SYSTEM

**PROTECTION OF HANDS
PROTECTIVE GLOVES.**

THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/SUBSTANCE/PREPARATION. AS THE PRODUCT IS A PREPARATION OF SEVERAL SUBSTANCES, THE RESISTANCE OF THE GLOVE MATERIAL CANNOT BE CALCULATED IN ADVANCE AND THEREFORE HAS TO BE CHECKED PRIOR TO APPLICATION. NO RECOMMENDATION CAN BE GIVEN FOR THE GLOVE MATERIAL FOR THIS PRODUCT. SELECT GLOVE MATERIALS BASE ON PENETRATION TIMES, RATES OF DIFFUSION AND DEGRADATION OF MATERIAL.

MATERIAL OF GLOVES

THE SELECTION OF SUITABLE GLOVES DEPENDS NOT ONLY ON THE MATERIAL BUT ON QUALITY OF MATERIAL AND VARIES FROM MANUFACTURER TO MANUFACTURER.

PENETRATION TIME OF GLOVE MATERIAL

THE EXACT BREAK THROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.

FOR THE PERMANENT CONTACT OF A MAXIMUM OF 15 MINUTES, GLOVES MADE OF THE FOLLOWING MATERIALS ARE SUITABLE:

NEOPRENE GLOVES

EYE PROTECTION: TIGHTLY SEALED GOGGLES

BODY PROTECTION: PROTECTIVE WORK CLOTHING

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

GENERAL INFORMATION

FORM: SOLID (LYOPHILIZED POWDER)

CHANGE IN CONDITION

MELTING POINT/MELTING RANGE: NO DATA AVAILABLE

BOILING POINT/BOILING RANGE: NO DATA AVAILABLE

FLASH POINT: NO DATA AVAILABLE

SELF-IGNITING: NO DATA AVAILABLE

DANGER OF EXPLOSION: PRODUCT IS NOT EXPLOSIVE.

DENSITY: NO DATA AVAILABLE

SOLUBILITY IN/MISCIBILITY WITH WATER: FULLY MISCIBLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY

CHEMICAL STABILITY

STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

THERMAL DECOMPOSITION/CONDITIONS TO BE AVOIDED: STRONG OXIDIZING AGENTS

POSSIBILITY OF HAZARDOUS REACTIONS: NO DATA AVAILABLE

HAZARDOUS DECOMPOSITION PRODUCTS: NO DATA AVAILABLE

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

TO THE BEST OF OUR KNOWLEDGE, THE TOXICOLOGICAL PROPERTIES OF THIS PRODUCT HAVE NOT BEEN THOROUGHLY INVESTIGATED.

NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS.

NO DATA AVAILABLE FOR ACUTE TOXICITY, SKIN CORROSION/IRRITATION, SERIOUS EYE DAMAGE/EYE IRRITATION, RESPIRATORY OR SKIN SENSITIZATION, GERM CELL MUTAGENICITY, SPECIFIC TARGET ORGAN TOXICITY-SINGLE EXPOSURE, SPECIFIC TARGET ORGAN TOXICITY-REPEATED EXPOSURE OR ASPIRATION HAZARD

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC, ACGIH, NTP OR OSHA

POTENTIAL HEALTH EFFECTS

INHALATION	MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY IRRITATION.
SKIN	MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION.
EYES	MAY CAUSE EYE IRRITATION.
INGESTION	MAY BE HARMFUL IF SWALLOWED.

SECTION 12. ECOLOGICAL INFORMATION

NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISPOSAL OF THIS PRODUCT, SOLUTIONS AND ANY BY-PRODUCTS SHOULD AT ALL TIMES COMPLY WITH THE REQUIREMENTS OF ENVIRONMENTAL PROTECTION AND WASTE DISPOSAL LEGISLATION AND ANY REGIONAL LOCAL AUTHORITY REQUIREMENTS. AVOID DISPERSAL OF SPILLED MATERIAL AND RUNOFF AND CONTACT WITH SOIL, WATERWAYS, DRAINS AND SEWERS. OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

DISPOSE OF CONTAMINATED PACKAGING AS UNUSED PRODUCT

WITHIN THE PRESENT KNOWLEDGE OF THE SUPPLIER, THIS PRODUCT IS NOT REGARDED AS HAZARDOUS WASTE, AS DEFINED BY EU DIRECTIVE 91/689/EC.

SECTION 14. TRANSPORT INFORMATION

DOT CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IATA-DGR CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IMDG CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

SECTION 15. REGULATORY INFORMATION

OSHA HAZARDS

NO KNOWN OSHA HAZARDS

UNITED STATES REGULATORY INFORMATION

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA) SECTION 302/304 (40CFR355.30/40CFR355.40):

NONE OF THE INGREDIENTS IS LISTED.

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA) SECTION 313:

THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS

NO SARA HAZARDS

MA, PA AND NJ RIGHT TO KNOW COMPONENTS

NONE LISTED

CALIFORNIA PROP. 65 COMPONENTS

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

CANADA REGULATORY INFORMATION

WHMIS CLASSIFICATION: NOT CONTROLLED UNDER WHMIS.

EU REGULATORY INFORMATION

THIS PRODUCT IS NOT CLASSIFIED ACCORDING TO EU LEGISLATION.

SECTION 16. OTHER INFORMATION

THIS INFORMATION IS BASED ON OUR PRESENT KNOWLEDGE. HOWEVER, THIS SHALL NOT CONSTITUTE A GUARANTEE FOR ANY SPECIFIC PRODUCT FEATURES

AND SHALL NOT ESTABLISH A LEGALLY VALID CONTRACTUAL RELATIONSHIP. THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT, BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. CYTOSKELETON INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM CONTACT WITH THE ABOVE PRODUCT.

COPYRIGHT 2018 CYTOSKELETON, INC.

MATERIAL SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG/PRODUCT#: RS02

NAME: His-TAG Ras CONTROL PROTEIN, HUMAN, RECOMBINANT, *E. coli*)

USE: LABORATORY CHEMICALS

MANUFACTURER/SUPPLIER:

CYTOSKELETON INC.

1830 S. Acoma St.

Denver, CO 80223

PHONE: 303-322-2254

FAX: 303-322-2257

24H EMERGENCY TOLL-FREE NUMBER: CALL INFOTRAC DAY OR NIGHT

WITHIN USA AND CANADA: 1-800-535-5053

OUTSIDE USA AND CANADA: +1 352-323-3500 (COLLECT CALLS ACCEPTED)

SECTION 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

OSHA HAZARDS

THIS PRODUCT IS NOT CONSIDERED HAZARDOUS

GHS CLASSIFICATION

THIS PRODUCT IS NOT CONSIDERED HAZARDOUS

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM NONE

SIGNAL WORD NONE

HAZARD STATEMENTS

NONE

PRECAUTIONARY STATEMENTS

NONE

NFPA RATINGS (SCALE 0-4)

FIRE = 0

HEALTH = 0

REACTIVITY = 0

HMIS RATINGS

HEALTH = 0

FIRE = 0
REACTIVITY = 0

POTENTIAL HEALTH EFFECTS

INHALATION	MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION
SKIN	MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION
EYES	MAY CAUSE EYE IRRITATION
INGESTION	MAY BE HARMFUL IF SWALLOWED

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

TRIS BASE	CAS#: 77-86-1	<1%
	EINECS#: 201-064-4	
MAGNESIUM CHLORIDE	CAS#: 7791-18-6	<1%
	EINECS#: UNLISTED	
DEXTRAN	CAS#: 9004-54-0	1%
	EINECS#: 232-677-5	
SUCROSE	CAS#: 57-50-1	5%
	EINECS#: 200-334-9	
SODIUM CHLORIDE	CAS#: 7647-14-5	<1%
	EINECS#: 231-598-3	
BOVINE SERUM ALBUMIN	CAS#: 9048-46-8	<1%
	EINECS#: 232-936-2	
PROTEIN	CAS#: NONE	≥70%
	EINECS#: NONE	

SECTION 4. FIRST-AID MEASURES

AFTER INHALATION: SUPPLY FRESH AIR. CONSULT PHYSICIAN IN CASE OF COMPLAINTS

AFTER SKIN CONTACT: IMMEDIATELY WASH SKIN WITH SOAP AND RINSE WITH COPIOUS AMOUNTS OF WATER

AFTER EYE CONTACT: RINSE OPENED EYE FOR AT LEAST 15 MINUTES UNDER RUNNING WATER. THEN CONSULT PHYSICIAN

AFTER SWALLOWING: WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL FOR PHYSICIAN

WASH CONTAMINATED CLOTHING BEFORE REUSE.

SECTION 5. FIREFIGHTING MEASURES

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING AGENTS: CARBON DIOXIDE, EXTINGUISHING POWDER OR WATER SPRAY.

ADVICE FOR FIREFIGHTERS

PROTECTIVE EQUIPMENT: MOUNT RESPIRATORY PROTECTIVE DEVICE
PREVENT CONTACT WITH SKIN AND EYES

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: WEAR PROTECTIVE CLOTHING, RESPIRATOR, CHEMICAL SAFETY GOGGLES, GLOVES.

ENVIRONMENTAL PRECAUTIONS: DILUTE WITH PLENTY OF WATER. DO NOT ALLOW TO ENTER SEWERS/SURFACE OR GROUND WATER.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP: ABSORB WITH LIQUID-BINDING MATERIAL (SAND, DIATOMITE, ACID BINDERS, UNIVERSAL BINDERS, SAWDUST). DISPOSE CONTAMINATED MATERIAL AS WASTE ACCORDING TO SECTION 13. ENSURE ADEQUATE VENTILATION.

REFERENCE TO OTHER SECTIONS: SEE SECTION 8 FOR INFORMATION ON PERSONAL PROTECTION EQUIPMENT. SEE SECTION 13 FOR DISPOSAL INFORMATION.

SECTION 7. HANDLING AND STORAGE

HANDLING

PRECAUTIONS FOR SAFE HANDLING: ENSURE GOOD VENTILATION/EXHAUSTION AT THE WORKPLACE. WEAR APPROPRIATE PROTECTIVE CLOTHING (SEE SECTION 8). DO NOT RE-USE CONTAINER.

INFORMATION ABOUT PROTECTION AGAINST EXPLOSIONS AND FIRES: NOT IGNITABLE

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES
STORAGE

REQUIREMENTS TO BE MET BY STOREROOMS AND RECEPTACLES: STORE AT 2-8°C. KEEP CONTAINER TIGHTLY CLOSED AND SEALED UNTIL READY FOR USE. STORE DESICCATED.

FURTHER INFORMATION ABOUT STORAGE CONDITIONS: KEEP RECEPTACLE TIGHTLY SEALED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT

GENERAL PROTECTIVE AND HYGIENIC MEASURES

KEEP AWAY FROM FOODSTUFFS, BEVERAGES AND FEED
WASH HANDS BEFORE BREAKS AND AT THE END OF WORK
IMMEDIATELY REMOVE ALL SOILED AND CONTAMINATED CLOTHING
AVOID CONTACT WITH THE EYES AND SKIN

BREATHING EQUIPMENT

SHORT TERM FILTER DEVICE: FILTER P2
DO NOT BREATHE. USE MECHANICAL EXHAUST SYSTEM

PROTECTION OF HANDS

PROTECTIVE GLOVES.

THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/SUBSTANCE/PREPARATION. AS THE PRODUCT IS A PREPARATION OF SEVERAL SUBSTANCES, THE RESISTANCE OF THE GLOVE MATERIAL CANNOT BE CALCULATED IN ADVANCE AND THEREFORE HAS TO BE CHECKED PRIOR TO

APPLICATION. NO RECOMMENDATION CAN BE GIVEN FOR THE GLOVE MATERIAL FOR THIS PRODUCT. SELECT GLOVE MATERIALS BASE ON PENETRATION TIMES, RATES OF DIFFUSION AND DEGRADATION OF MATERIAL.

MATERIAL OF GLOVES

THE SELECTION OF SUITABLE GLOVES DEPENDS NOT ONLY ON THE MATERIAL BUT ON QUALITY OF MATERIAL AND VARIES FROM MANUFACTURER TO MANUFACTURER.

PENETRATION TIME OF GLOVE MATERIAL

THE EXACT BREAK THROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.

FOR THE PERMANENT CONTACT OF A MAXIMUM OF 15 MINUTES, GLOVES MADE OF THE FOLLOWING MATERIALS ARE SUITABLE:

NEOPRENE GLOVES

EYE PROTECTION: TIGHTLY SEALED GOGGLES

BODY PROTECTION: PROTECTIVE WORK CLOTHING

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

GENERAL INFORMATION

FORM: SOLID (LYOPHILIZED POWDER)

CHANGE IN CONDITION

MELTING POINT/MELTING RANGE: N/A

BOILING POINT/BOILING RANGE: N/A

FLASH POINT: N/A.

SELF-IGNITING: PRODUCT IS NOT SELF-IGNITING

DANGER OF EXPLOSION: PRODUCT IS NOT EXPLOSIVE.

DENSITY: NOT DETERMINED

SOLUBILITY IN/MISCIBILITY WITH WATER: FULLY MISCIBLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY

CHEMICAL STABILITY

STABLE WHEN STORED AS RECOMMENDED.

THERMAL DECOMPOSITION/CONDITIONS TO BE AVOIDED: NO DECOMPOSITION IF USED ACCORDING TO SPECIFICATIONS

POSSIBILITY OF HAZARDOUS REACTIONS: NO DANGEROUS REACTIONS KNOWN

HAZARDOUS DECOMPOSITION PRODUCTS: NO DANGEROUS PRODUCTS KNOWN

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

TO THE BEST OF OUR KNOWLEDGE, THE TOXICOLOGICAL PROPERTIES OF THIS PRODUCT HAVE NOT BEEN THOROUGHLY INVESTIGATED.

NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS.

ON THE SKIN: MAY CAUSE SKIN IRRITATION

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN

ON THE EYE: MAY CAUSE EYE IRRITATION

INHALATION: MAY IRRITATE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT. MAY BE HARMFUL IF INHALED

INGESTION: MAY BE HARMFUL IF SWALLOWED

SECTION 12. ECOLOGICAL INFORMATION

NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISPOSAL OF THIS PRODUCT, SOLUTIONS AND ANY BY-PRODUCTS SHOULD AT ALL TIMES COMPLY WITH THE REQUIREMENTS OF ENVIRONMENTAL PROTECTION AND WASTE DISPOSAL LEGISLATION AND ANY REGIONAL LOCAL AUTHORITY REQUIREMENTS. AVOID DISPERSAL OF SPILLED MATERIAL AND RUNOFF AND CONTACT WITH SOIL, WATERWAYS, DRAINS AND SEWERS. OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

WITHIN THE PRESENT KNOWLEDGE OF THE SUPPLIER, THIS PRODUCT IS NOT REGARDED AS HAZARDOUS WASTE, AS DEFINED BY EU DIRECTIVE 91/689/EC.

SECTION 14. TRANSPORT INFORMATION

DOT CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IATA-DGR CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IMDG CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

SECTION 15. REGULATORY INFORMATION

UNITED STATES REGULATORY INFORMATION

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA) SECTION 302/304 (40CFR355.30/40CFR355.40):

NONE OF THE INGREDIENTS IS LISTED.

**SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA)
SECTION 313:**

THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS
NO SARA HAZARDS

MA, PA AND NJ RIGHT TO KNOW COMPONENTS
NONE LISTED

CALIFORNIA PROP. 65 COMPONENTS
THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

CANADA REGULATORY INFORMATION
WHMIS CLASSIFICATION: NOT CONTROLLED UNDER WHMIS.

EU REGULATORY INFORMATION
THIS PRODUCT IS NOT CLASSIFIED ACCORDING TO EU LEGISLATION.

SECTION 16. OTHER INFORMATION

THIS INFORMATION IS BASED ON OUR PRESENT KNOWLEDGE. HOWEVER, THIS SHALL NOT CONSTITUTE A GUARANTEE FOR ANY SPECIFIC PRODUCT FEATURES AND SHALL NOT ESTABLISH A LEGALLY VALID CONTRACTUAL RELATIONSHIP. THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT, BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. CYTOSKELETON INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM CONTACT WITH THE ABOVE PRODUCT.

COPYRIGHT 2018 CYTOSKELETON, INC.

MATERIAL SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG/PRODUCT#: CLB01-S

NAME: CELL LYSIS BUFFER

USE: LABORATORY CHEMICALS

MANUFACTURER/SUPPLIER:

CYTOSKELETON INC.

1830 S. Acoma St.

Denver, CO 80223

PHONE: 303-322-2254

FAX: 303-322-2257

24H EMERGENCY TOLL-FREE NUMBER: CALL INFOTRAC DAY OR NIGHT

WITHIN USA AND CANADA: 1-800-535-5053

OUTSIDE USA AND CANADA: +1 352-323-3500 (COLLECT CALLS ACCEPTED)

SECTION 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

OSHA HAZARDS: HARMFUL BY INGESTION, IRRITANT

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS



SIGNAL WORD: DANGER

HAZARD STATEMENTS:

H302	HARMFUL IF SWALLOWED
H316	CAUSES MILD SKIN IRRITATION
H318	CAUSES SERIOUS EYE DAMAGE
H335	MAY CAUSE RESPIRATORY IRRITATION
H400	VERY TOXIC TO AQUATIC LIFE

PRECAUTIONARY STATEMENTS:

P261	AVOID BREATHING DUST/FUME/GAS/MIST/VAPORS/SPRAY.
P273	AVOID RELEASE TO THE ENVIRONMENT.
P280	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.

P305 + P351 + P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES IF PRESENT AND EASY TO DO. CONTINUE RINSING/

POTENTIAL HEALTH EFFECTS:

INHALATION	MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION
INGESTION	HARMFUL IF SWALLOWED
SKIN	HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION
EYES	CAUSES EYE IRRITATION

NFPA RATINGS (SCALE 0-4)

FIRE = 1
HEALTH = 2
REACTIVITY = 0

HMIS CLASSIFICATION (SCALE 0-4)

FIRE = 1
HEALTH = 2
PHYSICAL HAZARDS = 0

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

TRIS BASE	CAS#: 77-86-1	<1%
	EINECS#: 201-064-4	
MAGNESIUM CHLORIDE	CAS#: 7791-18-6	<1%
	EINECS#: UNLISTED	
SODIUM CHLORIDE	CAS#: 7647-14-5	<1%
	EINECS#: 231-598-3	
NONIDET P-40	CAS#: 9016-45-9	2%
	EINECS: 500-024-6	

SECTION 4. FIRST-AID MEASURES

AFTER INHALATION: SUPPLY FRESH AIR. IF NOT BREATHING, IF BREATHING IS IRREGULAR OR IF RESPIRATORY ARREST OCCURS, PROVIDE ARTIFICIAL RESPIRATION. CONSULT PHYSICIAN

AFTER SKIN CONTACT: IMMEDIATELY RINSE WITH WATER FOR AT LEAST 15 MINUTES. CONSULT PHYSICIAN

AFTER EYE CONTACT: REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. RINSE OPENED EYE FOR AT LEAST 15 MINUTES UNDER RUNNING WATER. THEN CONSULT PHYSICIAN

AFTER SWALLOWING: DO NOT INDUCE VOMITING. DRINK COPIOUS AMOUNTS OF WATER AND PROVIDE FRESH AIR. CALL FOR PHYSICIAN IMMEDIATELY WASH CONTAMINATED CLOTHING BEFORE REUSE.

SECTION 5. FIREFIGHTING MEASURES

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING AGENTS: CARBON DIOXIDE, EXTINGUISHING POWDER, ALCOHOL-RESISTANT FOAM OR WATER SPRAY.

ADVICE FOR FIREFIGHTERS

PROTECTIVE EQUIPMENT: MOUNT RESPIRATORY PROTECTIVE DEVICE
PREVENT CONTACT WITH SKIN AND EYES

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: WEAR PROTECTIVE CLOTHING, RESPIRATOR, CHEMICAL SAFETY GOGGLES, RUBBER GLOVES. AVOID DUST FORMATION. AVOID BREATHING VAPORS, MIST OR GAS. INSURE ADEQUATE VENTILATION.

ENVIRONMENTAL PRECAUTIONS: DILUTE WITH PLENTY OF WATER. DO NOT ALLOW TO ENTER SEWERS/SURFACE OR GROUND WATER.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP: ABSORB WITH LIQUID-BINDING MATERIAL (SAND, DIATOMITE, ACID BINDERS, UNIVERSAL BINDERS, SAWDUST). USE NEUTRALIZING AGENT. DISPOSE CONTAMINATED MATERIAL AS HAZARDOUS WASTE ACCORDING TO SECTION 13. ENSURE ADEQUATE VENTILATION. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

REFERENCE TO OTHER SECTIONS: SEE SECTION 8 FOR INFORMATION ON PERSONAL PROTECTION EQUIPMENT. SEE SECTION 13 FOR DISPOSAL INFORMATION.

SECTION 7. HANDLING AND STORAGE

HANDLING

PRECAUTIONS FOR SAFE HANDLING: ENSURE GOOD VENTILATION/EXHAUSTION AT THE WORKPLACE. AVOID CONTACT WITH SKIN AND EYES. AVOID INHALATION OF VAPOR OR MIST

INFORMATION ABOUT PROTECTION AGAINST EXPLOSIONS AND FIRES: NO SPECIAL PRECAUTIONS ARE NECESSARY.

REQUIREMENTS TO BE MET BY STOREROOMS AND RECEPTACLES: STORE AT 2-8°C.

INFORMATION ABOUT STORAGE IN ONE COMMON STORAGE FACILITY: NO SPECIAL PRECAUTIONS ARE NECESSARY. KEEP TIGHTLY CLOSED AND IN A DRY, WELL-VENTILATED PLACE.

FURTHER INFORMATION ABOUT STORAGE CONDITIONS: KEEP RECEPTACLE TIGHTLY SEALED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES

GENERAL INFORMATION

PERSONAL PROTECTIVE EQUIPMENT

GENERAL PROTECTIVE AND HYGIENIC MEASURES

KEEP AWAY FROM FOODSTUFFS, BEVERAGES AND FEED
WASH HANDS BEFORE BREAKS AND AT THE END OF WORK

IMMEDIATELY REMOVE ALL SOILED AND CONTAMINATED CLOTHING
AVOID CONTACT WITH THE EYES AND SKIN

BREATHING EQUIPMENT

WHERE AIR-PURIFYING RESPIRATORS ARE APPROPRIATE, USE A FULL-FACE PARTICLE RESPIRATOR TYPE N100 OR TYPE P3 RESPIRATOR CARTRIDGES AS A BACK-UP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. DO NOT BREATHE. USE MECHANICAL EXHAUST SYSTEM

PROTECTION OF HANDS

PROTECTIVE GLOVES.

THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/SUBSTANCE/PREPARATION. AS THE PRODUCT IS A PREPARATION OF SEVERAL SUBSTANCES, THE RESISTANCE OF THE GLOVE MATERIAL CANNOT BE CALCULATED IN ADVANCE AND THEREFORE HAS TO BE CHECKED PRIOR TO APPLICATION. NO RECOMMENDATION CAN BE GIVEN FOR THE GLOVE MATERIAL FOR THIS PRODUCT. SELECT GLOVE MATERIALS BASE ON PENETRATION TIMES, RATES OF DIFFUSION AND DEGRADATION OF MATERIAL.

MATERIAL OF GLOVES

THE SELECTION OF SUITABLE GLOVES DEPENDS NOT ONLY ON THE MATERIAL BUT ON QUALITY OF MATERIAL AND VARIES FROM MANUFACTURER TO MANUFACTURER.

PENETRATION TIME OF GLOVE MATERIAL

THE EXACT BREAK THROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.

FOR THE PERMANENT CONTACT OF A MAXIMUM OF 15 MINUTES, GLOVES MADE OF THE FOLLOWING MATERIALS ARE SUITABLE:

NEOPRENE GLOVES

EYE PROTECTION: TIGHTLY SEALED GOGGLES AND FACE SHIELD (8 INCH MINIMUM)

BODY PROTECTION: PROTECTIVE WORK CLOTHING

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

GENERAL INFORMATION

FORM: LYOPHILIZED

COLOR: CLEAR

ODOR: UNDETERMINED

pH: NO DATA AVAILABLE

MELTING POINT/MELTING RANGE: NO DATA AVAILABLE

BOILING POINT/BOILING RANGE: NO DATA AVAILABLE

FLASH POINT: NO DATA AVAILABLE

IGNITION TEMPERATURE: NO DATA AVAILABLE

LOWER EXPLOSIVE LIMIT: NO DATA AVAILABLE
UPPER EXPLOSIVE LIMIT: NO DATA AVAILABLE
DENSITY: NO DATA AVAILABLE
SOLUBILITY IN/MISCIBILITY WITH WATER: FULLY MISCIBLE
SEE SECTION 10.

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY

CHEMICAL STABILITY

STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

THERMAL DECOMPOSITION/CONDITIONS TO BE AVOIDED: NO DATA AVAILABLE

POSSIBILITY OF HAZARDOUS REACTIONS: NO DATA AVAILABLE

MATERIALS TO AVOID: STRONG OXIDIZING AGENTS

HAZARDOUS DECOMPOSITION PRODUCTS: HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS – NATURE OF DECOMPOSITION PRODUCTS NOT KNOWN.

SECTION 11. TOXICOLOGICAL INFORMATION

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

ACUTE TOXICITY

NO DATA AVAILABLE

INHALATION: NO DATA AVAILABLE

SKIN CORROSION/IRRITATION

SKIN -RABBIT- MILD SKIN IRRITATION

SERIOUS EYE DAMAGE/EYE IRRITATION

EYES -RABBIT- SEVERE EYE IRRITATION

RESPIRATORY OR SKIN SENSITIZATION

PROLONGED OR REPEATED EXPOSURE MAY CAUSE ALLERGIC REACTIONS IN CERTAIN SENSITIVE INDIVIDUALS

GERM CELL MUTAGENICITY

NO DATA AVAILABLE

CARCINOGENICITY

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC, ACGIH, NTP OR OSHA.

REPRODUCTIVE TOXICITY

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY -SINGLE EXPOSURE (GLOBALLY HARMONIZED SYSTEM)

MAY CAUSE RESPIRATORY IRRITATION

SPECIFIC TARGET ORGAN TOXICITY -REPEATED EXPOSURE (GLOBALLY HARMONIZED SYSTEM)

NO DATA AVAILABLE

ASPIRATION HAZARD

POTENTIAL HEALTH EFFECTS

INHALATION	MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION
INGESTION	HARMFUL IF SWALLOWED
SKIN	HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION
EYES	CAUSES EYE IRRITATION

SIGNS AND SYMPTOMS OF EXPOSURE

NAUSEA, HEADACHE, VOMITING

SECTION 12. ECOLOGICAL INFORMATION**TOXICITY****TOXICITY TO FISH**

MORTALITY LOEC -PIMEPHALES PROMELAS (FATHEAD MINNOW) - 2 mg/l -144 h
MORTALITY NOEC -PIMEPHALES PROMELAS (FATHEAD MINNOW) - 1.8 mg/l -144 h
LC50 - LEPOMIS MACROCHIRUS (BLUEGILL) - 1.0 - 9.7 mg/l -96 h

TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES

MORTALITY NEOC -DAPHNIA MAGNA (WATER FLEA) -10 mg/l -144 h
MORTALITY LOEC -DAPHNIA MAGNA (WATER FLEA) -12.2-17 mg/l -48 h

TOXICITY TO ALGAE

GROWTH INHIBITION LOEC -PSEUDOKIRCHNERIELLA SUBCAPITATA -16 mg/l -96 h
GROWTH INHIBITION NOEC -PSEUDOKIRCHNERIELLA SUBCAPITATA -8 mg/l -96 h

PERSISTENCE AND DEGRADABILITY

BIODEGRADABILITY RESULT: 86% - READILY BIODEGRADABLE
METHOD: MODIFIED STURM TEST

BIOACCUMULATIVE POTENTIAL

DOES NOT BIOACCUMULATE

MOBILITY IN SOIL

NO DATA AVAILABLE

PBT AND vPvB ASSESSMENT

NO DATA AVAILABLE

OTHER ADVERSE EFFECTS

VERY TOXIC TO AQUATIC LIFE

DO NOT POUR UNDILUTED PRODUCT OR LARGE QUANTITIES INTO DRAINS OR ALLOW TO REACH GROUND WATER, WATER COURSE OR SEWAGE SYSTEM.

SECTION 13. DISPOSAL CONSIDERATIONS**WASTE TREATMENT METHODS**

RECOMMENDATION: MUST NOT BE DISPOSED OF TOGETHER WITH HOUSEHOLD GARBAGE. DO NOT ALLOW PRODUCT TO REACH SEWAGE SYSTEM.

UNCLEANED PACKAGINGS: DISPOSE OF AS UNUSED PRODUCT

RECOMMENDATION: DISPOSAL MUST BE MADE ACCORDING TO OFFICIAL REGULATIONS. OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. DISSOLVE OR MIX MATERIAL WITH COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER.

RECOMMENDED CLEANSING AGENT: WATER, IF NECESSARY WITH CLEANSING AGENTS.

HAND OVER TO HAZARDOUS WASTE DISPOSERS.

CONTAMINATED PACKAGING: DISPOSE OF AS UNUSED PRODUCT

OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

SECTION 14. TRANSPORT INFORMATION

THIS PRODUCT IS SUBJECT TO THE DE MINIMIS EXCEPTIONS FOR DANGEROUS GOODS/HAZARDOUS MATERIALS IN ACCORDANCE WITH THE FOLLOWING REGULATIONS: IATA 2.6.10, ADR 3.5.1.4, AND U.S. DOT 49 CFR 173.4b.

DOT CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IATA-DGR CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IMDG CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

SECTION 15. REGULATORY INFORMATION

OSHA HAZARDS

HARMFUL BY INGESTION, IRRITANT

DSL STATUS

ALL COMPONENTS OF THIS PRODUCT ARE ON THE CANADIAN DSL LIST.

WHMIS CLASSIFICATION: CLASS D-2B: MATERIAL CAUSING OTHER TOXIC EFFECTS (TOXIC)

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA) SECTION 302/304 (40CFR355.30/40CFR355.40):

HAZARDOUS CHEMICALS: NONIDET P-40

SECTION 313 (40CFR372.65):

THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS

ACUTE HEALTH HAZARD

U.S. FEDERAL REGULATIONS

TSCA 8(a) PAIR: NONIDET P-40

(TSCA 8b): ALL COMPONENTS ARE LISTED OR EXEMPTED

STATE REGULATIONS**PA AND NJ RIGHT TO KNOW COMPONENTS**

ETHOXYLATED NONYLPHENOL

CAS#: 9016-45-9

SODIUM CHLORIDE

CAS#: 7647-14-5

MAGNESIUM CHLORIDE

CAS#: 7791-18-6

CALIFORNIA PROP. 65 COMPONENTS

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

SECTION 16. OTHER INFORMATION

THIS INFORMATION IS BASED ON OUR PRESENT KNOWLEDGE. HOWEVER, THIS SHALL NOT CONSTITUTE A GUARANTEE FOR ANY SPECIFIC PRODUCT FEATURES AND SHALL NOT ESTABLISH A LEGALLY VALID CONTRACTUAL RELATIONSHIP. THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT, BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. CYTOSKELETON INC. SHALL NOT BE HELD

LIABLE FOR ANY DAMAGE RESULTING FROM CONTACT WITH THE ABOVE
PRODUCT.

COPYRIGHT 2018 CYTOSKELETON, INC.

MATERIAL SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG/PRODUCT#: WB01-S

NAME: WASH BUFFER

USE: LABORATORY CHEMICALS

MANUFACTURER/SUPPLIER:

CYTOSKELETON INC.
1830 S. Acoma St.
Denver, CO 80223
PHONE: 303-322-2254
FAX: 303-322-2257

24H EMERGENCY TOLL-FREE NUMBER: CALL INFOTRAC DAY OR NIGHT
WITHIN USA AND CANADA: 1-800-535-5053
OUTSIDE USA AND CANADA: +1 352-323-3500 (COLLECT CALLS ACCEPTED)

SECTION 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

OSHA HAZARDS

THIS PRODUCT IS NOT CONSIDERED HAZARDOUS

GHS CLASSIFICATION

THIS PRODUCT IS NOT CONSIDERED HAZARDOUS

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM NONE
SIGNAL WORD NONE

HAZARD STATEMENTS

NONE

PRECAUTIONARY STATEMENTS

NONE

NFPA RATINGS (SCALE 0-4)

FIRE = 0
HEALTH = 0
REACTIVITY = 0

HMIS RATINGS

HEALTH = 0

FIRE = 0

REACTIVITY = 0

POTENTIAL HEALTH EFFECTS

INHALATION	MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION
SKIN	MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION
EYES	MAY CAUSE EYE IRRITATION
INGESTION	MAY BE HARMFUL IF SWALLOWED

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

TRIS BASE	CAS#: 77-86-1	<1%
	EINECS#: 201-064-4	
MAGNESIUM CHLORIDE	CAS#: 7791-18-6	<1%
	EINECS#: UNLISTED	
SODIUM CHLORIDE	CAS#: 7647-14-5	<1%
	EINECS#: 231-598-3	

SECTION 4. FIRST-AID MEASURES

AFTER INHALATION: SUPPLY FRESH AIR. CONSULT PHYSICIAN IN CASE OF COMPLAINTS

AFTER SKIN CONTACT: IMMEDIATELY WASH SKIN WITH SOAP AND RINSE WITH COPIOUS AMOUNTS OF WATER

AFTER EYE CONTACT: RINSE OPENED EYE FOR AT LEAST 15 MINUTES UNDER RUNNING WATER. THEN CONSULT PHYSICIAN

AFTER SWALLOWING: WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL FOR PHYSICIAN

WASH CONTAMINATED CLOTHING BEFORE REUSE.

SECTION 5. FIREFIGHTING MEASURES

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING AGENTS: CARBON DIOXIDE, EXTINGUISHING POWDER OR WATER SPRAY.

ADVICE FOR FIREFIGHTERS

PROTECTIVE EQUIPMENT: MOUNT RESPIRATORY PROTECTIVE DEVICE
PREVENT CONTACT WITH SKIN AND EYES

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: WEAR PROTECTIVE CLOTHING, RESPIRATOR, CHEMICAL SAFETY GOGGLES, GLOVES.

ENVIRONMENTAL PRECAUTIONS: DILUTE WITH PLENTY OF WATER. DO NOT ALLOW TO ENTER SEWERS/SURFACE OR GROUND WATER.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP: ABSORB WITH LIQUID-BINDING MATERIAL (SAND, DIATOMITE, ACID BINDERS, UNIVERSAL BINDERS, SAWDUST). DISPOSE CONTAMINATED MATERIAL AS WASTE ACCORDING TO SECTION 13. ENSURE ADEQUATE VENTILATION.

REFERENCE TO OTHER SECTIONS: SEE SECTION 8 FOR INFORMATION ON PERSONAL PROTECTION EQUIPMENT. SEE SECTION 13 FOR DISPOSAL INFORMATION.

SECTION 7. HANDLING AND STORAGE

HANDLING

PRECAUTIONS FOR SAFE HANDLING: ENSURE GOOD VENTILATION/EXHAUSTION AT THE WORKPLACE. WEAR APPROPRIATE PROTECTIVE CLOTHING (SEE SECTION 8). DO NOT RE-USE CONTAINER.
INFORMATION ABOUT PROTECTION AGAINST EXPLOSIONS AND FIRES: NOT IGNITABLE

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES
STORAGE

REQUIREMENTS TO BE MET BY STOREROOMS AND RECEPTACLES: STORE AT 2-8°C. KEEP CONTAINER TIGHTLY CLOSED AND SEALED UNTIL READY FOR USE. STORE DESICCATED.

FURTHER INFORMATION ABOUT STORAGE CONDITIONS: KEEP RECEPTACLE TIGHTLY SEALED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT

GENERAL PROTECTIVE AND HYGIENIC MEASURES

KEEP AWAY FROM FOODSTUFFS, BEVERAGES AND FEED
WASH HANDS BEFORE BREAKS AND AT THE END OF WORK
IMMEDIATELY REMOVE ALL SOILED AND CONTAMINATED CLOTHING
AVOID CONTACT WITH THE EYES AND SKIN

BREATHING EQUIPMENT

SHORT TERM FILTER DEVICE: FILTER P2
DO NOT BREATHE. USE MECHANICAL EXHAUST SYSTEM

PROTECTION OF HANDS

PROTECTIVE GLOVES.

THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/SUBSTANCE/PREPARATION. AS THE PRODUCT IS A PREPARATION OF SEVERAL SUBSTANCES, THE RESISTANCE OF THE GLOVE MATERIAL CANNOT BE CALCULATED IN ADVANCE AND THEREFORE HAS TO BE CHECKED PRIOR TO APPLICATION. NO RECOMMENDATION CAN BE GIVEN FOR THE GLOVE MATERIAL FOR THIS PRODUCT. SELECT GLOVE MATERIALS BASE ON PENETRATION TIMES, RATES OF DIFFUSION AND DEGRADATION OF MATERIAL.

MATERIAL OF GLOVES

THE SELECTION OF SUITABLE GLOVES DEPENDS NOT ONLY ON THE MATERIAL BUT ON QUALITY OF MATERIAL AND VARIES FROM MANUFACTURER TO MANUFACTURER.

PENETRATION TIME OF GLOVE MATERIAL

THE EXACT BREAK THROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.

FOR THE PERMANENT CONTACT OF A MAXIMUM OF 15 MINUTES, GLOVES MADE OF THE FOLLOWING MATERIALS ARE SUITABLE:

NEOPRENE GLOVES

EYE PROTECTION: TIGHTLY SEALED GOGGLES

BODY PROTECTION: PROTECTIVE WORK CLOTHING

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

GENERAL INFORMATION

FORM: SOLID (LYOPHILIZED POWDER)

CHANGE IN CONDITION

MELTING POINT/MELTING RANGE: N/A

BOILING POINT/BOILING RANGE: N/A

FLASH POINT: N/A.

SELF-IGNITING: PRODUCT IS NOT SELF-IGNITING

DANGER OF EXPLOSION: PRODUCT IS NOT EXPLOSIVE.

DENSITY: NOT DETERMINED

SOLUBILITY IN/MISCIBILITY WITH WATER: FULLY MISCIBLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY

CHEMICAL STABILITY

STABLE WHEN STORED AS RECOMMENDED.

THERMAL DECOMPOSITION/CONDITIONS TO BE AVOIDED: NO DECOMPOSITION IF USED ACCORDING TO SPECIFICATIONS

POSSIBILITY OF HAZARDOUS REACTIONS: NO DANGEROUS REACTIONS KNOWN

HAZARDOUS DECOMPOSITION PRODUCTS: NO DANGEROUS PRODUCTS KNOWN

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

TO THE BEST OF OUR KNOWLEDGE, THE TOXICOLOGICAL PROPERTIES OF THIS PRODUCT HAVE NOT BEEN THOROUGHLY INVESTIGATED.

NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS.

ON THE SKIN: MAY CAUSE SKIN IRRITATION
SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN
ON THE EYE: MAY CAUSE EYE IRRITATION
INHALATION: MAY IRRITATE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT. MAY BE HARMFUL IF INHALED
INGESTION: MAY BE HARMFUL IF SWALLOWED

SECTION 12. ECOLOGICAL INFORMATION

NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISPOSAL OF THIS PRODUCT, SOLUTIONS AND ANY BY-PRODUCTS SHOULD AT ALL TIMES COMPLY WITH THE REQUIREMENTS OF ENVIRONMENTAL PROTECTION AND WASTE DISPOSAL LEGISLATION AND ANY REGIONAL LOCAL AUTHORITY REQUIREMENTS. AVOID DISPERSAL OF SPILLED MATERIAL AND RUNOFF AND CONTACT WITH SOIL, WATERWAYS, DRAINS AND SEWERS. OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

WITHIN THE PRESENT KNOWLEDGE OF THE SUPPLIER, THIS PRODUCT IS NOT REGARDED AS HAZARDOUS WASTE, AS DEFINED BY EU DIRECTIVE 91/689/EC.

SECTION 14. TRANSPORT INFORMATION

DOT CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IATA-DGR CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

SECTION 15. REGULATORY INFORMATION

UNITED STATES REGULATORY INFORMATION

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA) SECTION 302/304 (40CFR355.30/40CFR355.40):

NONE OF THE INGREDIENTS IS LISTED.

CANADA REGULATORY INFORMATION

WHMIS CLASSIFICATION: NOT CONTROLLED UNDER WHMIS.

EU REGULATORY INFORMATION

THIS PRODUCT IS NOT CLASSIFIED ACCORDING TO EU LEGISLATION.

SECTION 16. OTHER INFORMATION

THIS INFORMATION IS BASED ON OUR PRESENT KNOWLEDGE. HOWEVER, THIS SHALL NOT CONSTITUTE A GUARANTEE FOR ANY SPECIFIC PRODUCT FEATURES AND SHALL NOT ESTABLISH A LEGALLY VALID CONTRACTUAL RELATIONSHIP. THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT, BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. CYTOSKELETON INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM CONTACT WITH THE ABOVE PRODUCT.

COPYRIGHT 2018 CYTOSKELETON, INC.

MATERIAL SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG/PRODUCT#: LB01

NAME: LOADING BUFFER

USE: LABORATORY CHEMICALS

MANUFACTURER/SUPPLIER:

CYTOSKELETON INC.

1830 S. Acoma St.

Denver, CO 80223

PHONE: 303-322-2254

FAX: 303-322-2257

24H EMERGENCY TOLL-FREE NUMBER: CALL INFOTRAC DAY OR NIGHT

WITHIN USA AND CANADA: 1-800-535-5053

OUTSIDE USA AND CANADA: +1 352-323-3500 (COLLECT CALLS ACCEPTED)

SECTION 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

OSHA HAZARDS

IRRITANT

GHS CLASSIFICATION

ACUTE TOXICITY, ORAL (CATEGORY 5)

EYE IRRITATION (CATEGORY 2A)

ACUTE AQUATIC TOXICITY (CATEGORY 3)

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM



SIGNAL WORD

WARNING

HAZARD STATEMENTS

H303 MAY BE HARMFUL IF SWALLOWED

H319 CAUSES SERIOUS EYE IRRITATION

H402 HARMFUL TO AQUATIC LIFE

PRECAUTIONARY STATEMENTS

P264

WASH SKIN THOROUGHLY AFTER HANDLING

P273

AVOID RELEASE TO THE ENVIRONMENT

P280 WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION
P305 + P351 + P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING
P312 CALL A POISON CENTER OR DOCTOR/PHYSICIAN IF YOU FEEL UNWELL
P337 + P313 IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION
P501 DISPOSE OF CONTENTS/CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT

NFPA RATINGS (SCALE 0-4)

FIRE = 0

HEALTH HAZARD = 2

REACTIVITY HAZARD = 0

HMIS RATINGS

HEALTH = 2

FLAMMABILITY = 0

PHYSICAL HAZARDS = 0

POTENTIAL HEALTH EFFECTS

INHALATION MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION
SKIN MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION
EYES CAUSES EYE IRRITATION
INGESTION MAY BE HARMFUL IF SWALLOWED

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

EDTA CAS#: 60-00-4 4%
(ETHYLENEDIAMINETETRAACETIC ACID) EINECS#:200-449-4

SECTION 4. FIRST-AID MEASURES

AFTER INHALATION: SUPPLY FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT PHYSICIAN

AFTER SKIN CONTACT: IMMEDIATELY WASH SKIN WITH SOAP AND RINSE WITH COPIOUS AMOUNTS OF WATER. CONSULT PHYSICIAN

AFTER EYE CONTACT: RINSE OPENED EYE FOR AT LEAST 15 MINUTES UNDER RUNNING WATER. THEN CONSULT PHYSICIAN

AFTER SWALLOWING: WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CONSULT PHYSICIAN

WASH CONTAMINATED CLOTHING BEFORE REUSE.

SECTION 5. FIREFIGHTING MEASURES

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING AGENTS: CARBON DIOXIDE, EXTINGUISHING POWDER OR WATER SPRAY.

ADVICE FOR FIREFIGHTERS

PROTECTIVE EQUIPMENT: MOUNT RESPIRATORY PROTECTIVE DEVICE
PREVENT CONTACT WITH SKIN AND EYES

HAZARDOUS COMBUSTION PRODUCTS: HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS: CARBON OXIDES, NITROGEN OXIDES (NO_x)

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: WEAR PROTECTIVE CLOTHING, RESPIRATOR, CHEMICAL SAFETY GOGGLES, GLOVES. AVOID BREATHING VAPORS, MIST, OR GAS. ENSURE ADEQUATE VENTILATION.

ENVIRONMENTAL PRECAUTIONS: DILUTE WITH PLENTY OF WATER. DO NOT ALLOW TO ENTER SEWERS/SURFACE OR GROUND WATER.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP: ABSORB WITH LIQUID-BINDING MATERIAL (SAND, DIATOMITE, ACID BINDERS, UNIVERSAL BINDERS, SAWDUST). DISPOSE CONTAMINATED MATERIAL AS WASTE ACCORDING TO SECTION 13. ENSURE ADEQUATE VENTILATION.

REFERENCE TO OTHER SECTIONS: SEE SECTION 8 FOR INFORMATION ON PERSONAL PROTECTION EQUIPMENT. SEE SECTION 13 FOR DISPOSAL INFORMATION.

SECTION 7. HANDLING AND STORAGE

HANDLING

PRECAUTIONS FOR SAFE HANDLING: ENSURE GOOD VENTILATION/EXHAUSTION AT THE WORKPLACE. WEAR APPROPRIATE PROTECTIVE CLOTHING (SEE SECTION 8). DO NOT RE-USE CONTAINER.

INFORMATION ABOUT PROTECTION AGAINST EXPLOSIONS AND FIRES: NOT IGNITABLE

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES
STORAGE

REQUIREMENTS TO BE MET BY STOREROOMS AND RECEPTACLES: STORE AT 2-8°C. KEEP CONTAINER TIGHTLY CLOSED AND SEALED UNTIL READY FOR USE. STORE DESICCATED.

FURTHER INFORMATION ABOUT STORAGE CONDITIONS: KEEP RECEPTACLE TIGHTLY SEALED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES

PERSONAL PROTECTIVE EQUIPMENT

GENERAL PROTECTIVE AND HYGIENIC MEASURES

KEEP AWAY FROM FOODSTUFFS, BEVERAGES AND FEED
WASH HANDS BEFORE BREAKS AND AT THE END OF WORK
IMMEDIATELY REMOVE ALL SOILED AND CONTAMINATED CLOTHING
AVOID CONTACT WITH THE EYES AND SKIN

BREATHING EQUIPMENT

SHORT TERM FILTER DEVICE: TYPE FILTER P1 (EU EN 143) OF TYPE P95 (US)
DO NOT BREATHE VAPORS. USE MECHANICAL EXHAUST SYSTEM

PROTECTION OF HANDS

PROTECTIVE GLOVES.

THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/SUBSTANCE/PREPARATION. AS THE PRODUCT IS A PREPARATION OF SEVERAL SUBSTANCES, THE RESISTANCE OF THE GLOVE MATERIAL CANNOT BE CALCULATED IN ADVANCE AND THEREFORE HAS TO BE CHECKED PRIOR TO APPLICATION. NO RECOMMENDATION CAN BE GIVEN FOR THE GLOVE MATERIAL FOR THIS PRODUCT. SELECT GLOVE MATERIALS BASE ON PENETRATION TIMES, RATES OF DIFFUSION AND DEGRADATION OF MATERIAL.

MATERIAL OF GLOVES

THE SELECTION OF SUITABLE GLOVES DEPENDS NOT ONLY ON THE MATERIAL BUT ON QUALITY OF MATERIAL AND VARIES FROM MANUFACTURER TO MANUFACTURER.

PENETRATION TIME OF GLOVE MATERIAL

THE EXACT BREAK THROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.

FOR THE PERMANENT CONTACT OF A MAXIMUM OF 15 MINUTES, GLOVES MADE OF THE FOLLOWING MATERIALS ARE SUITABLE:

NEOPRENE GLOVES

EYE PROTECTION: TIGHTLY SEALED GOGGLES

BODY PROTECTION: PROTECTIVE WORK CLOTHING

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

GENERAL INFORMATION

FORM: LIQUID

CHANGE IN CONDITION

MELTING POINT/MELTING RANGE: NO DATA AVAILABLE

BOILING POINT/BOILING RANGE: NO DATA AVAILABLE

FLASH POINT: NO DATA AVAILABLE

SELF-IGNITING: PRODUCT IS NOT SELF-IGNITING

DANGER OF EXPLOSION: PRODUCT IS NOT EXPLOSIVE.

DENSITY: NO DATA AVAILABLE

SOLUBILITY IN/MISCIBILITY WITH WATER: FULLY MISCIBLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY**CHEMICAL STABILITY**

STABLE WHEN STORED AS RECOMMENDED.

THERMAL DECOMPOSITION/CONDITIONS TO BE AVOIDED: NO DATA

AVAILABLE

MATERIALS TO AVOID: STRONG OXIDIZING AGENTS

POSSIBILITY OF HAZARDOUS REACTIONS: NO DATA AVAILABLE

HAZARDOUS DECOMPOSITION PRODUCTS: HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS: CARBON OXIDES, NITROGEN OXIDES (NO_x)

SECTION 11. TOXICOLOGICAL INFORMATION**ACUTE TOXICITY**

ORAL LD50

LD50 ORAL -RAT- 2,580 mg/kg

INHALATION LC50

NO DATA AVAILABLE

DERMAL LD50

NO DATA AVAILABLE

OTHER INFORMATION ON ACUTE TOXICITY

NO DATA AVAILABLE

SKIN CORROSION/IRRITATION

SKIN -RABBIT- NO SKIN IRRITATION

SERIOUS EYE DAMAGE/EYE IRRITATION

EYES -RABBIT- EYE IRRITATION

RESPIRATORY OR SKIN SENSITIZATION

WILL NOT OCCUR

GERM CELL MUTAGENICITY

NO DATA AVAILABLE

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC, ACGIH, NTP, OR OSHA.

REPRODUCTIVE TOXICITY

NO DATA AVAILABLE

TERATOGENICITY

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY -SINGLE EXPOSURE (GHS)

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY -REPEATED EXPOSURE (GHS)

NO DATA AVAILABLE

ASPIRATION HAZARD

NO DATA AVAILABLE

POTENTIAL HEALTH EFFECTS

INHALATION	MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION
SKIN	MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION
EYES	CAUSES EYE IRRITATION
INGESTION	MAY BE HARMFUL IF SWALLOWED

SIGNS AND SYMPTOMS OF EXPOSURE

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

SECTION 12. ECOLOGICAL INFORMATION**TOXICITY**

TOXICITY TO FISH	MORTALITY NOEC - LEPOMIS MACROCHIRUS - 24 mg/l - 96.0 h
TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES	EC50 - DAPHNIA MAGNA (WATER FLEA) - 113 mg/l - 48 h

PERSISTENCE AND DEGRADABILITY**BIOACCUMULATIVE POTENTIAL**

BIOACCUMULATION	LEPOMIS MACROCHIRUS - 28 d
	BIOCONCENTRATION FACTOR (BCF): 1.8

MOBILITY IN SOIL

NO DATA AVAILABLE

PBT AND vPvB ASSESSMENT

NO DATA AVAILABLE

OTHER ADVERSE EFFECTS

AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED IN THE EVENT OF UNPROFESSIONAL HANDLING OR DISPOSAL.

HARMFUL TO AQUATIC LIFE

MAY BE HARMFUL TO AQUATIC ORGANISMS DUE TO THE SHIFT OF THE pH.
AVOID RELEASE TO THE ENVIRONMENT.

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISPOSAL OF THIS PRODUCT, SOLUTIONS AND ANY BY-PRODUCTS SHOULD AT ALL TIMES COMPLY WITH THE REQUIREMENTS OF ENVIRONMENTAL PROTECTION AND WASTE DISPOSAL LEGISLATION AND ANY REGIONAL LOCAL AUTHORITY REQUIREMENTS. AVOID DISPERSAL OF SPILLED MATERIAL AND RUNOFF AND CONTACT WITH SOIL, WATERWAYS, DRAINS AND SEWERS. OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

DISPOSE OF CONTAMINATED PACKAGING AS UNUSED PRODUCT

SECTION 14. TRANSPORT INFORMATION

THIS PRODUCT IS SUBJECT TO THE DE MINIMIS EXCEPTIONS FOR DANGEROUS GOODS/HAZARDOUS MATERIALS IN ACCORDANCE WITH THE FOLLOWING REGULATIONS: IATA 2.6.10, ADR 3.5.1.4, AND U.S. DOT 49 CFR 173.4b.

DOT CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IATA-DGR CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IMDG CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

SECTION 15. REGULATORY INFORMATION

OSHA HAZARDS

IRRITANT

DSL STATUS

ALL COMPONENTS OF THIS PRODUCT ARE ON THE CANADIAN DSL LIST.

UNITED STATES REGULATORY INFORMATION

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA) SECTION 302/304 (40CFR355.30/40CFR355.40):

NONE OF THE INGREDIENTS IS LISTED.

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA) SECTION 313:

MATERIAL SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG/PRODUCT#: STP01

NAME: STOP BUFFER

USE: LABORATORY CHEMICALS

MANUFACTURER/SUPPLIER:

CYTOSKELETON INC.

1830 S. Acoma St.

Denver, CO 80223

PHONE: 303-322-2254

FAX: 303-322-2257

24H EMERGENCY TOLL-FREE NUMBER: CALL INFOTRAC DAY OR NIGHT

WITHIN USA AND CANADA: 1-800-535-5053

OUTSIDE USA AND CANADA: +1 352-323-3500 (COLLECT CALLS ACCEPTED)

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

MAGNESIUM CHLORIDE HEXAHYDRATE	CAS#: 7791-18-6 EINECS#: 232-094-6	12%
WATER	CAS#: 7732-18-5 EINECS#:231-791-2	88%

SECTION 3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

OSHA HAZARDS

THIS PRODUCT IS NOT CONSIDERED HAZARDOUS

GHS CLASSIFICATION

THIS PRODUCT IS NOT CONSIDERED HAZARDOUS

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM NONE
SIGNAL WORD NONE

HAZARD STATEMENTS

NONE

PRECAUTIONARY STATEMENTS

NONE

NFPA RATINGS (SCALE 0-4)

FIRE = 0

HEALTH = 0

REACTIVITY = 0

HMIS RATINGS

HEALTH = 0

FIRE = 0

REACTIVITY = 0

POTENTIAL HEALTH EFFECTS

INHALATION	MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION
SKIN	MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION
EYES	MAY CAUSE EYE IRRITATION
INGESTION	MAY BE HARMFUL IF SWALLOWED

SECTION 4. FIRST-AID MEASURES

AFTER INHALATION: SUPPLY FRESH AIR. CONSULT PHYSICIAN IN CASE OF COMPLAINTS. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN

AFTER SKIN CONTACT: IMMEDIATELY WASH SKIN WITH SOAP AND RINSE WITH COPIOUS AMOUNTS OF WATER.

AFTER EYE CONTACT: RINSE OPENED EYE FOR AT LEAST 15 MINUTES UNDER RUNNING WATER.

AFTER SWALLOWING: WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS.

WASH CONTAMINATED CLOTHING BEFORE REUSE.

SECTION 5. FIREFIGHTING MEASURES**CONDITIONS OF FLAMMABILITY**

NOT FLAMMABLE OR COMBUSTIBLE

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING AGENTS: CARBON DIOXIDE, EXTINGUISHING POWDER OR WATER SPRAY.

ADVICE FOR FIREFIGHTERS

PROTECTIVE EQUIPMENT: MOUNT RESPIRATORY PROTECTIVE DEVICE PREVENT CONTACT WITH SKIN AND EYES

HAZARDOUS COMBUSTION PRODUCTS: HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS: HYDROGEN CHLORIDE GAS, MAGNESIUM OXIDE

FURTHER INFORMATION: THE PRODUCT ITSELF DOES NOT BURN

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: WEAR PROTECTIVE CLOTHING, RESPIRATOR, CHEMICAL SAFETY GOGGLES, GLOVES. AVOID DUST FORMATION. AVOID BREATHING VAPORS, MIST OR GAS.

ENVIRONMENTAL PRECAUTIONS: DILUTE WITH PLENTY OF WATER. DO NOT ALLOW TO ENTER SEWERS/SURFACE OR GROUND WATER.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP: UPON RECONSTITUTION, ABSORB WITH LIQUID-BINDING MATERIAL (SAND, DIATOMITE, ACID BINDERS, UNIVERSAL BINDERS, SAWDUST). DISPOSE CONTAMINATED MATERIAL AS WASTE ACCORDING TO SECTION 13. ENSURE ADEQUATE VENTILATION. IN LYOPHILIZED STATE, PICK UP WITHOUT CREATING DUST. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

REFERENCE TO OTHER SECTIONS: SEE SECTION 8 FOR INFORMATION ON PERSONAL PROTECTION EQUIPMENT. SEE SECTION 13 FOR DISPOSAL INFORMATION.

SECTION 7. HANDLING AND STORAGE

HANDLING

PRECAUTIONS FOR SAFE HANDLING: AVOID FORMATION OF DUST AND AEROSOLS. AVOID CONTACT WITH SKIN AND EYES. ENSURE GOOD VENTILATION/EXHAUSTION AT THE WORKPLACE. WEAR APPROPRIATE PROTECTIVE CLOTHING (SEE SECTION 8). DO NOT RE-USE CONTAINER.

INFORMATION ABOUT PROTECTION AGAINST EXPLOSIONS AND FIRES: NOT IGNITABLE

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES
STORAGE

REQUIREMENTS TO BE MET BY STOREROOMS AND RECEPTACLES: STORE AT 2-8°C. KEEP CONTAINER TIGHTLY CLOSED AND SEALED UNTIL READY FOR USE. STORE DESICCATED.

FURTHER INFORMATION ABOUT STORAGE CONDITIONS: KEEP RECEPTACLE TIGHTLY SEALED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES

PERSONAL PROTECTIVE EQUIPMENT

GENERAL PROTECTIVE AND HYGIENIC MEASURES

KEEP AWAY FROM FOODSTUFFS, BEVERAGES AND FEED
WASH HANDS BEFORE BREAKS AND AT THE END OF WORK
IMMEDIATELY REMOVE ALL SOILED AND CONTAMINATED CLOTHING
AVOID CONTACT WITH THE EYES AND SKIN

BREATHING EQUIPMENT

SHORT TERM FILTER DEVICE: FILTER P1 (EN 143) OR TYPE N95 (US)
DO NOT BREATHE. USE MECHANICAL EXHAUST SYSTEM

PROTECTION OF HANDS

PROTECTIVE GLOVES.

THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/SUBSTANCE/PREPARATION. AS THE PRODUCT IS A PREPARATION OF SEVERAL SUBSTANCES, THE RESISTANCE OF THE GLOVE MATERIAL CANNOT BE CALCULATED IN ADVANCE AND THEREFORE HAS TO BE CHECKED PRIOR TO APPLICATION. NO RECOMMENDATION CAN BE GIVEN FOR THE GLOVE MATERIAL FOR THIS PRODUCT. SELECT GLOVE MATERIALS BASE ON PENETRATION TIMES, RATES OF DIFFUSION AND DEGRADATION OF MATERIAL.

MATERIAL OF GLOVES

THE SELECTION OF SUITABLE GLOVES DEPENDS NOT ONLY ON THE MATERIAL BUT ON QUALITY OF MATERIAL AND VARIES FROM MANUFACTURER TO MANUFACTURER.

PENETRATION TIME OF GLOVE MATERIAL

THE EXACT BREAK THROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.

FOR THE PERMANENT CONTACT OF A MAXIMUM OF 15 MINUTES, GLOVES MADE OF THE FOLLOWING MATERIALS ARE SUITABLE:

NEOPRENE GLOVES

EYE PROTECTION: TIGHTLY SEALED GOGGLES AND FACE SHIELD

BODY PROTECTION: PROTECTIVE WORK CLOTHING

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

GENERAL INFORMATION

FORM: LIQUID

CHANGE IN CONDITION

MELTING POINT/MELTING RANGE: NO DATA AVAILABLE

BOILING POINT/BOILING RANGE: NO DATA AVAILABLE

FLASH POINT: NO DATA AVAILABLE

SELF-IGNITING: NO DATA AVAILABLE

DANGER OF EXPLOSION: NO DATA AVAILABLE.

DENSITY: NO DATA AVAILABLE

SOLUBILITY IN/MISCIBILITY WITH WATER: NOT APPLICABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY

CHEMICAL STABILITY

STABLE WHEN STORED AS RECOMMENDED.

THERMAL DECOMPOSITION/CONDITIONS TO BE AVOIDED: STRONG OXIDIZING AGENTS, STRONG ACIDS

POSSIBILITY OF HAZARDOUS REACTIONS: NO DANGEROUS REACTIONS KNOWN

HAZARDOUS DECOMPOSITION PRODUCTS: HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS: CARBON OXIDES, NITROGEN OXIDES, PHOSPHOROUS OXIDES

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY

LD50 ORAL -RAT- 8,100 mg/kg

INHALATION LC50

NO DATA AVAILABLE

DERMAL LD50

NO DATA AVAILABLE

OTHER INFORMATION ON ACUTE TOXICITY

NO DATA AVAILABLE

SKIN CORROSION/IRRITATION

NO DATA AVAILABLE

SERIOUS EYE DAMAGE/EYE IRRITATION

NO DATA AVAILABLE

RESPIRATORY OR SKIN SENSITIZATION

NO DATA AVAILABLE

GERM CELL MUTAGENICITY

NO DATA AVAILABLE

CARCINOGENICITY

IARC/ACGIH/NTP/OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN.

REPRODUCTIVE TOXICITY

NO DATA AVAILABLE

TERATOGENICITY

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (GLOBALLY HARMONIZED SYSTEM)

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE (GLOBALLY HARMONIZED SYSTEM)

NO DATA AVAILABLE

TO THE BEST OF OUR KNOWLEDGE, THE TOXICOLOGICAL PROPERTIES OF THIS PRODUCT HAVE NOT BEEN THOROUGHLY INVESTIGATED.

SKIN: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION.
EYES: MAY CAUSE EYE IRRITATION.
INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION.
INGESTION: MAY BE HARMFUL IF SWALLOWED.

SECTION 12. ECOLOGICAL INFORMATION

NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISPOSAL OF THIS PRODUCT, SOLUTIONS AND ANY BY-PRODUCTS SHOULD AT ALL TIMES COMPLY WITH THE REQUIREMENTS OF ENVIRONMENTAL PROTECTION AND WASTE DISPOSAL LEGISLATION AND ANY REGIONAL LOCAL AUTHORITY REQUIREMENTS. AVOID DISPERSAL OF SPILLED MATERIAL AND RUNOFF AND CONTACT WITH SOIL, WATERWAYS, DRAINS AND SEWERS. OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

DISPOSE OF CONTAMINATED PACKAGING AS UNUSED PRODUCT

SECTION 14. TRANSPORT INFORMATION

DOT CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IATA-DGR CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IMDG CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

SECTION 15. REGULATORY INFORMATION

OSHA HAZARDS

TARGET ORGAN EFFECT

UNITED STATES REGULATORY INFORMATION

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA)

SECTION 302/304 (40CFR355.30/40CFR355.40):

NONE OF THE INGREDIENTS IS LISTED.

**SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA)
SECTION 313:**

THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

**SARA 311/312 HAZARDS
CHRONIC HEALTH HAZARD**

STATE RIGHT TO KNOW COMPONENTS

PA AND NJ

MAGNESIUM CHLORIDE HEXAHYDRATE CAS#: 7791-18-6

CALIFORNIA PROP. 65 COMPONENTS

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

SECTION 16. OTHER INFORMATION

THIS INFORMATION IS BASED ON OUR PRESENT KNOWLEDGE. HOWEVER, THIS SHALL NOT CONSTITUTE A GUARANTEE FOR ANY SPECIFIC PRODUCT FEATURES AND SHALL NOT ESTABLISH A LEGALLY VALID CONTRACTUAL RELATIONSHIP. THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT, BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. CYTOSKELETON INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM CONTACT WITH THE ABOVE PRODUCT.

COPYRIGHT 2018 CYTOSKELETON, INC.

MATERIAL SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG/PRODUCT#: BS01

NAME: GUANOSINE 5'-[γ -THIO]TRIPHOSPHATE TETRALITHIUM SALT

USE: LABORATORY CHEMICALS

MANUFACTURER/SUPPLIER:

CYTOSKELETON INC.

1830 S. Acoma St.

Denver, CO 80223

PHONE: 303-322-2254

FAX: 303-322-2257

24H EMERGENCY TOLL-FREE NUMBER: CALL INFOTRAC DAY OR NIGHT
WITHIN USA, CANADA, AND PUERTO RICO: 1-800-535-5053
OUTSIDE USA, CANADA, AND PUERTO RICO: 352-323-35000 (COLLECT CALLS
ACCEPTED)

SECTION 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

OSHA HAZARDS

TOXIC BY INGESTION, IRRITANT

THIS PRODUCT IS CONSIDERED HAZARDOUS BY THE OSHA HAZARD
COMMUNICATION STANDARD (29 CFR 1910.1200).

THIS PRODUCT IS CLASSIFIED AS HAZARDOUS ACCORDING TO DIRECTIVE
67/548/EC AND ASSOCIATED AMENDMENTS.

POTENTIAL HEALTH EFFECTS

INHALATION	MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION
SKIN	MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION
INGESTION	TOXIC IF SWALLOWED
EYES	CAUSES EYE IRRITATION

NFPA RATINGS (SCALE 0-4)

FIRE = 1

HEALTH = 2

REACTIVITY = 0

HMIS RATINGS

HEALTH = 2
FIRE = 1
REACTIVITY = 0

GHS CLASSIFICATION:

SIGNAL WORD: DANGER



HAZARD PICTOGRAMS:

ACUTE TOXICITY, CATEGORY 4
SERIOUS EYE DAMAGE, CATEGORY 1
CHRONIC AQUATIC TOXICITY, CATEGORY 3
SPECIFIC TARGET ORGAN TOXICITY -SINGLE EXPOSURE (CATEGORY 3)
SKIN IRRITATION (CATEGORY 2)

HEALTH HAZARD STATEMENTS:

H302: HARMFUL IF SWALLOWED
H315: CAUSES SKIN IRRITATION
H318: CAUSES SERIOUS EYE DAMAGE
H319: CAUSES SERIOUS EYE IRRITATION
H335: MAY CAUSE RESPIRATORY IRRITATION
H412: HARMFUL TO AQUATIC LIFE WITH LONG-LASTING EFFECTS

PRECAUTIONARY STATEMENTS:

P261: AVOID BREATHING
DUST/FUMES/GAS/MIST/VAPORS/SPRAY
P264: WASH SKIN THOROUGHLY AFTER HANDLING
P270: DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT
P271: USE ONLY IN A WELL-VENTILATED AREA
P280: WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION
P301 + P312: IF SWALLOWED, CALL A POISON CENTER OR PHYSICIAN IF YOU FEEL UNWELL.
P302 + P352: IF ON SKIN: WSH WITH PLENTY OF SOAP AND WATER.
P304 + P340: IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING.
P305+P351+P338: IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES IF PRESENT AND EASY TO DO. CONTINUE RINSING.
P332 + P313: IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ATTENTION.
P337 + P313: IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION.

P362: TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE.
P403 + P233: STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER TIGHTLY CLOSED.
P405: STORE LOCKED UP.
P501: DISPOSE OF CONTENTS/CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

GUANOSINE 5'-(TRIHYDROGEN DIPHOSPHATE MONOANHYDRIDE WITH PHOSPHOROTHIOIC ACID, TETRALITHIUM SALT	CAS#: 94825-44-2 EINECS#:305-606-1	1%
GUANIDINE CARBONATE SALT	CAS#: 593-85-1 EINECS#: 209-813-7	9%
WATER	CAS#: 7732-18-5 EINECS#:231-791-2	90%

SECTION 4. FIRST-AID MEASURES

AFTER INHALATION: SUPPLY FRESH AIR. CONSULT PHYSICIAN IN CASE OF COMPLAINTS. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN

AFTER SKIN CONTACT: IMMEDIATELY WASH SKIN WITH SOAP AND RINSE WITH COPIOUS AMOUNTS OF WATER. CALL FOR PHYSICIAN

AFTER EYE CONTACT: RINSE OPENED EYE FOR AT LEAST 15 MINUTES UNDER RUNNING WATER. THEN CONSULT PHYSICIAN

AFTER SWALLOWING: WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL FOR PHYSICIAN

WASH CONTAMINATED CLOTHING BEFORE REUSE.

SECTION 5. FIREFIGHTING MEASURES

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING AGENTS: CARBON DIOXIDE, EXTINGUISHING POWDER OR WATER SPRAY.

ADVICE FOR FIREFIGHTERS

PROTECTIVE EQUIPMENT: MOUNT RESPIRATORY PROTECTIVE DEVICE PREVENT CONTACT WITH SKIN AND EYES.

HAZARDOUS COMBUSTION PRODUCTS: HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS: CARBON OXIDES, NITROGEN OXIDES (NO_x), SULPHUR OXIDES, PHOSPHOROUS OXIDES, LITHIUM OXIDES

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: WEAR PROTECTIVE CLOTHING, RESPIRATOR, CHEMICAL SAFETY

GOGGLES, GLOVES. AVOID DUST FORMATION. AVOID BREATHING VAPORS, MIST OR GAS. ENSURE ADEQUATE VENTILATION.

ENVIRONMENTAL PRECAUTIONS: DILUTE WITH PLENTY OF WATER. DO NOT ALLOW TO ENTER SEWERS/SURFACE OR GROUND WATER.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP: UPON RECONSTITUTION, ABSORB WITH LIQUID-BINDING MATERIAL (SAND, DIATOMITE, ACID BINDERS, UNIVERSAL BINDERS, SAWDUST). DISPOSE CONTAMINATED MATERIAL AS WASTE ACCORDING TO SECTION 13. ENSURE ADEQUATE VENTILATION. IN LYOPHILIZED FORM, PICK UP WITHOUT CREATING DUST. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

REFERENCE TO OTHER SECTIONS: SEE SECTION 8 FOR INFORMATION ON PERSONAL PROTECTION EQUIPMENT. SEE SECTION 13 FOR DISPOSAL INFORMATION.

SECTION 7. HANDLING AND STORAGE

HANDLING

PRECAUTIONS FOR SAFE HANDLING: AVOID FORMATION OF DUST AND AEROSOLS. AVOID CONTACT WITH SKIN AND EYES. ENSURE GOOD VENTILATION/EXHAUSTION AT THE WORKPLACE. WEAR APPROPRIATE PROTECTIVE CLOTHING (SEE SECTION 8). DO NOT RE-USE CONTAINER.

INFORMATION ABOUT PROTECTION AGAINST EXPLOSIONS AND FIRES: NOT IGNITABLE

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES
STORAGE

REQUIREMENTS TO BE MET BY STOREROOMS AND RECEPTACLES: STORE AT 2-8°C. KEEP CONTAINER TIGHTLY CLOSED AND SEALED UNTIL READY FOR USE. STORE DESICCATED.

FURTHER INFORMATION ABOUT STORAGE CONDITIONS: KEEP RECEPTACLE TIGHTLY SEALED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES

PERSONAL PROTECTIVE EQUIPMENT

GENERAL PROTECTIVE AND HYGIENIC MEASURES

KEEP AWAY FROM FOODSTUFFS, BEVERAGES AND FEED
WASH HANDS BEFORE BREAKS AND AT THE END OF WORK
IMMEDIATELY REMOVE ALL SOILED AND CONTAMINATED CLOTHING
AVOID CONTACT WITH THE EYES AND SKIN

BREATHING EQUIPMENT

SHORT TERM FILTER DEVICE: FILTER P1 (EU EN 143) OR TYPE P5 (US)
DO NOT BREATHE. USE MECHANICAL EXHAUST SYSTEM

PROTECTION OF HANDS

PROTECTIVE GLOVES.

THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/SUBSTANCE/PREPARATION. AS THE PRODUCT IS A PREPARATION OF

SEVERAL SUBSTANCES, THE RESISTANCE OF THE GLOVE MATERIAL CANNOT BE CALCULATED IN ADVANCE AND THEREFORE HAS TO BE CHECKED PRIOR TO APPLICATION. NO RECOMMENDATION CAN BE GIVEN FOR THE GLOVE MATERIAL FOR THIS PRODUCT. SELECT GLOVE MATERIALS BASE ON PENETRATION TIMES, RATES OF DIFFUSION AND DEGRADATION OF MATERIAL.

MATERIAL OF GLOVES

THE SELECTION OF SUITABLE GLOVES DEPENDS NOT ONLY ON THE MATERIAL BUT ON QUALITY OF MATERIAL AND VARIES FROM MANUFACTURER TO MANUFACTURER.

PENETRATION TIME OF GLOVE MATERIAL

THE EXACT BREAK THROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.

FOR THE PERMANENT CONTACT OF A MAXIMUM OF 15 MINUTES, GLOVES MADE OF THE FOLLOWING MATERIALS ARE SUITABLE:

NEOPRENE GLOVES

EYE PROTECTION: TIGHTLY SEALED GOGGLES AND FACE SHIELD

BODY PROTECTION: PROTECTIVE WORK CLOTHING

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

GENERAL INFORMATION

FORM: SOLID (LYOPHILIZED POWDER)

CHANGE IN CONDITION

MELTING POINT/MELTING RANGE: NO DATA AVAILABLE

BOILING POINT/BOILING RANGE: NO DATA AVAILABLE

FLASH POINT: NO DATA AVAILABLE

SELF-IGNITING: NO DATA AVAILABLE

DANGER OF EXPLOSION: NO DATA AVAILABLE.

DENSITY: NO DATA AVAILABLE

SOLUBILITY IN/MISCIBILITY WITH WATER: FULLY MISCIBLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY

CHEMICAL STABILITY

STABLE WHEN STORED AS RECOMMENDED.

THERMAL DECOMPOSITION/CONDITIONS TO BE AVOIDED: STRONG OXIDIZING AGENTS, STRONG ACIDS

POSSIBILITY OF HAZARDOUS REACTIONS: NO DANGEROUS REACTIONS KNOWN

HAZARDOUS COMBUSTION PRODUCTS: HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS: CARBON OXIDES, NITROGEN OXIDES (NO_x), SULPHUR OXIDES, PHOSPHOROUS OXIDES, LITHIUM OXIDES

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY

LD50 ORAL -MOUSE- 350 mg/kg

IRRITATION AND CORROSION

EYES -RABBIT- MODERATE EYE IRRITATION - 24 H

SENSITIZATION

NO DATA AVAILABLE

CHRONIC EXPOSURE

IARC/ACGIH/NTP/OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN.

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (GLOBALLY HARMONIZED SYSTEM)

INHALATION - MAY CAUSE RESPIRATORY IRRITATION

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE (GLOBALLY HARMONIZED SYSTEM)

NO DATA AVAILABLE

TO THE BEST OF OUR KNOWLEDGE, THE TOXICOLOGICAL PROPERTIES OF THIS PRODUCT HAVE NOT BEEN THOROUGHLY INVESTIGATED.

POTENTIAL HEALTH EFFECTS

INHALATION	MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION
SKIN	MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION
INGESTION	TOXIC IF SWALLOWED
EYES	CAUSES EYE IRRITATION

SECTION 12. ECOLOGICAL INFORMATION

NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISPOSAL OF THIS PRODUCT, SOLUTIONS AND ANY BY-PRODUCTS SHOULD AT ALL TIMES COMPLY WITH THE REQUIREMENTS OF ENVIRONMENTAL PROTECTION AND WASTE DISPOSAL LEGISLATION AND ANY REGIONAL LOCAL AUTHORITY REQUIREMENTS. AVOID DISPERSAL OF SPILLED MATERIAL AND RUNOFF AND CONTACT WITH SOIL, WATERWAYS, DRAINS AND SEWERS. OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

DISPOSE OF CONTAMINATED PACKAGING AS UNUSED PRODUCT

SECTION 14. TRANSPORT INFORMATION

DOT CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IATA-DGR CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IMDG CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

SECTION 15. REGULATORY INFORMATION

OSHA HAZARDS

TOXIC BY INGESTION, IRRITANT

DSL STATUS

DIGUANIDINIUM CARBONATE IS ON THE CANADIAN DSL LIST.

TSCA:

CAS# 593-85-1 IS LISTED ON THE TSCA INVENTORY.

OSHA:

NONE OF THE CHEMICALS IN THIS PRODUCT ARE CONSIDERED HIGHLY HAZARDOUS BY OSHA

UNITED STATES REGULATORY INFORMATION

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA) SECTION 302/304 (40CFR355.30/40CFR355.40):

NONE OF THE INGREDIENTS IS LISTED.

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA) SECTION 313:

THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS
ACUTE HEALTH HAZARD

STATE RIGHT TO KNOW COMPONENTS

PA AND NJ

DIGUANIDINIUM CARBONATE

CAS#: 593-85-1

GUANOSINE 5'-(TRIHYDROGEN DIPHOSPHATE
MONOANHYDRIDE WITH PHOSPHOROTHIOIC
ACID, TETRALITHIUM SALT

CAS#: 94825-44-2

CALIFORNIA PROP. 65 COMPONENTS

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

CANADA REGULATORY INFORMATION

WHMIS CLASSIFICATION: THIS PRODUCT HAS A WHMIS CLASSIFICATION OF D2B.

WGK (WATER DANGER/PROTECTION)

CAS# 593-85-1:2

EU REGULATORY INFORMATION

SAFETY PHRASES:

S22: DO NOT BREATHE DUST

RISK PHRASES:

R22: HARMFUL IF SWALLOWED

R36/37/38: IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN

HAZARD SYMBOLS:

XI

SECTION 16. OTHER INFORMATION

THIS INFORMATION IS BASED ON OUR PRESENT KNOWLEDGE. HOWEVER, THIS SHALL NOT CONSTITUTE A GUARANTEE FOR ANY SPECIFIC PRODUCT FEATURES AND SHALL NOT ESTABLISH A LEGALLY VALID CONTRACTUAL RELATIONSHIP. THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT, BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. CYTOSKELETON INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM CONTACT WITH THE ABOVE PRODUCT.

COPYRIGHT 2018 CYTOSKELETON, INC.

MATERIAL SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG/PRODUCT#: GDP01

NAME: GUANOSINE 5'-DIPHOSPHATE SODIUM SALT (GDP)

USE: LABORATORY CHEMICALS

MANUFACTURER/SUPPLIER:

CYTOSKELETON INC.

1830 S. Acoma St.

Denver, CO 80223

PHONE: 303-322-2254

FAX: 303-322-2257

24H EMERGENCY TOLL-FREE NUMBER: CALL INFOTRAC DAY OR NIGHT

WITHIN USA AND CANADA: 1-800-535-5053

OUTSIDE USA AND CANADA: +1 352-323-3500 (COLLECT CALLS ACCEPTED)

SECTION 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

OSHA HAZARDS

TOXIC BY INGESTION, IRRITANT

THIS PRODUCT IS CONSIDERED HAZARDOUS BY THE OSHA HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200).

THIS PRODUCT IS CLASSIFIED AS HAZARDOUS ACCORDING TO DIRECTIVE 67/548/EC AND ASSOCIATED AMENDMENTS.

POTENTIAL HEALTH EFFECTS

INHALATION	MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION
SKIN	MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION
INGESTION	TOXIC IF SWALLOWED

NFPA RATINGS (SCALE 0-4)

FIRE = 1

HEALTH = 2

REACTIVITY = 0

HMIS RATINGS

HEALTH = 2

FIRE = 1
REACTIVITY = 0

GHS CLASSIFICATION:

SIGNAL WORD: DANGER



HAZARD PICTOGRAMS:

ACUTE TOXICITY, CATEGORY 4
SERIOUS EYE DAMAGE, CATEGORY 1
CHRONIC AQUATIC TOXICITY, CATEGORY 3

HEALTH HAZARD STATEMENTS:

H302: HARMFUL IF SWALLOWED
H315: CAUSES SKIN IRRITATION
H318: CAUSES SERIOUS EYE DAMAGE
H319: CAUSES SERIOUS EYE IRRITATION
H335: MAY CAUSE RESPIRATORY IRRITATION
H412: HARMFUL TO AQUATIC LIFE WITH LONG-LASTING EFFECTS

PRECAUTIONARY STATEMENTS:

P261: AVOID BREATHING
DUST/FUMES/GAS/MIST/VAPORS/SPRAY
P264: WASH SKIN THOROUGHLY AFTER HANDLING
P270: DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT
P280: WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION
P301 + P312: IF SWALLOWED, CALL A POISON CENTER OR PHYSICIAN IF YOU FEEL UNWELL.
P305+P351+P338: IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES IF PRESENT AND EASY TO DO. CONTINUE RINSING.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

GUANOSINE 5'-DIPHOSPHATE SODIUM SALT (GDP)	CAS#: 43139-22-6 EINECS#:NONE	<1%
GUANIDINE CARBONATE SALT	CAS#: 593-85-1 EINECS#: 209-813-7	4%
WATER	CAS#: 7732-18-5 EINECS#:231-791-2	95%

SECTION 4. FIRST-AID MEASURES

AFTER INHALATION: SUPPLY FRESH AIR. CONSULT PHYSICIAN IN CASE OF COMPLAINTS. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN

AFTER SKIN CONTACT: IMMEDIATELY WASH SKIN WITH SOAP AND RINSE WITH COPIOUS AMOUNTS OF WATER. CALL FOR PHYSICIAN

AFTER EYE CONTACT: RINSE OPENED EYE FOR AT LEAST 15 MINUTES UNDER RUNNING WATER. THEN CONSULT PHYSICIAN

AFTER SWALLOWING: WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL FOR PHYSICIAN

WASH CONTAMINATED CLOTHING BEFORE REUSE.

SECTION 5. FIREFIGHTING MEASURES

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING AGENTS: CARBON DIOXIDE, EXTINGUISHING POWDER OR WATER SPRAY.

ADVICE FOR FIREFIGHTERS

PROTECTIVE EQUIPMENT: MOUNT RESPIRATORY PROTECTIVE DEVICE
PREVENT CONTACT WITH SKIN AND EYES

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: WEAR PROTECTIVE CLOTHING, RESPIRATOR, CHEMICAL SAFETY GOGGLES, GLOVES. AVOID DUST FORMATION.

ENVIRONMENTAL PRECAUTIONS: DILUTE WITH PLENTY OF WATER. DO NOT ALLOW TO ENTER SEWERS/SURFACE OR GROUND WATER.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP: ABSORB WITH LIQUID-BINDING MATERIAL (SAND, DIATOMITE, ACID BINDERS, UNIVERSAL BINDERS, SAWDUST). DISPOSE CONTAMINATED MATERIAL AS WASTE ACCORDING TO SECTION 13. ENSURE ADEQUATE VENTILATION. PICK UP WITHOUT CREATING DUST. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

REFERENCE TO OTHER SECTIONS: SEE SECTION 8 FOR INFORMATION ON PERSONAL PROTECTION EQUIPMENT. SEE SECTION 13 FOR DISPOSAL INFORMATION.

SECTION 7. HANDLING AND STORAGE

HANDLING

PRECAUTIONS FOR SAFE HANDLING: AVOID FORMATION OF DUST AND AEROSOLS. AVOID CONTACT WITH SKIN AND EYES. ENSURE GOOD VENTILATION/EXHAUSTION AT THE WORKPLACE. WEAR APPROPRIATE PROTECTIVE CLOTHING (SEE SECTION 8). DO NOT RE-USE CONTAINER.
INFORMATION ABOUT PROTECTION AGAINST EXPLOSIONS AND FIRES: NOT IGNITABLE

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

STORAGE

REQUIREMENTS TO BE MET BY STOREROOMS AND RECEPTACLES: STORE AT 2-8°C. KEEP CONTAINER TIGHTLY CLOSED AND SEALED UNTIL READY FOR USE. STORE DESICCATED.

FURTHER INFORMATION ABOUT STORAGE CONDITIONS: KEEP RECEPTACLE TIGHTLY SEALED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES

PERSONAL PROTECTIVE EQUIPMENT

GENERAL PROTECTIVE AND HYGIENIC MEASURES

KEEP AWAY FROM FOODSTUFFS, BEVERAGES AND FEED
WASH HANDS BEFORE BREAKS AND AT THE END OF WORK
IMMEDIATELY REMOVE ALL SOILED AND CONTAMINATED CLOTHING
AVOID CONTACT WITH THE EYES AND SKIN

BREATHING EQUIPMENT

SHORT TERM FILTER DEVICE: FILTER P2
DO NOT BREATHE. USE MECHANICAL EXHAUST SYSTEM

PROTECTION OF HANDS

PROTECTIVE GLOVES.

THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/SUBSTANCE/PREPARATION. AS THE PRODUCT IS A PREPARATION OF SEVERAL SUBSTANCES, THE RESISTANCE OF THE GLOVE MATERIAL CANNOT BE CALCULATED IN ADVANCE AND THEREFORE HAS TO BE CHECKED PRIOR TO APPLICATION. NO RECOMMENDATION CAN BE GIVEN FOR THE GLOVE MATERIAL FOR THIS PRODUCT. SELECT GLOVE MATERIALS BASE ON PENETRATION TIMES, RATES OF DIFFUSION AND DEGRADATION OF MATERIAL.

MATERIAL OF GLOVES

THE SELECTION OF SUITABLE GLOVES DEPENDS NOT ONLY ON THE MATERIAL BUT ON QUALITY OF MATERIAL AND VARIES FROM MANUFACTURER TO MANUFACTURER.

PENETRATION TIME OF GLOVE MATERIAL

THE EXACT BREAK THROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.

FOR THE PERMANENT CONTACT OF A MAXIMUM OF 15 MINUTES, GLOVES MADE OF THE FOLLOWING MATERIALS ARE SUITABLE:

NEOPRENE GLOVES

EYE PROTECTION: TIGHTLY SEALED GOGGLES AND FACE SHIELD

BODY PROTECTION: PROTECTIVE WORK CLOTHING

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

GENERAL INFORMATION

FORM: SOLID (LYOPHILIZED POWDER)

CHANGE IN CONDITION

MELTING POINT/MELTING RANGE: NO DATA AVAILABLE

BOILING POINT/BOILING RANGE: NO DATA AVAILABLE

FLASH POINT: NO DATA AVAILABLE

SELF-IGNITING: NO DATA AVAILABLE

DANGER OF EXPLOSION: NO DATA AVAILABLE.

DENSITY: NOT DETERMINED

SOLUBILITY IN/MISCIBILITY WITH WATER: FULLY MISCIBLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY

CHEMICAL STABILITY

STABLE WHEN STORED AS RECOMMENDED.

THERMAL DECOMPOSITION/CONDITIONS TO BE AVOIDED: STRONG OXIDIZING AGENTS, STRONG ACIDS

POSSIBILITY OF HAZARDOUS REACTIONS: NO DANGEROUS REACTIONS KNOWN

HAZARDOUS DECOMPOSITION PRODUCTS: HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS: CARBON OXIDES, NITROGEN OXIDES, PHOSPHOROUS OXIDES

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY

LD50 ORAL -MOUSE- 350 mg/kg

IRRITATION AND CORROSION

EYES -RABBIT- MODERATE EYE IRRITATION – 24 H

SENSITIZATION

NO DATA AVAILABLE

CHRONIC EXPOSURE

IARC/ACGIH/NTP/OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN.

TO THE BEST OF OUR KNOWLEDGE, THE TOXICOLOGICAL PROPERTIES OF THIS PRODUCT HAVE NOT BEEN THOROUGHLY INVESTIGATED.

ON THE SKIN: CAUSES SKIN IRRITATION
SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN
ON THE EYE: CAUSES EYE IRRITATION
INHALATION: IRRITATES MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT. MAY BE HARMFUL IF INHALED
INGESTION: TOXIC IF SWALLOWED

SECTION 12. ECOLOGICAL INFORMATION

NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISPOSAL OF THIS PRODUCT, SOLUTIONS AND ANY BY-PRODUCTS SHOULD AT ALL TIMES COMPLY WITH THE REQUIREMENTS OF ENVIRONMENTAL PROTECTION AND WASTE DISPOSAL LEGISLATION AND ANY REGIONAL LOCAL AUTHORITY REQUIREMENTS. AVOID DISPERSAL OF SPILLED MATERIAL AND RUNOFF AND CONTACT WITH SOIL, WATERWAYS, DRAINS AND SEWERS. OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

DISPOSE OF CONTAMINATED PACKAGING AS UNUSED PRODUCT

SECTION 14. TRANSPORT INFORMATION

DOT CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IATA-DGR CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IMDG CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

SECTION 15. REGULATORY INFORMATION

OSHA HAZARDS

TOXIC BY INGESTION, IRRITANT

DSL STATUS

DIGUANIDINIUM CARBONATE IS ON THE CANADIAN DSL LIST.

TSCA:

CAS# 593-85-1 IS LISTED ON THE TSCA INVENTORY.

OSHA:

NONE OF THE CHEMICALS IN THIS PRODUCT ARE CONSIDERED HIGHLY HAZARDOUS BY OSHA

UNITED STATES REGULATORY INFORMATION

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA)
SECTION 302/304 (40CFR355.30/40CFR355.40):

NONE OF THE INGREDIENTS IS LISTED.

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA)
SECTION 313:

THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH
KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING
LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

STATE RIGHT TO KNOW COMPONENTS

PA AND NJ

DIGUANIDINIUM CARBONATE CAS#: 593-85-1

GUANOSINE 5'-DIPHOSPHATE SODIUM SALT (GDP) CAS#: 43139-22-6

CANADA REGULATORY INFORMATION

WHMIS CLASSIFICATION: THIS PRODUCT HAS A WHMIS CLASSIFICATION OF D2B.

WGK (WATER DANGER/PROTECTION)

CAS# 593-85-1:2

EU REGULATORY INFORMATION

SAFETY PHRASES:

S22: DO NOT BREATHE DUST

RISK PHRASES:

R22: HARMFUL IF SWALLOWED

R36/37/38: IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN

HAZARD SYMBOLS:

XI

SECTION 16. OTHER INFORMATION

THIS INFORMATION IS BASED ON OUR PRESENT KNOWLEDGE. HOWEVER, THIS SHALL NOT CONSTITUTE A GUARANTEE FOR ANY SPECIFIC PRODUCT FEATURES AND SHALL NOT ESTABLISH A LEGALLY VALID CONTRACTUAL RELATIONSHIP. THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT, BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. CYTOSKELETON INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM CONTACT WITH THE ABOVE PRODUCT.

COPYRIGHT 2018 CYTOSKELETON, INC.

MATERIAL SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG/PRODUCT#: PIC02
NAME: PROTEASE INHIBITOR COCKTAIL
USE: LABORATORY CHEMICALS
MANUFACTURER/SUPPLIER:
CYTOSKELETON INC.
1830 S. Acoma St.
Denver, CO 80223
PHONE: 303-322-2254
FAX: 303-322-2257

24H EMERGENCY TOLL-FREE NUMBER: CALL INFOTRAC DAY OR NIGHT
WITHIN USA AND CANADA: 1-800-535-5053
OUTSIDE USA AND CANADA: +1 352-323-3500 (COLLECT CALLS ACCEPTED)

SECTION 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

OSHA HAZARDS
IRRITANT

GHS CLASSIFICATION
SKIN IRRITATION (CATEGORY 2)
EYE IRRITATION (CATEGORY 2A)
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3)
ACUTE TOXICITY, ORAL (CATEGORY 5)

PICTOGRAM 

SIGNAL WORD: WARNING

HAZARD STATEMENTS

H303	MAY BE HARMFUL IF SWALLOWED
H315	CAUSES SKIN IRRITATION
H319	CAUSES SERIOUS EYE IRRITATION
H335	MAY CAUSE RESPIRATORY IRRITATION

PRECAUTIONARY STATEMENTS

P261	AVOID BREATHING DUST/FUME/GAS/MIST/VAPORS/SPRAY
P305 + P351 + P338	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.

NFPA RATINGS (SCALE 0-4)

FIRE = 0
HEALTH = 2

REACTIVITY = 0

HMIS RATINGS

HEALTH = 2

FIRE = 0

REACTIVITY = 0

POTENTIAL HEALTH EFFECTS

INHALATION	MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION.
SKIN	MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION.
EYES	CAUSES EYE IRRITATION.
INGESTION	MAY BE HARMFUL IF SWALLOWED.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

BENZAMIDINIUM CHLORIDE	CAS#: 206752-36-5 EC#: 216-795-4
------------------------	-------------------------------------

SYNONYMS: AMIDINOBENZENE HYDROCHLORIDE, BENZAMIDINIUM CHLORIDE, BENZENECARBOXIMIDAMIDE HYDROCHLORIDE

FORMULA: $C_7H_8N_2 \cdot ClH \cdot H_2O$

MOLECULAR WEIGHT: 156.61 g/mol

PEPSTATIN A	CAS#: 26305-03-3 EC#: 247-600-0
-------------	------------------------------------

FORMULA: $C_{34}H_{63}N_5O_9 \cdot C_{34}H_{63}N_5O_9$

MOLECULAR WEIGHT: 685.89 g/mol

LEUPEPTIN HYDROCHLORIDE	CAS#: 24125-16-4 EC#: NONE
-------------------------	-------------------------------

FORMULA: $C_{20}H_{38}N_6O_4 \cdot HCl$

MOLECULAR WEIGHT: 463.01 g/mol

N α -p-TOSYL-L-ARGININE METHYL ESTER HYDROCHLORIDE	CAS#: 1784-03-8 EC#: 217-235-1
---	-----------------------------------

SYNONYMS: TAME HYDROCHLORIDE

FORMULA: $C_{14}H_{22}N_4O_4S \cdot HCl$

MOLECULAR WEIGHT: 378.87 g/mol

SECTION 4. FIRST-AID MEASURES

GENERAL ADVICE: CONSULT A PHYSICIAN. SHOW THIS SAFETY DATASHEET TO THE PHYSICIAN. MOVE OUT OF DANGEROUS AREA.

AFTER INHALATION: SUPPLY FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.

AFTER SKIN CONTACT: IMMEDIATELY WASH SKIN WITH SOAP AND RINSE WITH COPIOUS AMOUNTS OF WATER. CONSULT A PHYSICIAN.

AFTER EYE CONTACT: RINSE OPENED EYE FOR AT LEAST 15 MINUTES UNDER RUNNING WATER. CONSULT A PHYSICIAN

AFTER SWALLOWING: WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CONSULT A PHYSICIAN.

WASH CONTAMINATED CLOTHING BEFORE RE-USE.

SECTION 5. FIREFIGHTING MEASURES

CONDITIONS OF FLAMMABILITY: NOT FLAMMABLE OR COMBUSTIBLE

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING AGENTS: CARBON DIOXIDE, ALCOHOL-RESISTANT FOAM, DRY CHEMICAL OR WATER SPRAY.

ADVICE FOR FIREFIGHTERS

PROTECTIVE EQUIPMENT: WEAR SELF-CONTAINED BREATHING APPARATUS FOR FIRE FIGHTING IF NECESSARY

HAZARDOUS COMBUSTION PRODUCTS: HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS: CARBON OXIDES, NITROGEN OXIDES, HYDROGEN CHLORIDE GAS

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: AVOID DUST FORMATION AND AVOID BREATHING VAPORS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. WEAR PROTECTIVE CLOTHING, RESPIRATOR, CHEMICAL SAFETY GOGGLES, GLOVES.

ENVIRONMENTAL PRECAUTIONS: DILUTE WITH PLENTY OF WATER. DO NOT ALLOW TO ENTER SEWERS/SURFACE OR GROUND WATER.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP: IN POWDER FORM, SWEEP UP AND SHOVEL. AFTER RECONSTITUTION, ABSORB WITH LIQUID-BINDING MATERIAL (SAND, DIATOMITE, ACID BINDERS, UNIVERSAL BINDERS, SAWDUST). DISPOSE CONTAMINATED MATERIAL AS WASTE ACCORDING TO SECTION 13. ENSURE ADEQUATE VENTILATION.

REFERENCE TO OTHER SECTIONS: SEE SECTION 8 FOR INFORMATION ON PERSONAL PROTECTION EQUIPMENT. SEE SECTION 13 FOR DISPOSAL INFORMATION.

SECTION 7. HANDLING AND STORAGE

HANDLING

PRECAUTIONS FOR SAFE HANDLING: AVOID CONTACT WITH SKIN AND EYES. AVOID FORMATION OF DUST AND AEROSOLS. ENSURE GOOD VENTILATION/EXHAUSTION AT THE WORKPLACE. WEAR APPROPRIATE PROTECTIVE CLOTHING (SEE SECTION 8). DO NOT RE-USE CONTAINER.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

STORAGE REQUIREMENTS TO BE MET BY STOREROOMS AND RECEPTACLES:
STORE AT 2-8°C. KEEP CONTAINER TIGHTLY CLOSED AND SEALED UNTIL READY FOR USE. STORE DESICCATED. HYGROSCOPIC.

FURTHER INFORMATION ABOUT STORAGE CONDITIONS: KEEP RECEPTACLE TIGHTLY SEALED IN A DRY AND WELL-VENTILATED PLACE.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

NO SUBSTANCES ARE PRESENT THAT REQUIRE MONITORING

PERSONAL PROTECTIVE EQUIPMENT

GENERAL PROTECTIVE AND HYGIENIC MEASURES

KEEP AWAY FROM FOODSTUFFS, BEVERAGES AND FEED
WASH HANDS BEFORE BREAKS AND AT THE END OF WORK
IMMEDIATELY REMOVE ALL SOILED AND CONTAMINATED CLOTHING
AVOID CONTACT WITH THE EYES AND SKIN. DO NOT BREATHE DUST.

BREATHING EQUIPMENT

FOR SHORT TERM FILTER DEVICE TO PROTECT FROM NUISANCE LEVELS OF DUST, USE TYPE N95 OR TYPE P1 DUST MASKS. FOR HIGHER LEVEL PROTECTION, USE TYPE OV/AG/P99 OR ABEK-P2 RESPIRATOR CARTRIDGES.

PROTECTION OF HANDS

PROTECTIVE GLOVES.

THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/SUBSTANCE/PREPARATION. THE RESISTANCE OF THE GLOVE MATERIAL CANNOT BE CALCULATED IN ADVANCE AND THEREFORE HAS TO BE CHECKED PRIOR TO APPLICATION. NO RECOMMENDATION CAN BE GIVEN FOR THE GLOVE MATERIAL FOR THIS PRODUCT. SELECT GLOVE MATERIALS BASE ON PENETRATION TIMES, RATES OF DIFFUSION AND DEGRADATION OF MATERIAL.

MATERIAL OF GLOVES

THE SELECTION OF SUITABLE GLOVES DEPENDS NOT ONLY ON THE MATERIAL BUT ON QUALITY OF MATERIAL AND VARIES FROM MANUFACTURER TO MANUFACTURER.

PENETRATION TIME OF GLOVE MATERIAL

THE EXACT BREAK THROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.

FOR THE PERMANENT CONTACT OF A MAXIMUM OF 15 MINUTES, GLOVES MADE OF THE FOLLOWING MATERIALS ARE SUITABLE:

NEOPRENE GLOVES

EYE PROTECTION: TIGHTLY SEALED GOGGLES OR SAFETY GLASSES WITH SIDE-SHIELDS

BODY PROTECTION: PROTECTIVE WORK CLOTHING

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

GENERAL INFORMATION

FORM: LIQUID

COLOR: CLEAR

pH: NO DATA AVAILABLE

MELTING POINT/MELTING RANGE: NO DATA AVAILABLE

BOILING POINT/BOILING RANGE: NO DATA AVAILABLE

FLASH POINT: NO DATA AVAILABLE

IGNITION TEMPERATURE: NO DATA AVAILABLE

LOWER EXPLOSIVE LIMIT: NO DATA AVAILABLE

UPPER EXPLOSIVE LIMIT: NO DATA AVAILABLE

VAPOR PRESSURE: NO DATA AVAILABLE

DENSITY: NO DATA AVAILABLE

SOLUBILITY IN/MISCIBILITY WITH WATER: NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY

CHEMICAL STABILITY: STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

THERMAL DECOMPOSITION/CONDITIONS TO BE AVOIDED: AVOID ALKALINES, STRONG ACIDS AND STRONG BASES, STRONG OXIDIZING AGENTS

POSSIBILITY OF HAZARDOUS REACTIONS: NO DATA AVAILABLE

HAZARDOUS DECOMPOSITION PRODUCTS: HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS: CARBON OXIDES, NITROGEN OXIDES, SULPHUR OXIDES, HYDROGEN CHLORIDE GAS

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL AND TOXICOLOGICAL PROPERTIES OF THIS PRODUCT HAVE NOT BEEN THOROUGHLY INVESTIGATED.

ACUTE TOXICITY:

LD50 ORAL: NO DATA AVAILABLE

INHALATION LC50 AND DERMAL LD50:

NO DATA AVAILABLE

SKIN CORROSION/IRRITATION:

NO DATA AVAILABLE

SERIOUS EYE DAMAGE/EYE IRRITATION:

NO DATA AVAILABLE

RESPIRATORY OR SKIN SENSITIZATION:

NO DATA AVAILABLE

GERM CELL MUTAGENICITY:

NO DATA AVAILABLE

CARCINOGENICITY

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC, ACGIH, NTP OR OSHA

REPRODUCTIVE TOXICITY:

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (GLOBALLY HARMONIZED SYSTEM):

INHALATION - MAY CAUSE RESPIRATORY IRRITATION

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE (GLOBALLY HARMONIZED SYSTEM):

NO DATA AVAILABLE

ASPIRATION HAZARD

NO DATA AVAILABLE

POTENTIAL HEALTH EFFECTS

INHALATION	MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION.
SKIN	MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION.
EYES	CAUSES EYE IRRITATION.
INGESTION	MAY BE HARMFUL IF SWALLOWED.

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY

NO DATA AVAILABLE

PERSISTENCE AND DEGRADABILITY

NO DATA AVAILABLE

BIOACCUMULATIVE POTENTIAL

NO DATA AVAILABLE

MOBILITY IN SOIL

NO DATA AVAILABLE

PBT AND vPvB ASSESSMENT

NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISPOSAL OF THIS PRODUCT, SOLUTIONS AND ANY BY-PRODUCTS SHOULD AT ALL TIMES COMPLY WITH THE REQUIREMENTS OF ENVIRONMENTAL PROTECTION AND WASTE DISPOSAL LEGISLATION AND ANY REGIONAL LOCAL AUTHORITY REQUIREMENTS. AVOID DISPERSAL OF SPILLED MATERIAL AND RUNOFF AND CONTACT WITH SOIL, WATERWAYS, DRAINS AND SEWERS. OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

DISPOSE OF CONTAMINATED PACKAGING AS UNUSED PRODUCT

SECTION 14. TRANSPORT INFORMATION

THIS PRODUCT IS SUBJECT TO THE DE MINIMIS EXCEPTIONS FOR DANGEROUS GOODS/HAZARDOUS MATERIALS IN ACCORDANCE WITH THE FOLLOWING REGULATIONS: IATA 2.6.10, ADR 3.5.1.4, AND U.S. DOT 49 CFR 173.4b.

DOT CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IMDG CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IATA-DGR CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

SECTION 15. REGULATORY INFORMATION

OSHA HAZARDS

IRRITANT

DSL STATUS

THIS PRODUCT CONTAINS THE FOLLOWING COMPONENTS THAT ARE NOT ON THE CANADIAN DSL NOR NDSL LISTS

LEUPEPTIN HYDROCHLORIDE

CAS #: 24125-16-4

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA) SECTION 302/304 (40CFR355.30/40CFR355.40):

NONE OF THE INGREDIENTS ARE LISTED.

SARA 313 COMPONENTS:

THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA, TITLE III, SECTION 313.

SARA 311/312 HAZARDS

ACUTE HEALTH HAZARD

PA AND NJ RIGHT TO KNOW COMPONENTS

BENZAMIDINIUM CHLORIDE	CAS #: 206752-36-5
PEPSTATIN A	CAS #: 26305-03-3
LEUPEPTIN HYDROCHLORIDE	CAS #: 24125-16-4
N α -p-TOSYL-L-ARGININE METHYL ESTER HYDROCHLORIDE	CAS#: 1784-03-8

CALIFORNIA PROP. 65 COMPONENTS

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS OR ANY OTHER REPRODUCTIVE HARM.

SECTION 16. OTHER INFORMATION

THIS INFORMATION IS BASED ON OUR PRESENT KNOWLEDGE. HOWEVER, THIS SHALL NOT CONSTITUTE A GUARANTEE FOR ANY SPECIFIC PRODUCT FEATURES AND SHALL NOT ESTABLISH A LEGALLY VALID CONTRACTUAL RELATIONSHIP. THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT, BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. CYTOSKELETON INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM CONTACT WITH THE ABOVE PRODUCT.

COPYRIGHT 2018 CYTOSKELETON, INC.

MATERIAL SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG/PRODUCT#: DMSO

NAME: DIMETHYL SULFOXIDE (DMSO)

USE: LABORATORY CHEMICALS

MANUFACTURER/SUPPLIER:

CYTOSKELETON INC.
1830 S. Acoma St.
Denver, CO 80223
PHONE: 303-322-2254
FAX: 303-322-2257

24H EMERGENCY TOLL-FREE NUMBER: CALL INFOTRAC DAY OR NIGHT
WITHIN USA AND CANADA: 1-800-535-5053
OUTSIDE USA AND CANADA: +1 352-323-3500 (COLLECT CALLS ACCEPTED)

SECTION 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

OSHA HAZARDS

COMBUSTIBLE LIQUID, TARGET ORGAN EFFECT

TARGET ORGANS

EYES, SKIN

GHS CLASSIFICATION

FLAMMABLE LIQUIDS (CATEGORY 4)

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM: NONE
SIGNAL WORD: WARNING

HAZARD STATEMENTS

H227 COMBUSTIBLE LIQUID

PRECAUTIONARY STATEMENTS

NONE

NFPA RATINGS (SCALE 0-4)

FIRE = 2

HEALTH = 0

REACTIVITY = 0

HMS RATINGS

HEALTH = 0

FIRE = 2

REACTIVITY = 0

CHRONIC HEALTH HAZARD = *

POTENTIAL HEALTH EFFECTS

INHALATION	MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY IRRITATION.
SKIN	MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION.
EYES	MAY CAUSE EYE IRRITATION.
INGESTION	MAY BE HARMFUL IF SWALLOWED.
AGGRAVATED MEDICAL CONDITION	AVOID CONTACT WITH DMSO SOLUTIONS CONTAIN TOXIC MATERIALS OR MATERIALS WITH UNKNOWN TOXICOLOGICAL PROPERTIES. DMSO IS READILY ABSORBED THROUGH SKIN AND MAY CARRY SUCH MATERIALS INTO THE BODY.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

DIMETHYL SULFOXIDE

FORMULA: C₂H₆OS

MOLECULAR WEIGHT: 78.13 g/mol

CAS #: 67-68-5

ECINEC #: 200-664-3

SECTION 4. FIRST-AID MEASURES

AFTER INHALATION: SUPPLY FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT PHYSICIAN.

AFTER SKIN CONTACT: IMMEDIATELY WASH SKIN WITH SOAP AND RINSE WITH COPIOUS AMOUNTS OF WATER. CONSULT PHYSICIAN.

AFTER EYE CONTACT: RINSE OPENED EYE FOR AT LEAST 15 MINUTES UNDER RUNNING WATER. CONSULT PHYSICIAN.

AFTER SWALLOWING: DO NOT INDUCE VOMITING. WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CONSULT PHYSICIAN.

WASH CONTAMINATED CLOTHING BEFORE REUSE.

SECTION 5. FIREFIGHTING MEASURES

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING AGENTS: FOR SMALL (INCIPIENT) FIRES, USE CARBON DIOXIDE, DRY CHEMICAL OR ALCOHOL-RESISTENT FOAM. FOR LARGE FIRES, APPLY WATER FROM AS FAR AS POSSIBLE. USE VERY LARGE QUANTITIES

(FLOODING) OF WATER APPLIED AS A MIST OR SPRAY; SOLID STREAMS OF WATER MAY BE INEFFECTIVE. COOL ALL AFFECTED CONTAINERS WITH FLOODING QUANTITIES OF WATER.

ADVICE FOR FIREFIGHTERS

PROTECTIVE EQUIPMENT: MOUNT RESPIRATORY PROTECTIVE DEVICE
PREVENT CONTACT WITH SKIN AND EYES.

HAZARDOUS COMBUSTION PRODUCTS: HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS: CARBON OXIDES, SULPHUR OXIDES

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: WEAR PROTECTIVE CLOTHING, RESPIRATOR, CHEMICAL SAFETY GOGGLES, GLOVES. REMOVE ALL SOURCES OF IGNITION. BEWARE OF VAPORS ACCUMULATING TO FORM EXPLOSIVE CONCENTRATIONS VAPORS CAN ACCUMULATE IN LOW AREAS. AVOID BREATHING VAPORS, MIST OR GAS.

ENVIRONMENTAL PRECAUTIONS: DILUTE WITH PLENTY OF WATER. DO NOT ALLOW TO ENTER SEWERS/SURFACE OR GROUND WATER. PREVENT FURTHER LEAKAGE IF SAFE TO DO SO.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP: CONTAIN SPILLAGE AND THEN COLLECT WITH AN ELECTRICALLY PROTECTED VACUUM CLEANER OR BY WET-BRUSHING AND PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL REGULATIONS (SEE SECTION 13). KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

REFERENCE TO OTHER SECTIONS: SEE SECTION 8 FOR INFORMATION ON PERSONAL PROTECTION EQUIPMENT. SEE SECTION 13 FOR DISPOSAL INFORMATION.

SECTION 7. HANDLING AND STORAGE

HANDLING

PRECAUTIONS FOR SAFE HANDLING: ENSURE GOOD VENTILATION/EXHAUSTION AT THE WORKPLACE. AVOID INHALATION OF VAPOR OR MIST. KEEP AWAY FROM SOURCES OF IGNITION – NO SMOKING. TAKE MEASURES TO PREVENT THE BUILD-UP OF ELECTROSTATIC CHARGE. WEAR APPROPRIATE PROTECTIVE CLOTHING (SEE SECTION 8). DO NOT RE-USE CONTAINER.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES
STORAGE

REQUIREMENTS TO BE MET BY STOREROOMS AND RECEPTACLES: STORE AT ROOM TEMPERATURE. KEEP CONTAINER TIGHTLY CLOSED AND SEALED UNTIL READY FOR USE IN A DRY AND WELL-VENTILATED PLACE. STORE UNDER INERT GAS. HYGROSCOPIC.

FURTHER INFORMATION ABOUT STORAGE CONDITIONS: KEEP RECEPTACLE TIGHTLY SEALED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

DIMETHYL SULFOXIDE

CAS #: 67-68-5

VALUE: TWA

CONTROL PARAMETERS: 250 ppm

BASIS: USA. WORKPLACE ENVIRONMENTAL EXPOSURE LEVELS (WEEL)

PERSONAL PROTECTIVE EQUIPMENT

GENERAL PROTECTIVE AND HYGIENIC MEASURES

KEEP AWAY FROM FOODSTUFFS, BEVERAGES AND FEED

WASH HANDS BEFORE BREAKS AND AT THE END OF WORK

IMMEDIATELY REMOVE ALL SOILED AND CONTAMINATED CLOTHING

AVOID CONTACT WITH THE EYES AND SKIN

BREATHING EQUIPMENT

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE, USE A FULL-FACE RESPIRATOR WITH MULTI-PURPOSE COMBINATION OR TYPE ABEK RESPIRATOR CARTRIDGES AS A BACK-UP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR.

PROTECTION OF HANDS

PROTECTIVE GLOVES.

THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/SUBSTANCE/PREPARATION. AS THE PRODUCT IS A PREPARATION OF SEVERAL SUBSTANCES, THE RESISTANCE OF THE GLOVE MATERIAL CANNOT BE CALCULATED IN ADVANCE AND THEREFORE HAS TO BE CHECKED PRIOR TO APPLICATION. NO RECOMMENDATION CAN BE GIVEN FOR THE GLOVE MATERIAL FOR THIS PRODUCT. SELECT GLOVE MATERIALS BASE ON PENETRATION TIMES, RATES OF DIFFUSION AND DEGRADATION OF MATERIAL.

MATERIAL OF GLOVES

THE SELECTION OF SUITABLE GLOVES DEPENDS NOT ONLY ON THE MATERIAL BUT ON QUALITY OF MATERIAL AND VARIES FROM MANUFACTURER TO MANUFACTURER.

PENETRATION TIME OF GLOVE MATERIAL

THE EXACT BREAK THROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.

FOR THE PERMANENT CONTACT OF A MAXIMUM OF 15 MINUTES, GLOVES MADE OF THE FOLLOWING MATERIALS ARE SUITABLE:

NEOPRENE GLOVES

EYE PROTECTION: TIGHTLY SEALED GOGGLES OR SAFETY GLASSES WITH SIDE-SHIELDS

BODY PROTECTION: PROTECTIVE WORK CLOTHING

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

GENERAL INFORMATION

FORM: LIQUID, CLEAR

SAFETY DATA

pH: NO DATA AVAILABLE

MELTING POINT/MELTING RANGE: 16-19°C (61-66°F)

BOILING POINT/BOILING RANGE: 189°C (372°F)

FLASH POINT: 87°C (189°F) – CLOSED CUP

IGNITION TEMPERATURE: 301°C (574°F)

AUTOIGNITION TEMPERATURE: NO DATA AVAILABLE

LOWER EXPLOSION LIMIT: 3.5% (V)

UPPER EXPLOSION LIMIT: 42% (V)

VAPOR PRESSURE: 0.55 hPa (0.42 mmHg) AT 20°C (68°F)

DENSITY: 1.1 g/ml

SOLUBILITY IN/MISCIBILITY WITH WATER: FULLY MISCIBLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY

CHEMICAL STABILITY

STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

THERMAL DECOMPOSITION/CONDITIONS TO BE AVOIDED: HEAT, FLAMES, SPARKS, ACID CHLORIDES, PHOSPHORUS HALIDES, STRONG ACIDS, STRONG OXIDIZING AGENTS, STRONG REDUCING AGENTS

POSSIBILITY OF HAZARDOUS REACTIONS: NO DATA AVAILABLE

HAZARDOUS DECOMPOSITION PRODUCTS: HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS: CARBON OXIDES, SULPHUR OXIDES

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL AND TOXICOLOGICAL PROPERTIES OF THIS PRODUCT HAVE NOT BEEN THOROUGHLY INVESTIGATED.

ACUTE TOXICITY

LD50 ORAL –RAT- 14,500 mg/kg

INHALATION LC50

LC50 INHALATION –RAT- 4 h -40250 ppm

DERMAL LD50

LD50 DERMAL –RABBIT- >5,000 mg/kg

SKIN IRRITATION AND CORROSION

SKIN –RABBIT- NO SKIN IRRITATION -4 h

SERIOUS EYE DAMAGE/EYE IRRITATION

EYES –RABBIT- MILD EYE IRRITATION

RESPIRATORY OR SKIN SENSITIZATION

NO DATA AVAILABLE

GERM CELL MUTAGENICITY

GENOTOXICITY IN VITRO –MOUSE- LYMPHOCYTE
CYTOGENETIC ANALYSIS

GENOTOXICITY IN VITRO –MOUSE- LYMPHOCYTE
MUTATION IN MAMMALIAN SOMATIC CELLS

GENOTOXICITY IN VIVO –RAT- INTRAPERITONEAL
CYTOGENETIC ANALYSIS

GENOTOXICITY IN VIVO –MOUSE- INTRAPERITONEAL
DNA DAMAGE

CARCINOGENICITY

CARCINOGENICITY –RAT- ORAL
TUMORIGENIC: EQUIVOCAL TUMORIGENIC AGENT BY RTECS CRITERIA. SKIN
AND APPENDAGES: OTHER: TUMORS.

CARCINOGENICITY –MOUSE- ORAL
TUMORIGENIC: EQUIVOCAL TUMORIGENIC AGENT RTECS CRITERIA. LEUKEMIA
SKIN AND APPENDAGE: OTHER: TUMORS.

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR
EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN
CARCINOGEN BY IARC, ACGIH, NTP OR OSHA

REPRODUCTIVE TOXICITY

REPRODUCTIVE TOXICITY –RAT- INTRAPERITONEAL
EFFECTS ON FERTILITY: ABORTION

REPRODUCTIVE TOXICITY –RAT- INTRAPERITONEAL
EFFECTS ON FERTILITY: POST-IMPLANTATION MORTALITY (E.G., DEAD AND/OR
RESORBED IMPLANTS PER TOTAL NUMBER OF IMPLANTS).

REPRODUCTIVE TOXICITY –RAT- SUBCUTANEOUS
EFFECTS ON FERTILITY: POST-IMPLANTATION MORTALITY (E.G., DEAD AND/OR
RESORBED IMPLANTS PER TOTAL NUMBER OF IMPLANTS). EFFECTS ON
FERTILITY: LITTER SIZE (E.G., # FETUSES PER LITTER; MEASURED BEFORE BIRTH).

REPRODUCTIVE TOXICITY –MOUSE- ORAL
EFFECTS ON FERTILITY: PRE-IMPLANTATION MORTALITY (E.G., REDUCTION IN
NUMBER OF IMPLANTS PER FEMALE; TOTAL NUMBER OF IMPLANTS PER

CORPORA LUTEA). EFFECTS ON EMBRYO OR FETUS: FETOTOXICITY (EXCEPT DEATH, E.G., STUNTED FETUS). SPECIFIC DEVELOPMENTAL ABNORMALITIES: MUSCULOSKELETAL SYSTEM

TERATOGENICITY

DEVELOPMENTAL TOXICITY –MOUSE- INTRAPERITONEAL
EFFECTS ON EMBRYO OR FETUS: FETOTOXICITY (EXCEPT DEATH, E.G., STUNTED FETUS). SPECIFIC DEVELOPMENTAL ABNORMALITIES: MUSCULOSKELETAL SYSTEM.

SPECIFIC TARGET ORGAN TOXICITY –SINGLE EXPOSURE (GLOBALLY HARMONIZED SYSTEM)

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY –REPEATED EXPOSURE (GLOBALLY HARMONIZED SYSTEM)

NO DATA AVAILABLE

ASPIRATION HAZARD

NO DATA AVAILABLE

POTENTIAL HEALTH EFFECTS

INHALATION	MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY IRRITATION.
SKIN	MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION.
EYES	MAY CAUSE EYE IRRITATION.
INGESTION	MAY BE HARMFUL IF SWALLOWED.
AGGRAVATED MEDICAL CONDITON	AVOID CONTACT WITH DMSO SOLUTIONS CONTAIN TOXIC MATERIALS OR MATERIALS WITH UNKNOWN TOXICOLOGICAL PROPERTIES. DMSO IS READILY ABSORBED THROUGH SKIN AND MAY CARRY SUCH MATERIALS INTO THE BODY.

SIGNS AND SYMPTOMS OF EXPOSURE

EFFECTS DUE TO INGESTION MAY INCLUDE: NAUSEA, FATIGUE, HEADACHE

SYNERGISTIC EFFECTS

NO DATA AVAILABLE

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY

TOXICITY TO FISH	LC50 – PIMEPHALES PROMELAS (FATHEAD MINNOW) – 34,000 mg/l – 96 h
	LC50 – ONCORHYNCHUS MYKISS (RAINBOW TROUT) - 35,000 mg/l -96 h
TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES	EC50 – DAPHNIA PULEX (WATER FLEA) -27,500 mg/l
TOXICITY TO ALGAE	EC50 – LEPOMIS MACROCHIRUS (BLUEGILL) - >400,000 mg/l -96 h

PERSISTENCE AND DEGRADABILITY

NO DATA AVAILABLE

BIOACCUMULATIVE POTENTIAL

NO DATA AVAILABLE

MOBILITY IN SOIL

NO DATA AVAILABLE

PBT AND vPvB ASSESSMENT

NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISPOSAL OF THIS PRODUCT, SOLUTIONS AND ANY BY-PRODUCTS SHOULD AT ALL TIMES COMPLY WITH THE REQUIREMENTS OF ENVIRONMENTAL PROTECTION AND WASTE DISPOSAL LEGISLATION AND ANY REGIONAL LOCAL AUTHORITY REQUIREMENTS. AVOID DISPERSAL OF SPILLED MATERIAL AND RUNOFF AND CONTACT WITH SOIL, WATERWAYS, DRAINS AND SEWERS. OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

DISPOSE OF CONTAMINATED PACKAGING AS UNUSED PRODUCT

SECTION 14. TRANSPORT INFORMATION

THIS PRODUCT IS SUBJECT TO THE DE MINIMIS EXCEPTIONS FOR DANGEROUS GOODS/HAZARDOUS MATERIALS IN ACCORDANCE WITH THE FOLLOWING REGULATIONS: IATA 2.6.10, ADR 3.5.1.4, AND U.S. DOT 49 CFR 173.4b.

DOT CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IATA-DGR CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IMDG CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

SECTION 15. REGULATORY INFORMATION

OSHA HAZARDS

COMBUSTIBLE LIQUID, TARGET ORGAN EFFECT

UNITED STATES REGULATORY INFORMATION

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA) SECTION 302/304 (40CFR355.30/40CFR355.40):

NONE OF THE INGREDIENTS IS LISTED.

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA) SECTION 313:

THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS

FIRE HAZARD, CHRONIC HEALTH HAZARD

PA AND NJ RIGHT TO KNOW COMPONENTS

DIMETHYL SULFOXIDE

CAS #: 67-68-5

CALIFORNIA PROP. 65 COMPONENTS

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

CANADA REGULATORY INFORMATION

WHMIS CLASSIFICATION: NOT CONTROLLED UNDER WHMIS.

EU REGULATORY INFORMATION

THIS PRODUCT IS NOT CLASSIFIED ACCORDING TO EU LEGISLATION.

SECTION 16. OTHER INFORMATION

THIS INFORMATION IS BASED ON OUR PRESENT KNOWLEDGE. HOWEVER, THIS SHALL NOT CONSTITUTE A GUARANTEE FOR ANY SPECIFIC PRODUCT FEATURES AND SHALL NOT ESTABLISH A LEGALLY VALID CONTRACTUAL RELATIONSHIP. THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT, BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. CYTOSKELETON INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM CONTACT WITH THE ABOVE PRODUCT.

COPYRIGHT 2018 CYTOSKELETON, INC.