Cytoskeleton, Inc.

MSDS COVERSHEET

CATALOG # BK011P

TUBULIN POLYMERIZATION ASSAY KIT (FLUORESCENCE-BASED)

PART/CATALOG #	DESCRIPTION
T240-DX	TUBULIN PROTEIN
BST06	GTP STOCK
BP01	BUFFER 1
BST05	TUBULIN GLYCEROL BUFFER (CUSTION BUFFER)
TXD01	PACLITAXEL
DMSO	DMSO

Cytoskeleton, Inc.

REVISED 4.5.18

MATERIAL SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG/PRODUCT#: T240

NAME: 99% PURE TUBULIN PROTEIN DERIVED FROM PORCINE BRAIN

USE: LABORATORY CHEMICALS

MANUFACTURER/SUPPLIER:

CYTOSKELETON INC. 1830 S. Acoma St. Denver, CO 80223 PHONE: 303-322-2254 FAX: 303-322-2257

24H EMERGENCY TOLL-FREE NUMBER: CALL INFOTRAC DAY OR NIGHT WITHIN USA AND CANADA: 1-800-535-5053 OUTSIDE USA AND CANADA: +1 352-323-3500 (COLLECT CALLS ACCEPTED)

SECTION 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

OSHA HAZARDS THIS PRODUCT IS NOT CONSIDERED HAZARDOUS

GHS CLASSIFICATION THIS PRODUCT IS NOT CONSIDERED HAZARDOUS

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM	NONE
SIGNAL WORD	NONE

HAZARD STATEMENTS NONE

PRECAUTIONARY STATEMENTS NONE

NFPA RATINGS (SCALE 0-4) FIRE = 0HEALTH = 0REACTIVITY = 0

HMIS RATINGS

 $\begin{aligned} HEALTH &= 0\\ FIRE &= 0\\ REACTIVITY &= 0 \end{aligned}$

POTENTIAL HEALTH EFFECTS

INHALATION	MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY
	TRACT IRRITATION
SKIN	MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY
	CAUSE SKIN IRRITATION
EYES	MAY CAUSE EYE IRRITATION
INGESTION	MAY BE HARMFUL IF SWALLOWED

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

PIPES (PIPERAZINE-N, N-BIS(2-ETHANESULFONIC ACID), SESQUISODIUM SALT	CAS#: 100037-69-2 EINECS#: UNLISTED	<1%
FICOLL (SUCROSE, EPICHLOROHYDRIN COPOLYMER)	CAS#: 26873-85-8 EINECS#: UNLISTED	1%
EGTA (ETHYLENE GLYCOL-BIS(2-AMINOETHYLETHER)- N,N,N',N'-TETRAACETIC ACID	CAS#: 67-42-5 EINECS#:200-651-2	<1%
SUCROSE	CAS#: 57-50-1 EINECS#: 200-334-9	5%
ANTIFOAM C	CAS#: UNLISTED EINECS#: UNLISTED	<0.1%
GTP (GUANOSINE 5'-TRIPHOSPHATE SODIUM SALT HYDRATE)	CAS#: 36051-31-7 EINECS#: 252-847-2	<1%
MAGNESIUM CHLORIDE	CAS#: 7791-18-6 EINECS#: UNLISTED	<1%
PROTEIN	CAS#: NONE EINECS#: NONE	<u>≥</u> 95%

SECTION 4. FIRST-AID MEASURES

AFTER INHALATION: SUPPLY FRESH AIR. CONSULT PHYSICIAN IN CASE OF COMPLAINTS **AFTER SKIN CONTACT**: IMMEDIATELY WASH SKIN WITH SOAP AND RINSE WITH COPIOUS AMOUNTS OF WATER **AFTER EYE CONTACT**: RINSE OPENED EYE FOR AT LEAST 15 MINUTES UNDER RUNNING WATER. CONSULT PHYSICIAN **AFTER SWALLOWING**: WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CONSULT PHYSICIAN

WASH CONTAMINATED CLOTHING BEFORE REUSE.

SECTION 5. FIREFIGHTING MEASURES

EXTINGUISHING MEDIA SUITABLE EXTINGUISHING AGENTS: CARBON DIOXIDE, EXTINGUISHING POWDER OR WATER SPRAY. ADVICE FOR FIREFIGHTERS PROTECTIVE EQUIPMENT: MOUNT RESPIRATORY PROTECTIVE DEVICE PREVENT CONTACT WITH SKIN AND EYES

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY
PROCEDURES: WEAR PROTECTIVE CLOTHING, RESPIRATOR, CHEMICAL SAFETY
GOGGLES, GLOVES.
ENVIRONMENTAL PRECAUTIONS: DILUTE WITH PLENTY OF WATER. DO NOT
ALLOW TO ENTER SEWERS/SURFACE OR GROUND WATER.
METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP: ABSORB
WITH LIQUID-BINDING MATERIAL (SAND, DIATOMITE, ACID BINDERS,
UNIVERSAL BINDERS, SAWDUST). DISPOSE CONTAMINATED MATERIAL AS
WASTE ACCORDING TO SECTION 13. ENSURE ADEQUATE VENTILATION.
REFERENCE TO OTHER SECTIONS: SEE SECTION 8 FOR INFORMATION ON
PERSONAL PROTECTION EQUIPMENT. SEE SECTION 13 FOR DISPOSAL
INFORMATION.

SECTION 7. HANDLING AND STORAGE

HANDLING

PRECAUTIONS FOR SAFE HANDLING: ENSURE GOOD VENTILATION/EXHAUSTION AT THE WORKPLACE. WEAR APPROPRIATE PROTECTIVE CLOTHING (SEE SECTION 8). DO NOT RE-USE CONTAINER. **INFORMATION ABOUT PROTECTION AGAINST EXPLOSIONS AND FIRES**: NOT IGNITABLE

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES STORAGE

REQUIREMENTS TO BE MET BY STOREROOMS AND RECEPTACLES: STORE AT 2-8°C. KEEP CONTAINER TIGHTLY CLOSED AND SEALED UNTIL READY FOR USE. STORE DESICCATED.

FURTHER INFORMATION ABOUT STORAGE CONDITIONS: KEEP RECEPTACLE TIGHTLY SEALED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES

PERSONAL PROTECTIVE EQUIPMENT

GENERAL PROTECTIVE AND HYGIENIC MEASURES

KEEP AWAY FROM FOODSTUFFS, BEVERAGES AND FEED WASH HANDS BEFORE BREAKS AND AT THE END OF WORK IMMEDIATELY REMOVE ALL SOILED AND CONTAMINATED CLOTHING AVOID CONTACT WITH THE EYES AND SKIN

BREATHING EQUIPMENT

SHORT TERM FILTER DEVICE: FILTER P2 DO NOT BREATHE. USE MECHANICAL EXHAUST SYSTEM

PROTECTION OF HANDS PROTECTIVE GLOVES.

THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/SUBSTANCE/PREPARATION. AS THE PRODUCT IS A PREPARATION OF SEVERAL SUBSTANCES, THE RESISTANCE OF THE GLOVE MATERIAL CANNOT BE CALCULATED IN ADVANCE AND THEREFORE HAS TO BE CHECKED PRIOR TO APPLICATION. NO RECOMMENDATION CAN BE GIVEN FOR THE GLOVE MATERIAL FOR THIS PRODUCT. SELECT GLOVE MATERIALS BASE ON PENETRATION TIMES, RATES OF DIFFUSION AND DEGRADATION OF MATERIAL.

MATERIAL OF GLOVES

THE SELECTION OF SUITABLE GLOVES DEPENDS NOT ONLY ON THE MATERIAL BUT ON QUALITY OF MATERIAL AND VARIES FROM MANUFACTURER TO MANUFACTURER.

PENETRATION TIME OF GLOVE MATERIAL

THE EXACT BREAK TROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.

FOR THE PERMANENT CONTACT OF A MAXIMUM OF 15 MINUTES, GLOVES MADE OF THE FOLLOWING MATERIALS ARE SUITABLE: NEOPRENE GLOVES

EYE PROTECTION: TIGHTLY SEALED GOGGLES

BODY PROTECTION: PROTECTIVE WORK CLOTHING

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES GENERAL INFORMATION FORM: SOLID (LYOPHILIZED POWDER) CHANGE IN CONDITION MELTING POINT/MELTING RANGE: N/A BOILING POINT/BOILING RANGE: N/A FLASH POINT: N/A. SELF-IGNITING: PRODUCT IS NOT SELF-IGNITING DANGER OF EXPLOSION: PRODUCT IS NOT EXPLOSIVE. DENSITY: NOT DETERMINED SOLUBILITY IN/MISCIBILITY WITH WATER: FULLY MISCIBLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY CHEMICAL STABILITY STABLE WHEN STORED AS DIRECTED.

THERMAL DECOMPOSITION/CONDITIONS TO BE AVOIDED: NO DECOMPOSITION IF USED ACCORDING TO SPECIFICATIONS

POSSIBILITY OF HAZARDOUS REACTIONS: NO DANGEROUS REACTIONS KNOWN

HAZARDOUS DECOMPOSITION PRODUCTS: NO DANGEROUS PRODUCTS KNOWN

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

TO THE BEST OF OUR KNOWLEDGE, THE TOXICOLOGICAL PROPERTIES OF THIS PRODUCT HAVE NOT BEEN THOROUGHLY INVESTIGATED.

NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS.

ON THE SKIN: MAY CAUSE SKIN IRRITATION SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN ON THE EYE: MAY CAUSE EYE IRRITATION INHALATION: MAY IRRITATE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT. MAY BE HARMFUL IF INHALED INGESTION: MAY BE HARMFUL IF SWALLOWED

SECTION 12. ECOLOGICAL INFORMATION

NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISPOSAL OF THIS PRODUCT, SOLUTIONS AND ANY BY-PRODUCTS SHOULD AT ALL TIMES COMPLY WITH THE REQUIREMENTS OF ENVIRONMENTAL PROTECTION AND WASTE DISPOSAL LEGISLATION AND ANY REGIONAL LOCAL AUTHORITY REQUIREMENTS. AVOID DISPERSAL OF SPILLED MAERIAL AND RUNOFF AND CONTACT WITH SOIL, WATERWAYS, DRAINS AND SEWERS. OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

DISPOSE OF CONTAMINATED PACKAGING AS UNUSED PRODUCT

SECTION 14. TRANSPORT INFORMATION

DOT CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IATA-DGR CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IMDG CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

SECTION 15. REGULATORY INFORMATION

OSHA HAZARDS NO KNOWN HAZARDS

UNITED STATES REGULATORY INFORMATION SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA) SECTION 302/304 (40CFR355.30/40CFR355.40):

NONE OF THE INGREDIENTS IS LISTED.

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA) SECTION 313:

THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

CANADA REGULATORY INFORMATION

WHMIS CLASSIFICATION: NOT CONTROLLED UNDER WHMIS.

SECTION 16. OTHER INFORMATION

THIS INFORMATION IS BASED ON OUR PRESENT KNOWLEDGE. HOWEVER, THIS SHALL NOT CONSTITUTE A GUARANTEE FOR ANY SPECIFIC PRODUCT FEATURES AND SHALL NOT ESTABLISH A LEGALLY VALID CONTRACTUAL RELATIONSHIP. THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT, BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. CYTOSKELETON INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM CONTACT WITH THE ABOVE PRODUCT.

COPYRIGHT 2018 CYTOSKELETON, INC.

Cytoskeleton, Inc.

REVISED 5.9.18

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG/PRODUCT#: BST06-010

NAME: GUANOSINE 5'-TRIPHOSPHATE SODIUM SALT (GTP)

USE: LABORATORY CHEMICALS

MANUFACTURER/SUPPLIER:

CYTOSKELETON INC. 1830 S. Acoma St. Denver, CO 80223 PHONE: 303-322-2254 FAX: 303-322-2257

24H EMERGENCY TOLL-FREE NUMBER: CALL INFOTRAC DAY OR NIGHT WITHIN USA AND CANADA: 1-800-535-5053 OUTSIDE USA AND CANADA: +1 352-323-3500 (COLLECT CALLS ACCEPTED)

SECTION 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

OSHA HAZARDS TOXIC BY INGESTION, IRRITANT

THIS PRODUCT IS CONSIDERED HAZARDOUS BY THE OSHA HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200).

THIS PRODUCT IS CLASSIFIED AS HAZARDOUS ACCORDING TO DIRECTIVE 67/548/EC AND ASSOCIATED AMENDMENTS.

POTENTIAL HEALTH EFFECTS

INHALATION

INGESTION

SKIN

EYES

MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION TOXIC IF SWALLOWED CAUSES EYE IRRITATION

NFPA RATINGS (SCALE 0-4) FIRE = 1 HEALTH = 2 REACTIVITY = 0 HMIS RATINGS HEALTH = 2 FIRE = 1 REACTIVITY = 0

GHS CLASSIFICATION:

SIGNAL WORD:



HAZARD PICTOGRAMS:

ACUTE TOXICITY, CATEGORY 4 SERIOUS EYE DAMAGE, CATEGORY 1 CHRONIC AQUATIC TOXICITY, CATEGORY 3 SPECIFIC TARGET ORGAN TOXICITY -SINGLE EXPOSURE (CATEGORY 3) SKIN IRRITATION (CATEGORY 2)

HEALTH HAZARD STATEMENTS:

H302:	HARMFUL IF SWALLOWED
H315:	CAUSES SKIN IRRITATION
H318:	CAUSES SERIOUS EYE DAMAGE
H319:	CAUSES SERIOUS EYE IRRITATION
H335:	MAY CAUSE RESPIRATORY IRRITATION
H412:	HARMFUL TO AQUATIC LIFE WITH LONG-LASTING
	EFFECTS

PRECAUTIONARY STATEMENTS:

AVOID BREATHING
DUST/FUMES/GAS/MIST/VAPORS/SPRAY
WASH SKIN THOROUGHLY AFTER HANDLING
DO NOT EAT, DRINK OR SMOKE WHEN USING THIS
PRODUCT
USE ONLY IN A WELL-VENTILATED AREA
WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE
PROTECTION
IF SWALLOWED, CALL A POISON CENTER OR
PHYSICIAN IF YOU FEEL UNWELL.
IF ON SKIN: WSH WITH PLENTY OF SOAP AND WATER.
IF INHALED: REMOVE VICTIM TO FRESH AIR AND
KEEP AT REST IN A POSITION COMFORTABLE FOR
BREATHING.
IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR
SEVERAL MINUTES. REMOVE CONTACT LENSES IF
PRESENT AND EASY TO DO. CONTINUE RINSING.
IF SKIN IRRITATION OCCURS: GET MEDICAL
ADVICE/ATTENTION.
IF EYE IRRITATION PERSISTS: GET MEDICAL
ADVICE/ATTENTION.

P362:	TAKE OFF CONTAMINATED CLOTHING AND WASH
	BEFORE REUSE.
P403 + P233:	STORE IN A WELL-VENTILATED PLACE. KEEP
	CONTAINER TIGHTLY CLOSED.
P405:	STORE LOCKED UP.
P501:	DISPOSE OF CONTENTS/CONTAINER TO AN APPROVED
	WASTE DISPOSAL PLANT.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

GUANOSINE 5'-TRIPHOSPHATE SODIUM SALT (GTP)	CAS#: 36051-31-7 EINECS#: 252-847-2	11%
GUANIDINE CARBONATE SALT	CAS#: 593-85-1 EINECS#: 209-813-7	9%
WATER	CAS#: 7732-18-5 EINECS#:231-791-2	80%

SECTION 4. FIRST-AID MEASURES

AFTER INHALATION: SUPPLY FRESH AIR. CONSULT PHYSICIAN IN CASE OF COMPLAINTS. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN

AFTER SKIN CONTACT: IMMEDIATELY WASH SKIN WITH SOAP AND RINSE WITH COPIOUS AMOUNTS OF WATER. CALL FOR PHYSICIAN AFTER EYE CONTACT: RINSE OPENED EYE FOR AT LEAST 15 MINUTES UNDER RUNNING WATER. THEN CONSULT PHYSICIAN AFTER SWALLOWING: WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL FOR PHYSICIAN

WASH CONTAMINATED CLOTHING BEFORE REUSE.

SECTION 5. FIREFIGHTING MEASURES

EXTINGUISHING MEDIA SUITABLE EXTINGUISHING AGENTS: CARBON DIOXIDE, EXTINGUISHING POWDER OR WATER SPRAY. ADVICE FOR FIREFIGHTERS PROTECTIVE EQUIPMENT: MOUNT RESPIRATORY PROTECTIVE DEVICE PREVENT CONTACT WITH SKIN AND EYES HAZARDOUS COMBUSTION PRODUCTS: HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS: CARBON OXIDES, NITROGEN OXIDES (NOx), SULPHUR OXIDES, PHOSPHOROUS OXIDES, LITHIUM OXIDES

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: WEAR PROTECTIVE CLOTHING, RESPIRATOR, CHEMICAL SAFETY GOGGLES, GLOVES. AVOID DUST FORMATION. **ENVIRONMENTAL PRECAUTIONS**: DILUTE WITH PLENTY OF WATER. DO NOT ALLOW TO ENTER SEWERS/SURFACE OR GROUND WATER.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP: UPON RECONSTITUTION, ABSORB WITH LIQUID-BINDING MATERIAL (SAND, DIATOMITE, ACID BINDERS, UNIVERSAL BINDERS, SAWDUST). DISPOSE CONTAMINATED MATERIAL AS WASTE ACCORDING TO SECTION 13. ENSURE ADEQUATE VENTILATION. IN LYOPHILIZED FORM, PICK UP WITHOUT CREATING DUST. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

REFERENCE TO OTHER SECTIONS: SEE SECTION 8 FOR INFORMATION ON PERSONAL PROTECTION EQUIPMENT. SEE SECTION 13 FOR DISPOSAL INFORMATION.

SECTION 7. HANDLING AND STORAGE

HANDLING

PRECAUTIONS FOR SAFE HANDLING: AVOID FORMATION OF DUST AND AEROSOLS. AVOID CONTACT WITH SKIN AND EYES. ENSURE GOOD VENTILATION/EXHAUSTION AT THE WORKPLACE. WEAR APPROPRIATE PROTECTIVE CLOTHING (SEE SECTION 8). DO NOT RE-USE CONTAINER. **INFORMATION ABOUT PROTECTION AGAINST EXPLOSIONS AND FIRES**: NOT IGNITABLE

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES STORAGE

REQUIREMENTS TO BE MET BY STOREROOMS AND RECEPTACLES: STORE AT 2-8°C. KEEP CONTAINER TIGHTLY CLOSED AND SEALED UNTIL READY FOR USE. STORE DESICCATED.

FURTHER INFORMATION ABOUT STORAGE CONDITIONS: KEEP RECEPTACLE TIGHTLY SEALED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES

PERSONAL PROTECTIVE EQUIPMENT GENERAL PROTECTIVE AND HYGIENIC MEASURES KEEP AWAY FROM FOODSTUFFS, BEVERAGES AND FEED WASH HANDS BEFORE BREAKS AND AT THE END OF WORK IMMEDIATELY REMOVE ALL SOILED AND CONTAMINATED CLOTHING AVOID CONTACT WITH THE EYES AND SKIN

BREATHING EQUIPMENT

SHORT TERM FILTER DEVICE: FILTER P2 DO NOT BREATHE. USE MECHANICAL EXHAUST SYSTEM

PROTECTION OF HANDS PROTECTIVE GLOVES.

THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/SUBSTANCE/PREPARATION. AS THE PRODUCT IS A PREPARATION OF SEVERAL SUBSTANCES, THE RESISTANCE OF THE GLOVE MATERIAL CANNOT BE CALCULATED IN ADVANCE AND THEREFORE HAS TO BE CHECKED PRIOR TO APPLICATION. NO RECOMMENDATION CAN BE GIVEN FOR THE GLOVE MATERIAL FOR THIS PRODUCT. SELECT GLOVE MATERIALS BASE ON PENETRATION TIMES, RATES OF DIFFUSION AND DEGRADATION OF MATERIAL.

MATERIAL OF GLOVES

THE SELECTION OF SUITABLE GLOVES DEPENDS NOT ONLY ON THE MATERIAL BUT ON QUALITY OF MATERIAL AND VARIES FROM MANUFACTURER TO MANUFACTURER.

PENETRATION TIME OF GLOVE MATERIAL

THE EXACT BREAK TROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.

FOR THE PERMANENT CONTACT OF A MAXIMUM OF 15 MINUTES, GLOVES MADE OF THE FOLLOWING MATERIALS ARE SUITABLE: NEOPRENE GLOVES

EYE PROTECTION: TIGHTLY SEALED GOGGLES AND FACE SHIELD

BODY PROTECTION: PROTECTIVE WORK CLOTHING

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES GENERAL INFORMATION FORM: SOLID (LYOPHILIZED POWDER) CHANGE IN CONDITION

MELTING POINT/MELTING RANGE: NO DATA AVAILABLE BOILING POINT/BOILING RANGE: NO DATA AVAILABLE FLASH POINT: NO DATA AVAILABLE SELF-IGNITING: NO DATA AVAILABLE DANGER OF EXPLOSION: NO DATA AVAILABLE. DENSITY: NOT DETERMINED SOLUBILITY IN/MISCIBILITY WITH WATER: FULLY MISCIBLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY CHEMICAL STABILITY STABLE WHEN STORED AS RECOMMENDED.

THERMAL DECOMPOSITION/CONDITIONS TO BE AVOIDED: STRONG OXIDIZING AGENTS, STRONG ACIDS

POSSIBILITY OF HAZARDOUS REACTIONS: NO DANGEROUS REACTIONS KNOWN

HAZARDOUS COMBUSTION PRODUCTS: HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS: CARBON OXIDES, NITROGEN OXIDES (NOx), SULPHUR OXIDES, PHOSPHOROUS OXIDES, LITHIUM OXIDES

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY

LD50 ORAL -MOUSE- 350 mg/kg

IRRITATION AND CORROSION

EYES –RABBIT- MODERATE EYE IRRITATION – 24 H

SENSITIZATION

NO DATA AVAILABLE

CHRONIC EXPOSURE

IARC/ACGIH/NTP/OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN.

TO THE BEST OF OUR KNOWLEDGE, THE TOXICOLOGICAL PROPERTIES OF THIS PRODUCT HAVE NOT BEEN THOROUGHLY INVESTIGATED.

ON THE SKIN: CAUSES SKIN IRRITATION SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN ON THE EYE: CAUSES EYE IRRITATION INHALATION: IRRITATES MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT. MAY BE HARMFUL IF INHALED INGESTION: TOXIC IF SWALLOWED

SECTION 12. ECOLOGICAL INFORMATION

NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISPOSAL OF THIS PRODUCT, SOLUTIONS AND ANY BY-PRODUCTS SHOULD AT ALL TIMES COMPLY WITH THE REQUIREMENTS OF ENVIRONMENTAL PROTECTION AND WASTE DISPOSAL LEGISLATION AND ANY REGIONAL LOCAL AUTHORITY REQUIREMENTS. AVOID DISPERSAL OF SPILLED MAERIAL AND RUNOFF AND CONTACT WITH SOIL, WATERWAYS, DRAINS AND SEWERS. OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

DISPOSE OF CONTAMINATED PACKAGING AS UNUSED PRODUCT

SECTION 14. TRANSPORT INFORMATION

THIS PRODUCT IS SUBJECT TO THE DE MINIMIS EXCEPTIONS FOR DANGEROUS GOODS/HAZARDOUS MATERIALS IN ACCORDANCE WITH THE FOLLOWING REGULATIONS: IATA 2.6.10, ADR 3.5.1.4, AND U.S. DOT 49 CFR 173.4b.

DOT CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IATA-DGR CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IMDG CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

SECTION 15. REGULATORY INFORMATION

OSHA HAZARDS TOXIC BY INGESTION, IRRITANT

DSL STATUS DIGUANIDINIUM CARBONATE IS ON THE CANADIAN DSL LIST.

TSCA:

CAS# 593-85-1 IS LISTED ON THE TSCA INVENTORY.

OSHA:

NONE OF THE CHEMICALS IN THIS PRODUCT ARE CONSIDERED HIGHLY HAZARDOUS BY OSHA

UNITED STATES REGULATORY INFORMATION

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA) SECTION 302/304 (40CFR355.30/40CFR355.40):

NONE OF THE INGREDIENTS IS LISTED.

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA) SECTION 313:

THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

STATE RIGHT TO KNOW COMPONENTS

PA AND NJ

DIGUANIDINIUM CARBONATE CAS#: 593-85-1

CANADA REGULATORY INFORMATION WHMIS CLASSIFICATION: THIS PRODUCT HAS A WHMIS CLASSIFICATION OF D2B.

WGK (WATER DANGER/PROTECTION) CAS# 593-85-1:2

EU REGULATORY INFORMATION

SAFETY PHRASES:

S22: DO NOT BREATHE DUST

RISK PHRASES:

R22: HARMFUL IF SWALLOWED R36/37/38: IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN

HAZARD SYMBOLS: XI

SECTION 16. OTHER INFORMATION

THIS INFORMATION IS BASED ON OUR PRESENT KNOWLEDGE. HOWEVER, THIS SHALL NOT CONSTITUTE A GUARANTEE FOR ANY SPECIFIC PRODUCT FEATURES AND SHALL NOT ESTABLISH A LEGALLY VALID CONTRACTUAL RELATIONSHIP. THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT, BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. CYTOSKELETON INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM CONTACT WITH THE ABOVE PRODUCT.

COPYRIGHT 2018 CYTOSKELETON, INC.

Cytoskeleton, Inc.

REVISED 7.24.18

MATERIAL SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG/PRODUCT#: BP01

NAME: BUFFER 1

USE: LABORATORY CHEMICALS

MANUFACTURER/SUPPLIER:

CYTOSKELETON INC. 1830 S. Acoma St. Denver, CO 80223 PHONE: 303-322-2254 FAX: 303-322-2257

24H EMERGENCY TOLL-FREE NUMBER: CALL INFOTRAC DAY OR NIGHT WITHIN USA, CANADA, AND PUERTO RICO: 1-800-535-5053 OUTSIDE USA, CANADA, AND PUERTO RICO: 352-323-35000 (COLLECT CALLS ACCEPTED)

SECTION 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

OSHA HAZARDS THIS PRODUCT IS NOT CONSIDERED HAZARDOUS

GHS CLASSIFICATION THIS PRODUCT IS NOT CONSIDERED HAZARDOUS

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM	NONE
SIGNAL WORD	NONE

HAZARD STATEMENTS NONE

PRECAUTIONARY STATEMENTS

NONE

POTENTIAL HEALTH EFFECTS

INHALATION MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION SKIN

MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION MAY BE HARMFUL IF SWALLOWED MAY CAUSE EYE IRRITATION

INGESTION EYES

NFPA RATINGS (SCALE 0-4) FIRE = 0HEALTH HAZARD = 0REACTIVITY HAZARD = 0

HMIS RATINGS HEALTH HAZARD = 0 FLAMMABILITY = 0 PHYSICAL HAZARDS = 0

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MAGNESIUM CHLORIDE HEXAHYDRATE	CAS#: 7791-18-6 EINECS#: 232-094-6	<1%
PIPES (PIPERAZINE-N, N-BIS(2-ETHANESULFONIC ACID), SESQUISODIUM SALT	CAS#: 100037-69-2 EINECS#: UNLISTED	<3%
EGTA (ETHYLENE GLYCOL-BIS(2-AMINOETHYLETHER)- N,N,N',N'-TETRAACETIC ACID	CAS#: 67-42-5 EINECS#:200-651-2	<1%
4'6-DIAMIDINO-2-PHENYLINDOLE DIHYDROCHLORIDE (DAPI)	CAS#: 28718-90-3 EINECS#:249-186-7	<1%

SECTION 4. FIRST-AID MEASURES

AFTER INHALATION: SUPPLY FRESH AIR. CONSULT PHYSICIAN IN CASE OF COMPLAINTS. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN AFTER SKIN CONTACT: IMMEDIATELY WASH SKIN WITH SOAP AND RINSE WITH COPIOUS AMOUNTS OF WATER. CONSULT A PHYSICIAN. AFTER EYE CONTACT: RINSE OPENED EYE FOR AT LEAST 15 MINUTES UNDER RUNNING WATER. CONSULT A PHYSICIAN. AFTER SWALLOWING: WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CONSULT A PHYSICIAN.

WASH CONTAMINATED CLOTHING BEFORE REUSE.

SECTION 5. FIREFIGHTING MEASURES

CONDITIONS OF FLAMMABILITY NOT FLAMMABLE OR COMBUSTIBLE

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING AGENTS: CARBON DIOXIDE, ALCOHOL-RESISTANT FOAM, EXTINGUISHING POWDER OR WATER SPRAY. ADVICE FOR FIREFIGHTERS PROTECTIVE EQUIPMENT: MOUNT RESPIRATORY PROTECTIVE DEVICE PREVENT CONTACT WITH SKIN AND EYES HAZARDOUS COMBUSTION PRODUCTS: HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS: NO DATA AVAILABLE

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: WEAR PROTECTIVE CLOTHING, RESPIRATOR, CHEMICAL SAFETY GOGGLES, GLOVES. AVOID DUST FORMATION. AVOID BREATHING VAPORS, MIST OR GAS.

ENVIRONMENTAL PRECAUTIONS: DILUTE WITH PLENTY OF WATER. DO NOT ALLOW TO ENTER SEWERS/SURFACE OR GROUND WATER. **METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP**: UPON RECONSTITUTION, ABSORB WITH LIQUID-BINDING MATERIAL (SAND, DIATOMITE, ACID BINDERS, UNIVERSAL BINDERS, SAWDUST). DISPOSE CONTAMINATED MATERIAL AS WASTE ACCORDING TO SECTION 13. ENSURE ADEQUATE VENTILATION. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL. **REFERENCE TO OTHER SECTIONS:** SEE SECTION 8 FOR INFORMATION ON PERSONAL PROTECTION EQUIPMENT. SEE SECTION 13 FOR DISPOSAL INFORMATION.

SECTION 7. HANDLING AND STORAGE

HANDLING

PRECAUTIONS FOR SAFE HANDLING: AVOID FORMATION OF DUST AND AEROSOLS OR INHALATION OF VAPOR OR MIST. AVOID CONTACT WITH SKIN AND EYES. ENSURE GOOD VENTILATION/EXHAUSTION AT THE WORKPLACE. WEAR APPROPRIATE PROTECTIVE CLOTHING (SEE SECTION 8). DO NOT RE-USE CONTAINER.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES STORAGE

REQUIREMENTS TO BE MET BY STOREROOMS AND RECEPTACLES: STORE AT 2-8°C. KEEP CONTAINER TIGHTLY CLOSED AND SEALED UNTIL READY FOR USE. STORE DESICCATED.

FURTHER INFORMATION ABOUT STORAGE CONDITIONS: KEEP RECEPTACLE TIGHTLY SEALED IN A WELL-VENTILATED PLACE.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES

PERSONAL PROTECTIVE EQUIPMENT GENERAL PROTECTIVE AND HYGIENIC MEASURES KEEP AWAY FROM FOODSTUFFS, BEVERAGES AND FEED WASH HANDS BEFORE BREAKS AND AT THE END OF WORK

IMMEDIATELY REMOVE ALL SOILED AND CONTAMINATED CLOTHING AVOID CONTACT WITH THE EYES AND SKIN

BREATHING EQUIPMENT

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE, USE A FULL-FACE RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US) OR TYPE ABEK (EN14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR.

PROTECTION OF HANDS PROTECTIVE GLOVES.

THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/SUBSTANCE/PREPARATION. AS THE PRODUCT IS A PREPARATION OF SEVERAL SUBSTANCES, THE RESISTANCE OF THE GLOVE MATERIAL CANNOT BE CALCULATED IN ADVANCE AND THEREFORE HAS TO BE CHECKED PRIOR TO APPLICATION. NO RECOMMENDATION CAN BE GIVEN FOR THE GLOVE MATERIAL FOR THIS PRODUCT. SELECT GLOVE MATERIALS BASE ON PENETRATION TIMES, RATES OF DIFFUSION AND DEGRADATION OF MATERIAL.

MATERIAL OF GLOVES

THE SELECTION OF SUITABLE GLOVES DEPENDS NOT ONLY ON THE MATERIAL BUT ON QUALITY OF MATERIAL AND VARIES FROM MANUFACTURER TO MANUFACTURER.

PENETRATION TIME OF GLOVE MATERIAL

THE EXACT BREAK TROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.

FOR THE PERMANENT CONTACT OF A MAXIMUM OF 15 MINUTES, GLOVES MADE OF THE FOLLOWING MATERIALS ARE SUITABLE: NEOPRENE GLOVES

EYE PROTECTION: TIGHTLY SEALED GOGGLES OR SAFETY GLASSES WITH SIDE-SHIELDS

BODY PROTECTION: PROTECTIVE WORK CLOTHING

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES GENERAL INFORMATION FORM: LYOPHILIZED POWDER

CHANGE IN CONDITION MELTING POINT/MELTING RANGE: NO DATA AVAILABLE BOILING POINT/BOILING RANGE: NO DATA AVAILABLE FLASH POINT: NO DATA AVAILABLE SELF-IGNITING: NO DATA AVAILABLE DANGER OF EXPLOSION: NO DATA AVAILABLE. DENSITY: NO DATA AVAILABLE SOLUBILITY IN/MISCIBILITY WITH WATER: SOLUBLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY CHEMICAL STABILITY STABLE WHEN STORED AS RECOMMENDED.

THERMAL DECOMPOSITION/CONDITIONS TO BE AVOIDED: STRONG OXIDIZING AGENTS, STRONG BASES

POSSIBILITY OF HAZARDOUS REACTIONS: NO DATA AVAILABLE

HAZARDOUS DECOMPOSITION PRODUCTS: HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS: NO DATA AVAILABLE

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY

LD50 ORAL NO DATA AVAILABLE

INHALATION LC50 NO DATA AVAILABLE

DERMAL LD50 NO DATA AVAILABLE

OTHER INFORMATION ON ACUTE TOXICITY NO DATA AVAILABLE

SKIN CORROSION/IRRITATION NO DATA AVAILABLE

SERIOUS EYE DAMAGE/EYE IRRITATION NO DATA AVAILABLE

RESPIRATORY OR SKIN SENSITIZATION NO DATA AVAILABLE

GERM CELL MUTAGENICITY NO DATA AVAILABLE

CARCINOGENICITY

IARC/ACGIH/NTP/OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

TERATOGENICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (GLOBALLY HARMONIZED SYSTEM) NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE (GLOBALLY HARMONIZED SYSTEM) NO DATA AVAILABLE

TO THE BEST OF OUR KNOWLEDGE, THE TOXICOLOGICAL PROPERTIES OF THIS PRODUCT HAVE NOT BEEN THOROUGHLY INVESTIGATED.

SKIN:	MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY
	CAUSE SKIN IRRITATION.
EYES:	MAY CAUSE EYE IRRITATION.
INHALATION:	MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY
	TRACT IRRITATION.
INGESTION:	MAY BE HARMFUL IF SWALLOWED.

SECTION 12. ECOLOGICAL INFORMATION

NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISPOSAL OF THIS PRODUCT, SOLUTIONS AND ANY BY-PRODUCTS SHOULD AT ALL TIMES COMPLY WITH THE REQUIREMENTS OF ENVIRONMENTAL PROTECTION AND WASTE DISPOSAL LEGISLATION AND ANY REGIONAL LOCAL AUTHORITY REQUIREMENTS. AVOID DISPERSAL OF SPILLED MAERIAL AND RUNOFF AND CONTACT WITH SOIL, WATERWAYS, DRAINS AND SEWERS. OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

DISPOSE OF CONTAMINATED PACKAGING AS UNUSED PRODUCT

SECTION 14. TRANSPORT INFORMATION

DOT CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IATA-DGR CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IMDG CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

SECTION 15. REGULATORY INFORMATION

OSHA HAZARDS

THIS PRODUCT IS NOT CONSIDERED HAZARDOUS

UNITED STATES REGULATORY INFORMATION SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA) SECTION 302/304 (40CFR355.30/40CFR355.40): NONE OF THE INGREDIENTS IS LISTED.

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA) SECTION 313:

THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS

NONE

STATE RIGHT TO KNOW COMPONENTS

PA, MA, AND NJ

NO COMPONENTS ARE LISTED

CALIFORNIA PROP. 65 COMPONENTS

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

SECTION 16. OTHER INFORMATION

THIS INFORMATION IS BASED ON OUR PRESENT KNOWLEDGE. HOWEVER, THIS SHALL NOT CONSTITUTE A GUARANTEE FOR ANY SPECIFIC PRODUCT FEATURES AND SHALL NOT ESTABLISH A LEGALLY VALID CONTRACTUAL RELATIONSHIP. THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT, BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. CYTOSKELETON INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM CONTACT WITH THE ABOVE PRODUCT.

COPYRIGHT 2018 CYTOSKELETON, INC.

Cytoskeleton, Inc.

REVISED 7.24.18

MATERIAL SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG/PRODUCT#: BST05

NAME: TUBULIN GLYCEROL BUFFER

USE: LABORATORY CHEMICALS

MANUFACTURER/SUPPLIER:

CYTOSKELETON INC. 1830 S. Acoma St. Denver, CO 80223 PHONE: 303-322-2254 FAX: 303-322-2257

24H EMERGENCY TOLL-FREE NUMBER: CALL INFOTRAC DAY OR NIGHT WITHIN USA, CANADA, AND PUERTO RICO: 1-800-535-5053 OUTSIDE USA, CANADA, AND PUERTO RICO: 352-323-35000 (COLLECT CALLS ACCEPTED)

SECTION 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

OSHA HAZARDS TARGET ORGAN EFFECT

TARGET ORGANS KIDNEY

GHS CLASSIFICATION SKIN IRRITATION (CATEGORY 3) EYE IRRITATION (CATEGORY 2B)

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM	NONE
SIGNAL WORD	WARNING

HAZARD STATEMENTS

H316	CAUSES MILD SKIN IRRITATION
H320	CAUSES EYE IRRITATION

PRECAUTIONARY STATEMENTS

P305+P351+P338	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL
	MINUTES. REMOVE CONTACT LENSES IF PRESENT AND EASY
	TO DO. CONTINUE RINSING.

POTENTIAL HEALTH EFFECTS

INHALATION	MAY BE HARMFUL IF INHALED. MAY CAUSE	
	RESPIRATORY TRACT IRRITATION	
SKIN	MAY BE HARMFUL IF ABSORBED THROUGH SKIN.	
	MAY CAUSE SKIN IRRITATION	
INGESTION	MAY BE HARMFUL IF SWALLOWED	
EYES	MAY CAUSE EYE IRRITATION	

NFPA RATINGS (SCALE 0-4) FIRE = 1 HEALTH HAZARD = 0 REACTIVITY HAZARD = 0

HMIS RATINGS

HEALTH HAZARD = 0 FLAMMABILITY = 1 PHYSICAL HAZARDS = 0 CHRONIC HEALTH HAZARD = *

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MAGNESIUM CHLORIDE HEXAHYDRATE	CAS#: 7791-18-6 <1% EINECS#: 232-094-6	
PIPES (PIPERAZINE-N, N-BIS(2-ETHANESULFONIC ACID), SESQUISODIUM SALT	CAS#: 100037-69-2 <3% EINECS#: UNLISTED	
EGTA (ETHYLENE GLYCOL-BIS(2-AMINOETHYLETHER)- N,N,N',N'-TETRAACETIC ACID	CAS#: 67-42-5 <1% EINECS#:200-651-2	
GLYCEROL	CAS#: 56-81-5 60%	

SECTION 4. FIRST-AID MEASURES

AFTER INHALATION: SUPPLY FRESH AIR. CONSULT PHYSICIAN IN CASE OF COMPLAINTS. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN **AFTER SKIN CONTACT**: IMMEDIATELY WASH SKIN WITH SOAP AND RINSE WITH COPIOUS AMOUNTS OF WATER. CONSULT A PHYSICIAN. **AFTER EYE CONTACT**: RINSE OPENED EYE FOR AT LEAST 15 MINUTES UNDER RUNNING WATER. CONSULT A PHYSICIAN.

EINECS#: 200-289-5

AFTER SWALLOWING: WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CONSULT A PHYSICIAN.

WASH CONTAMINATED CLOTHING BEFORE REUSE.

SECTION 5. FIREFIGHTING MEASURES

CONDITIONS OF FLAMMABILITY NOT FLAMMABLE OR COMBUSTIBLE EXTINGUISHING MEDIA SUITABLE EXTINGUISHING AGENTS: CARBON DIOXIDE, ALCOHOL-RESISTANT FOAM, EXTINGUISHING POWDER OR WATER SPRAY. ADVICE FOR FIREFIGHTERS PROTECTIVE EQUIPMENT: MOUNT RESPIRATORY PROTECTIVE DEVICE PREVENT CONTACT WITH SKIN AND EYES HAZARDOUS COMBUSTION PRODUCTS: HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS: CARBON OXIDES

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: WEAR PROTECTIVE CLOTHING, RESPIRATOR, CHEMICAL SAFETY GOGGLES, GLOVES. AVOID DUST FORMATION. AVOID BREATHING VAPORS, MIST OR GAS.

ENVIRONMENTAL PRECAUTIONS: DILUTE WITH PLENTY OF WATER. DO NOT ALLOW TO ENTER SEWERS/SURFACE OR GROUND WATER.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP: UPON RECONSTITUTION, ABSORB WITH LIQUID-BINDING MATERIAL (SAND, DIATOMITE, ACID BINDERS, UNIVERSAL BINDERS, SAWDUST). DISPOSE CONTAMINATED MATERIAL AS WASTE ACCORDING TO SECTION 13. ENSURE ADEQUATE VENTILATION. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL. **REFERENCE TO OTHER SECTIONS:** SEE SECTION 8 FOR INFORMATION ON PERSONAL PROTECTION EQUIPMENT. SEE SECTION 13 FOR DISPOSAL INFORMATION.

SECTION 7. HANDLING AND STORAGE

HANDLING

PRECAUTIONS FOR SAFE HANDLING: AVOID FORMATION OF DUST AND AEROSOLS OR INHALATION OF VAPOR OR MIST. AVOID CONTACT WITH SKIN AND EYES. ENSURE GOOD VENTILATION/EXHAUSTION AT THE WORKPLACE. WEAR APPROPRIATE PROTECTIVE CLOTHING (SEE SECTION 8). DO NOT RE-USE CONTAINER.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES STORAGE

REQUIREMENTS TO BE MET BY STOREROOMS AND RECEPTACLES: STORE AT 2-8°C. KEEP CONTAINER TIGHTLY CLOSED AND SEALED UNTIL READY FOR USE. STORE DESICCATED. HYGROSCOPIC

FURTHER INFORMATION ABOUT STORAGE CONDITIONS: KEEP RECEPTACLE TIGHTLY SEALED IN A WELL-VENTILATED PLACE.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

CAS# VALUE CONTROL PARAMETERS COMPONENT BASIS GLYCEROL 56-81-5 TWA 10 mg/m^3 USA. OSHA - TABLE Z-1 LIMITS FOR AIR CONTAMINANTS - 1910.1000 TWA 5 mg/m^3 USA. OSHA - TABLE Z-1 LIMITS FOR AIR CONTAMINANTS - 1910.1000 TWA 10 mg/m^3 USA. ACGIH THRESHOLD LIMIT VALUES (TLV) REMARKS UPPER RESPIRATORY TRACT IRRITATION TWA 15 mg/m3 USA. OCCUPATIONAL EXPOSURE LIMITS (OSHA) - TABLE Z-1 LIMITS FOR AIR CONTAMINANTS TWA USA. OCCUPATIONAL EXPOSURE LIMITS 5 mg/m^3 (OSHA) - TABLE Z-1 LIMITS FOR AIR CONTAMINANTS

PERSONAL PROTECTIVE EQUIPMENT GENERAL PROTECTIVE AND HYGIENIC MEASURES

KEEP AWAY FROM FOODSTUFFS, BEVERAGES AND FEED WASH HANDS BEFORE BREAKS AND AT THE END OF WORK IMMEDIATELY REMOVE ALL SOILED AND CONTAMINATED CLOTHING AVOID CONTACT WITH THE EYES AND SKIN

BREATHING EQUIPMENT

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE, USE A FULL-FACE RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US) OR TYPE ABEK (EN14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR.

PROTECTION OF HANDS PROTECTIVE GLOVES.

THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/SUBSTANCE/PREPARATION. AS THE PRODUCT IS A PREPARATION OF SEVERAL SUBSTANCES, THE RESISTANCE OF THE GLOVE MATERIAL CANNOT BE CALCULATED IN ADVANCE AND THEREFORE HAS TO BE CHECKED PRIOR TO APPLICATION. NO RECOMMENDATION CAN BE GIVEN FOR THE GLOVE MATERIAL FOR THIS PRODUCT. SELECT GLOVE MATERIALS BASE ON PENETRATION TIMES, RATES OF DIFFUSION AND DEGRADATION OF MATERIAL.

MATERIAL OF GLOVES

THE SELECTION OF SUITABLE GLOVES DEPENDS NOT ONLY ON THE MATERIAL BUT ON QUALITY OF MATERIAL AND VARIES FROM MANUFACTURER TO MANUFACTURER.

PENETRATION TIME OF GLOVE MATERIAL

THE EXACT BREAK TROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.

FOR THE PERMANENT CONTACT OF A MAXIMUM OF 15 MINUTES, GLOVES MADE OF THE FOLLOWING MATERIALS ARE SUITABLE: NEOPRENE GLOVES

EYE PROTECTION: TIGHTLY SEALED GOGGLES OR SAFETY GLASSES WITH SIDE-SHIELDS

BODY PROTECTION: PROTECTIVE WORK CLOTHING

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES GENERAL INFORMATION FORM: LIQUID CHANGE IN CONDITION MELTING POINT/MELTING RANGE: NO DATA AVAILABLE BOILING POINT/BOILING RANGE: NO DATA AVAILABLE FLASH POINT: NO DATA AVAILABLE SELF-IGNITING: NO DATA AVAILABLE DANGER OF EXPLOSION: NO DATA AVAILABLE. DENSITY: NO DATA AVAILABLE SOLUBILITY IN/MISCIBILITY WITH WATER: SOLUBLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY CHEMICAL STABILITY STABLE WHEN STORED AS RECOMMENDED.

THERMAL DECOMPOSITION/CONDITIONS TO BE AVOIDED: STRONG OXIDIZING AGENTS, STRONG BASES

POSSIBILITY OF HAZARDOUS REACTIONS: NO DATA AVAILABLE

HAZARDOUS DECOMPOSITION PRODUCTS: HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS: CARBON OXIDES

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY

LD50 ORAL NO DATA AVAILABLE

INHALATION LC50 NO DATA AVAILABLE

DERMAL LD50 LD50 DERMAL -RABBIT- >10,000 mg/kg **OTHER INFORMATION ON ACUTE TOXICITY** NO DATA AVAILABLE

SKIN CORROSION/IRRITATION NO DATA AVAILABLE

SERIOUS EYE DAMAGE/EYE IRRITATION NO DATA AVAILABLE

RESPIRATORY OR SKIN SENSITIZATION NO DATA AVAILABLE

GERM CELL MUTAGENICITY NO DATA AVAILABLE

CARCINOGENICITY

IARC/ACGIH/NTP/OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

TERATOGENICITY

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (GLOBALLY HARMONIZED SYSTEM) NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE (GLOBALLY HARMONIZED SYSTEM) NO DATA AVAILABLE

TO THE BEST OF OUR KNOWLEDGE, THE TOXICOLOGICAL PROPERTIES OF THIS PRODUCT HAVE NOT BEEN THOROUGHLY INVESTIGATED.

SKIN:	MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY
	CAUSE SKIN IRRITATION.
EYES:	MAY CAUSE EYE IRRITATION.
INHALATION:	MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY
	TRACT IRRITATION.
INGESTION:	MAY BE HARMFUL IF SWALLOWED.

SIGNS AND SYMPTOMS OF EXPOSURE PROLONGED OR REPEATED EXPOSURE MAY CAUSE: NAUSEA, HEADACHE, VOMITING

SECTION 12. ECOLOGICAL INFORMATION

NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISPOSAL OF THIS PRODUCT, SOLUTIONS AND ANY BY-PRODUCTS SHOULD AT ALL TIMES COMPLY WITH THE REQUIREMENTS OF ENVIRONMENTAL PROTECTION AND WASTE DISPOSAL LEGISLATION AND ANY REGIONAL LOCAL AUTHORITY REQUIREMENTS. AVOID DISPERSAL OF SPILLED MAERIAL AND RUNOFF AND CONTACT WITH SOIL, WATERWAYS, DRAINS AND SEWERS. OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

DISPOSE OF CONTAMINATED PACKAGING AS UNUSED PRODUCT

SECTION 14. TRANSPORT INFORMATION

DOT CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IATA-DGR CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IMDG CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

SECTION 15. REGULATORY INFORMATION

OSHA HAZARDS TARGET ORGAN EFFECT

UNITED STATES REGULATORY INFORMATION SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA) SECTION 302/304 (40CFR355.30/40CFR355.40): NONE OF THE INGREDIENTS IS LISTED.

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA) SECTION 313: THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS CHRONIC HEALTH HAZARD

STATE RIGHT TO KNOW COMPONENTS

PA, MA, AND NJ

GLYCEROL CAS#: 56-81-5

CALIFORNIA PROP. 65 COMPONENTS

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

SECTION 16. OTHER INFORMATION

THIS INFORMATION IS BASED ON OUR PRESENT KNOWLEDGE. HOWEVER, THIS SHALL NOT CONSTITUTE A GUARANTEE FOR ANY SPECIFIC PRODUCT FEATURES AND SHALL NOT ESTABLISH A LEGALLY VALID CONTRACTUAL RELATIONSHIP. THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT, BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. CYTOSKELETON INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM CONTACT WITH THE ABOVE PRODUCT.

COPYRIGHT 2018 CYTOSKELETON, INC.

Cytoskeleton, Inc.

REVISED 7.17.18

MATERIAL SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG/PRODUCT#: TXD01

NAME: PACLITAXEL (TAXOL)

USE: LABORATORY CHEMICALS

MANUFACTURER/SUPPLIER:

CYTOSKELETON INC. 1830 S. Acoma St. Denver, CO 80223 PHONE: 303-322-2254 FAX: 303-322-2257

24H EMERGENCY TOLL-FREE NUMBER: CALL INFOTRAC DAY OR NIGHT WITHIN USA AND CANADA: 1-800-535-5053 OUTSIDE USA AND CANADA: +1 352-323-3500 (COLLECT CALLS ACCEPTED)

SECTION 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

OSHA HAZARDS TARGET ORGAN EFFECT, SKIN SENSITIZER, IRRITANT, REPRODUCTIVE HAZARD, MUTAGEN

TARGET ORGANS CARDIOVASCULAR SYSTEM, NERVES, EYES, KIDNEYS, LIVER, BONE MARROW

GHS CLASSIFICATION

SKIN IRRITATION (CATEGORY 2) SERIOUS EYE DAMAGE (CATEGORY 1) SKIN SENSITIZATION (CATEGORY 1) REPRODUCTIVE TOXICITY (CATEGORY 2) SPECIFIC TARGET ORGAN TOXICITY -SINGLE EXPOSURE (CATEGORY 3) CHRONIC AQUATIC TOXICITY (CATEGORY 4)

SIGNAL WORD: DANGER



HAZARD STATEMENTS H315 CAUSES SKIN IRRITATION

H317	MAY CAUSE AN ALLERGIC SKIN REACTION
H318	CAUSES SERIOUS EYE DAMAGE
H335	MAY CAUSE RESPIRATORY IRRITATION
H361	SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN CHILD
H413	MAY CAUSE LONG LASTING HARMFUL EFFECTS TO AQUATIC LIFE

PRECAUTIONARY STATEMENTS			
P261	AVOID BREATHING DUST/FUME/GAS/MIST/VAPORS/SPRAY		
P280	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE		
	PROTECTION		
P305/P351/P338	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL		
	MINUTES. REMOVE CONTACT LENSES IF APPLICABLE AND		
	EASY TO DO. CONTINUE TO RINSE		

NFPA RATINGS (SCALE 0-4)

FIRE = 0HEALTH = 2REACTIVITY = 0

HMIS RATINGS

HEALTH = 2FIRE = 0 REACTIVITY = 0

POTENTIAL HEALTH EFFECTS

INHALATION	MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY
	TRACT IRRITATION
SKIN	MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES
	SKIN IRRITATION
EYES	CAUSES EYE IRRITATION
INGESTION	MAY BE HARMFUL IF SWALLOWED

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

FORMULA	$C_{47}H_{51}NO_{14}$
MOLECULAR WEIGHT	853.92 g/mol

CAS#	<u>EC#</u>	INDEX#	CONCENTRATION

33069-62-4 UNLISTED

SECTION 4. FIRST-AID MEASURES

GENERAL ADVICE: CONSULT A PHYSICIAN. SHOW THIS MSDS TO THE DOCTOR. MOVE OUT OF DANGEROUS AREA. **AFTER INHALATION**: SUPPLY FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT PHYSICIAN AFTER SKIN CONTACT: IMMEDIATELY WASH SKIN WITH SOAP AND RINSE WITH COPIOUS AMOUNTS OF WATER. CONSULT A PHYSICIAN. AFTER EYE CONTACT: RINSE OPENED EYE FOR AT LEAST 15 MINUTES UNDER RUNNING WATER. THEN CONSULT PHYSICIAN AFTER SWALLOWING: WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL FOR PHYSICIAN

WASH CONTAMINATED CLOTHING BEFORE REUSE.

SECTION 5. FIREFIGHTING MEASURES

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING AGENTS: CARBON DIOXIDE, EXTINGUISHING POWDER, ALCOHOL-RESISTANT FOAM OR WATER SPRAY. ADVICE FOR FIREFIGHTERS PROTECTIVE EQUIPMENT: MOUNT RESPIRATORY PROTECTIVE DEVICE PREVENT CONTACT WITH SKIN AND EYES HAZARDOUS COMBUSTION PRODUCTS: HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS: CARBON OXIDES, NITROGEN OXIDES

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: WEAR PROTECTIVE CLOTHING, RESPIRATOR, CHEMICAL SAFETY GOGGLES, GLOVES. AVOID DUST FORMATION AND AVOID BREATHING DUST, VAPORS, MIST OR GAS. ENSURE ADEQUATE VENTILATION.

ENVIRONMENTAL PRECAUTIONS: PREVENT FURTHER LEAKAGE OR SPILLAGE. DO NOT ALLOW TO ENTER DRAINS, SEWERS/SURFACE OR GROUND WATER. **METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP**: PICK UP AND ARRANGE DISPOSAL WITHOUT CREATING DUST. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL. DISPOSE CONTAMINATED MATERIAL AS WASTE ACCORDING TO SECTION 13. ENSURE ADEQUATE VENTILATION. **REFERENCE TO OTHER SECTIONS:** SEE SECTION 8 FOR INFORMATION ON PERSONAL PROTECTION EQUIPMENT. SEE SECTION 13 FOR DISPOSAL INFORMATION.

SECTION 7. HANDLING AND STORAGE

HANDLING

PRECAUTIONS FOR SAFE HANDLING: AVOID CONTACT WITH SKIN AND EYES. AVOID FORMATION OF DUST AND AEROSOLS. ENSURE GOOD VENTILATION/EXHAUSTION AT THE WORKPLACE. WEAR APPROPRIATE PROTECTIVE CLOTHING (SEE SECTION 8). DO NOT RE-USE CONTAINER. EMPLOY NORMAL MEASURES FOR PREVENTIVE FIRE PROTECTION.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES STORAGE

REQUIREMENTS TO BE MET BY STOREROOMS AND RECEPTACLES: STORE AT -20°C. KEEP CONTAINER TIGHTLY CLOSED AND SEALED UNTIL READY FOR USE. STORE DESICCATED.

FURTHER INFORMATION ABOUT STORAGE CONDITIONS: KEEP RECEPTACLE TIGHTLY SEALED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES

PERSONAL PROTECTIVE EQUIPMENT GENERAL PROTECTIVE AND HYGIENIC MEASURES KEEP AWAY FROM FOODSTUFFS, BEVERAGES AND FEED WASH HANDS BEFORE BREAKS AND AT THE END OF WORK IMMEDIATELY REMOVE ALL SOILED AND CONTAMINATED CLOTHING AVOID CONTACT WITH THE EYES AND SKIN

BREATHING EQUIPMENT

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE, USE A FULL-FACE PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

PROTECTION OF HANDS PROTECTIVE GLOVES.

THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/SUBSTANCE/PREPARATION. THE RESISTANCE OF THE GLOVE MATERIAL CANNOT BE CALCULATED IN ADVANCE AND THEREFORE HAS TO BE CHECKED PRIOR TO APPLICATION. NO RECOMMENDATION CAN BE GIVEN FOR THE GLOVE MATERIAL FOR THIS PRODUCT. SELECT GLOVE MATERIALS BASE ON PENETRATION TIMES, RATES OF DIFFUSION AND DEGRADATION OF MATERIAL.

MATERIAL OF GLOVES

THE SELECTION OF SUITABLE GLOVES DEPENDS NOT ONLY ON THE MATERIAL BUT ON QUALITY OF MATERIAL AND VARIES FROM MANUFACTURER TO MANUFACTURER.

PENETRATION TIME OF GLOVE MATERIAL

THE EXACT BREAK TROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.

FOR THE PERMANENT CONTACT OF A MAXIMUM OF 15 MINUTES, GLOVES MADE OF THE FOLLOWING MATERIALS ARE SUITABLE: NEOPRENE GLOVES

EYE PROTECTION: FACE SHIELD AND TIGHTLY SEALED GOGGLES

BODY PROTECTION: PROTECTIVE WORK CLOTHING

HYGIENE MEASURES: AVOID CONTACT WITH SKIN, EYES AND CLOTHING. WASH HANDS BEFORE BREAKS AND IMMEDIATELY AFTER HANDLING THE PRODUCT.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES GENERAL INFORMATION

FORM: SOLID (LYOPHILIZED POWDER) pH: MELTING POINT/MELTING RANGE:

BOILING POINT/BOILING RANGE: FLASH POINT: SELF-IGNITING: DANGER OF EXPLOSION: DENSITY: SOLUBILITY IN/MISCIBILITY WITH WATER: 3.0-8.0 MELTING POINT/RANGE: 213°C (415°F) - DEC NO DATA AVAILABLE NO DATA AVAILABLE NO DATA AVAILABLE NO DATA AVAILABLE 0.200 g/cm³ INSOLUBLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE CONDITIONS

THERMAL DECOMPOSITION/CONDITIONS TO BE AVOIDED: NO DATA AVAILABLE

POSSIBILITY OF HAZARDOUS REACTIONS: NO DATA AVAILABLE

HAZARDOUS DECOMPOSITION PRODUCTS: HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS: CARBON OXIDES, NITROGEN OXIDES

THERMAL DECOMPOSITION: 100°C

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

TO THE BEST OF OUR KNOWLEDGE, THE TOXICOLOGICAL PROPERTIES OF THIS PRODUCT HAVE NOT BEEN THOROUGHLY INVESTIGATED.

ACUTE TOXICITY

ORAL LD50 NO DATA AVAILABLE

INHALATION LC50 DERMAL LD50 NO DATA AVAILABLE

OTHER INFORMATION ON ACUTE TOXICITY

NO DATA AVAILABLE

SKIN CORROSION/IRRITATION NO DATA AVAILABLE

SERIOUS EYE DAMAGE/EYE IRRITATION NO DATA AVAILABLE

RESPIRATORY OR SKIN SENSITIZATION MAY CAUSE ALLERGIC SKIN REACTION

GERM CELL MUTAGENICITY LABORATORY EXPERIMENTS HAVE SHOWN MUTAGENIC EFFECTS

GENOTOXICITY IN VITRO -HAMSTER- LUNGS CYTOGENETIC ANALYSIS

GENOTOXICITY IN VIVO -MOUSE- SUBCUTANEOUS MICRONUCLEUS TEST

CARCINOGENICITY: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC, ACGIH, NTP OR OSHA.

REPRODUCTIVE TOXICITY

REPRODUCTIVE TOXICIT -RAT- INTRAVENOUS MATERNAL EFFECTS: OTHER EFFECTS. EFFECTS ON FERTILITY: PRE-IMPLANTATION MORTALITY (e.g., REDUCTION IN NUMBER OF IMPLANTS PER FEMALE; TOTAL NUMBER OF IMPLANTS PER CORPORA LUTEA). EFFECTS ON EMBRYO OR FETUS: EXTRA EMBRYONIC STRUCTURES (e.g., PLACENTA, UMBILICAL CORD). REPRODUCTIVE TOXICITY -RAT- INTRAVENOUS EFFECTS ON NEWBORN: GROWTH STATISTICS (e.g., REDUCED WEIGHT GAIN). EFFECTS ON NEWBORN: BEHAVIORAL. EFFECTS ON NEWBORN: PHYSICAL.

OVEREXPOSURE MAY CAUSE REPRODUCTIVE DISORDER(S) BASED ON TESTS WITH LABORATORY ANIMALS

TERATOGENICITY DEVELOPMENTAL TOXICITY -RAT- INTRAVENOUS SPECIFIC DEVELOPMENTAL ABNORMALITIES: MUSCULOSKELETAL SYSTEM. EFFECTS ON NEWBORN: DELAYED EFFECTS

SUSPECTED HUMAN REPRODUCTIVE TOXICANT

SPECIFIC TARGET ORGAN TOXICITY -SINGLE EXPOSURE (GLOBALLY HARMONIZED SYSTEM) INHALATION -MAY CAUSE RESPIRATORY IRRITATION

SPECIFIC TARGET ORGAN TOXICITY -REPEATED EXPOSURE (GLOBALLY HARMONIZED SYSTEM)

NO DATA AVAILABLE

ASPIRATION HAZARD NO DATA AVAILABLE

POTENTIAL HEALTH EFFECTS

ON THE SKIN: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION ON THE EYE: CAUSES EYE IRRITATION INHALATION: MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION INGESTION: MAY BE HARMFUL IF SWALLOWED

SIGNS AND SYMPTOMS OF EXPOSURE

ALOPECIA, LIVER INJURY MAY OCCUR. KIDNEY INJURY MAY OCCUR. NAUSEA, HEADACHE, VOMITING, BONE MARROW DEPRESSION

SECTION 12. ECOLOGICAL INFORMATION

NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISPOSAL OF THIS PRODUCT, SOLUTIONS AND ANY BY-PRODUCTS SHOULD AT ALL TIMES COMPLY WITH THE REQUIREMENTS OF ENVIRONMENTAL PROTECTION AND WASTE DISPOSAL LEGISLATION AND ANY REGIONAL LOCAL AUTHORITY REQUIREMENTS. AVOID DISPERSAL OF SPILLED MAERIAL AND RUNOFF AND CONTACT WITH SOIL, WATERWAYS, DRAINS AND SEWERS. OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

PRODUCT

BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER.

CONTAMINATED PACKAGING DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT CLASSIFICATION: NOT DANGEROUS GOODS

IMDG CLASSIFICATION: NOT DANGEROUS GOODS

IATA CLASSIFICATION: NOT DANGEROUS GOODS

SECTION 15. REGULATORY INFORMATION

OSHA HAZARDS

TARGET ORGAN EFFECT, SKIN SENSITIZER, IRRITANT, REPRODUCTIVE HAZARD, MUTAGEN

DSL STATUS

THIS PRODUCT CONTAINS THE FOLLOWING COMPONENTS THAT ARE NOT ON THE CANADIAN DSL NOR NDSL LISTS. PACLITAXEL CAS#: 33069-62-4

UNITED STATES REGULATORY INFORMATION SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA) SECTIONS 302/313

NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.

THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THREHOLD REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313

SARA 311/312 HAZARDS

ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

PACLITAXEL CAS#: 33069-62-4

NEW JERSEY RIGHT TO KNOW COMPONENTS

PACLITAXEL CAS#: 33069-62-4

CALIFORNIA PROP. 65 COMPONENTS

WARNING! THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

PACLITAXEL CAS#: 33069-62-4

EUROPEAN REGULATIONS

HAZARD SYMBOLS: XN

RISK PHRASES R40: LIMITED EVIDENCE OF A CARCINOGENIC EFFECT R41: RISK OF SERIOUS DAMAGE TO EYES

SAFETY PHRASES

S26: IN CASE OF CONTACT WITH EYES, RINSES IMMEDIATELY WITH
PLENTY OF WATER AND SEEK MEDICAL ADVICE
S36/37/39: WEAR SUITABLE PROTECTIVE CLOTHING, GLVOES AND
EYE/FACE PROTECTION
S45: IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL
ADVICE IMMEDIATELY

SECTION 16. OTHER INFORMATION

THIS INFORMATION IS BASED ON OUR PRESENT KNOWLEDGE. HOWEVER, THIS SHALL NOT CONSTITUTE A GUARANTEE FOR ANY SPECIFIC PRODUCT FEATURES AND SHALL NOT ESTABLISH A LEGALLY VALID CONTRACTUAL RELATIONSHIP. THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT, BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. CYTOSKELETON INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM CONTACT WITH THE ABOVE PRODUCT.

COPYRIGHT 2018 CYTOSKELETON, INC.

Cytoskeleton, Inc.

REVISED 4.5.18

MATERIAL SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG/PRODUCT#: DMSO

NAME: DIMETHYL SULFOXIDE (DMSO)

USE: LABORATORY CHEMICALS

MANUFACTURER/SUPPLIER:

CYTOSKELETON INC. 1830 S. Acoma St. Denver, CO 80223 PHONE: 303-322-2254 FAX: 303-322-2257

24H EMERGENCY TOLL-FREE NUMBER: CALL INFOTRAC DAY OR NIGHT WITHIN USA AND CANADA: 1-800-535-5053 OUTSIDE USA AND CANADA: +1 352-323-3500 (COLLECT CALLS ACCEPTED)

SECTION 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

OSHA HAZARDS COMBUSTIBLE LIQUID, TARGET ORGAN EFFECT

TARGET ORGANS EYES, SKIN

GHS CLASSIFICATION FLAMMABLE LIQUIDS (CATEGORY 4)

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM: NONE SIGNAL WORD: WARNING

HAZARD STATEMENTS H227 COMBUSTIBLE LIQUID

PRECAUTIONARY STATEMENTS NONE

NFPA RATINGS (SCALE 0-4) FIRE = 2 HEALTH = 0

REACTIVITY = 0

HMIS RATINGS

HEALTH = 0 FIRE = 2 REACTIVITY = 0 CHRONIC HEALTH HAZARD = *

POTENTIAL HEALTH EFFECTS

INHALATION	MAY BE HARMFUL IF INHALED. MAY CAUSE
	RESPIRATORY IRRITATION.
SKIN	MAY BE HARMFUL IF ABSORBED THROUGH SKIN.
	MAY CAUSE SKIN IRRITATION.
EYES	MAY CAUSE EYE IRRITATION.
INGESTION	MAY BE HARMFUL IF SWALLOWED.
AGGRAVATED	AVOID CONTACT WITH DMSO SOLUTIONS CONTAIN
MEDICAL CONDTION	TOXIC MATERIALS OR MATERIALS WITH UNKNOWN
	TOXICOLOGICAL PROPERTIES. DMSO IS READILY
	ABSORBED THROUGH SKIN AND MAY CARRY SUCH
	MATERIALS INTO THE BODY.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

DIMETHYL SULFOXIDE

FORMULA: C₂H₆OS MOLECULAR WEIGHT: 78.13 g/mol

CAS #: 67-68-5 ECINEC #: 200-664-3

SECTION 4. FIRST-AID MEASURES

AFTER INHALATION: SUPPLY FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT PHYSICIAN. AFTER SKIN CONTACT: IMMEDIATELY WASH SKIN WITH SOAP AND RINSE WITH COPIOUS AMOUNTS OF WATER. CONSULT PHYSICIAN. AFTER EYE CONTACT: RINSE OPENED EYE FOR AT LEAST 15 MINUTES UNDER RUNNING WATER. CONSULT PHYSICIAN. AFTER SWALLOWING: DO NOT INDUCE VOMITING. WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CONSULT PHYSICIAN.

WASH CONTAMINATED CLOTHING BEFORE REUSE.

SECTION 5. FIREFIGHTING MEASURES

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING AGENTS: FOR SMALL (INCIPIENT) FIRES, USE CARBON DIOXIDE, DRY CHEMICAL OR ALCOHOL-RESISTENT FOAM. FOR LARGE FIRES, APPLY WATER FROM AS FAR AS POSSIBLE. USE VERY LARGE QUANTITIES (FLOODING) OF WATER APPLIED AS A MIST OR SPRAY; SOLID STREAMS OF WATER MAY BE INEFFECTIVE. COOL ALL AFFECTED CONTAINERS WITH FLOODING QUANTITIES OF WATER.

ADVICE FOR FIREFIGHTERS

PROTECTIVE EQUIPMENT: MOUNT RESPIRATORY PROTECTIVE DEVICE PREVENT CONTACT WITH SKIN AND EYES.

HAZARDOUS COMBUSTION PRODUCTS: HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS: CARBON OXIDES, SULPHUR OXIDES

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: WEAR PROTECTIVE CLOTHING, RESPIRATOR, CHEMICAL SAFETY GOGGLES, GLOVES. REMOVE ALL SOURCES OF IGNITION. BEWARE OF VAPORS ACCUMULATING TO FORM EXPLOSIVE CONCENTRATIONS VAPORS CAN ACCUMULATE IN LOW AREAS. AVOID BREATHING VAPORS, MIST OR GAS. **ENVIRONMENTAL PRECAUTIONS**: DILUTE WITH PLENTY OF WATER. DO NOT ALLOW TO ENTER SEWERS/SURFACE OR GROUND WATER. PREVENT FURTHER LEAKAGE IF SAFE TO DO SO.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP: CONTAIN SPILLAGE AND THEN COLLECT WITH AN ELECTRICALLY PROTECTED VACUUM CLEANER OR BY WET-BRUSHING AND PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL REGULATIONS (SEE SECTION 13). KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

REFERENCE TO OTHER SECTIONS: SEE SECTION 8 FOR INFORMATION ON PERSONAL PROTECTION EQUIPMENT. SEE SECTION 13 FOR DISPOSAL INFORMATION.

SECTION 7. HANDLING AND STORAGE

HANDLING

PRECAUTIONS FOR SAFE HANDLING: ENSURE GOOD

VENTILATION/EXHAUSTION AT THE WORKPLACE. AVOID INHALATION OF VAPOR OR MIST. KEEP AWAY FROM SOURCES OF IGNITION – NO SMOKING. TAKE MEASURES TO PREVENT THE BUILD-UP OF ELECTROSTATIC CHARGE. WEAR APPROPRIATE PROTECTIVE CLOTHING (SEE SECTION 8). DO NOT RE-USE CONTAINER.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES STORAGE

REQUIREMENTS TO BE MET BY STOREROOMS AND RECEPTACLES: STORE AT ROOM TEMPERATURE. KEEP CONTAINER TIGHTLY CLOSED AND SEALED UNTIL READY FOR USE IN A DRY AND WELL-VENTILATED PLACE. STORE UNDER INERT GAS. HYGROSCOPIC.

FURTHER INFORMATION ABOUT STORAGE CONDITIONS: KEEP RECEPTACLE TIGHTLY SEALED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

DIMETHYL SULFOXIDE CAS #: 67-68-5 VALUE: TWA CONTROL PARAMETERS: 250 ppm BASIS: USA. WORKPLACE ENVIRONMENTAL EXPOSURE LEVELS (WEEL)

PERSONAL PROTECTIVE EQUIPMENT

GENERAL PROTECTIVE AND HYGIENIC MEASURES KEEP AWAY FROM FOODSTUFFS, BEVERAGES AND FEED WASH HANDS BEFORE BREAKS AND AT THE END OF WORK IMMEDIATELY REMOVE ALL SOILED AND CONTAMINATED CLOTHING AVOID CONTACT WITH THE EYES AND SKIN

BREATHING EQUIPMENT

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE, USE A FULL-FACE RESPIRATOR WITH MULTI-PURPOSE COMBINATION OR TYPE ABEK RESPIRATOR CARTRIDGES AS A BACK-UP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR.

PROTECTION OF HANDS PROTECTIVE GLOVES.

THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/SUBSTANCE/PREPARATION. AS THE PRODUCT IS A PREPARATION OF SEVERAL SUBSTANCES, THE RESISTANCE OF THE GLOVE MATERIAL CANNOT BE CALCULATED IN ADVANCE AND THEREFORE HAS TO BE CHECKED PRIOR TO APPLICATION. NO RECOMMENDATION CAN BE GIVEN FOR THE GLOVE MATERIAL FOR THIS PRODUCT. SELECT GLOVE MATERIALS BASE ON PENETRATION TIMES, RATES OF DIFFUSION AND DEGRADATION OF MATERIAL.

MATERIAL OF GLOVES

THE SELECTION OF SUITABLE GLOVES DEPENDS NOT ONLY ON THE MATERIAL BUT ON QUALITY OF MATERIAL AND VARIES FROM MANUFACTURER TO MANUFACTURER.

PENETRATION TIME OF GLOVE MATERIAL

THE EXACT BREAK TROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.

FOR THE PERMANENT CONTACT OF A MAXIMUM OF 15 MINUTES, GLOVES MADE OF THE FOLLOWING MATERIALS ARE SUITABLE: NEOPRENE GLOVES

EYE PROTECTION: TIGHTLY SEALED GOGGLES OR SAFETY GLASSES WITH SIDE-SHIELDS

BODY PROTECTION: PROTECTIVE WORK CLOTHING

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES GENERAL INFORMATION

FORM: LIQUID, CLEAR

SAFETY DATA

pH: NO DATA AVAILABLE MELTING POINT/MELTING RANGE: 16-19°C (61-66°F) BOILING POINT/BOILING RANGE: 189°C (372°F) FLASH POINT: 87°C (189°F) – CLOSED CUP IGNITION TEMPERATURE: 301°C (574°F) AUTOIGNITION TEMPERATURE: NO DATA AVAILABLE LOWER EXPLOSION LIMIT: 3.5% (V) UPPER EXPLOSION LIMIT: 42% (V) VAPOR PRESSSURE: 0.55 hPa (0.42 mmHg) AT 20°C (68°F) DENSITY: 1.1 g/ml SOLUBILITY IN/MISCIBILITY WITH WATER: FULLY MISCIBLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

THERMAL DECOMPOSITION/CONDITIONS TO BE AVOIDED: HEAT, FLAMES, SPARKS, ACID CHLORIDES, PHOSPHORUS HALIDES, STRONG ACIDS, STRONG OXIDIZING AGENTS, STRONG REDUCING AGENTS

POSSIBILITY OF HAZARDOUS REACTIONS: NO DATA AVAILABLE

HAZARDOUS DECOMPOSITION PRODUCTS: HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS: CARBON OXIDES, SULPHUR OXIDES

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL AND TOXICOLOGICAL PROPERTIES OF THIS PRODUCT HAVE NOT BEEN THOROUGHLY INVESTIGATED.

ACUTE TOXICITY LD50 ORAL -RAT- 14,500 mg/kg

INHALATION LC50 LC50 INHALATION –RAT- 4 h -40250 ppm

DERMAL LD50 LD50 DERMAL –RABBIT- >5,000 mg/kg SKIN IRRITATION AND CORROSION SKIN –RABBIT- NO SKIN IRRITATION -4 h

SERIOUS EYE DAMAGE/EYE IRRITATION EYES –RABBIT- MILD EYE IRRITATION

RESPIRATORY OR SKIN SENSITIZATION NO DATA AVAILABLE

GERM CELL MUTAGENICITY

GENOTOXICITY IN VITRO –MOUSE- LYMPHOCYTE CYTOGENETIC ANALYSIS

GENOTOXICITY IN VITRO –MOUSE- LYMPHOCYTE MUTATION IN MAMMALIAN SOMATIC CELLS

GENOTOXICITY IN VIVO –RAT- INTRAPERITONEAL CYTOGENETIC ANALYSIS

GENOTOXICITY IN VIVO –MOUSE- INTRAPERITONEAL DNA DAMAGE

CARCINOGENICITY

CARCINOGENICITY –RAT- ORAL TUMORIGENIC: EQUIVOCAL TUMORIGENIC AGENT BY RTECS CRITERIA. SKIN AND APPENDAGES: OTHER: TUMORS.

CARCINOGENICITY –MOUSE- ORAL TUMORIGENIC: EQUIVOCAL TUMORIGENIC AGENT RTECS CRITERIA. LEUKEMIA SKIN AND APPENDAGE: OTHER: TUMORS.

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC, ACGIH, NTP OR OSHA

REPRODUCTIVE TOXICITY

REPRODUCTIVE TOXICITY –RAT- INTRAPERITONEAL EFFECTS ON FERTILITY: ABORTION REPRODUCTIVE TOXICITY –RAT- INTRAPERITONEAL EFFECTS ON FERTILITY: POST-IMPLANTATION MORTALITY (E.G., DEAD AND/OR RESORBED IMPLANTS PER TOTAL NUMBER OF IMPLANTS). REPRODUCTIVE TOXICITY –RAT- SUBCUTANEOUS EFFECTS ON FERTILITY: POST-IMPLANTATION MORTALITY (E.G., DEAD AND/OR RESORBED IMPLANTS PER TOTAL NUMBER OF IMPLANTS). EFFECTS ON FERTILITY: LITTER SIZE (E.G., # FETUSES PER LITTER; MEASURED BEFORE BIRTH). REPRODUCTIVE TOXICITY –MOUSE- ORAL EFFECTS ON FERTILITY: PRE-IMPLANTATION MORTALITY (E.G., REDUCTION IN NUMBER OF IMPLANTS PER FEMALE; TOTAL NUMBER OF IMPLANTS PER CORPORA LUTEA). EFFECTS ON EMBRYO OR FETUS: FETOTOXICITY (EXCEPT DEATH, E.G., STUNTED FETUS). SPECIFIC DEVELOPMENTAL ABNORMALITIES: MUSCULOSKELETAL SYSTEM

TERATOGENICITY

DEVELOPMENTAL TOXICITY –MOUSE- INTRAPERITONEAL EFFECTS ON EMBRYO OR FETUS: FETOTOXICITY (EXCEPT DEATH, E.G., STUNTED FETUS). SPECIFIC DEVELOPMENTAL ABNORMALITIES: MUSCULOSKELETAL SYSTEM.

SPECIFIC TARGET ORGAN TOXICITY –SINGLE EXPOSURE (GLOBALLY HARMONIZED SYSTEM)

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY –REPEATED EXPOSURE (GLOBALLY HARMONIZED SYSTEM)

NO DATA AVAILABLE

ASPIRATION HAZARD

NO DATA AVAILABLE

POTENTIAL HEALTH EFFECTS

INHALATION	MAY BE HARMFUL IF INHALED. MAY CAUSE
	RESPIRATORY IRRITATION.
SKIN	MAY BE HARMFUL IF ABSORBED THROUGH SKIN.
	MAY CAUSE SKIN IRRITATION.
EYES	MAY CAUSE EYE IRRITATION.
INGESTION	MAY BE HARMFUL IF SWALLOWED.
AGGRAVATED	AVOID CONTACT WITH DMSO SOLUTIONS CONTAIN
MEDICAL CONDTION	TOXIC MATERIALS OR MATERIALS WITH UNKNOWN
	TOXICOLOGICAL PROPERTIES. DMSO IS READILY
	ABSORBED THROUGH SKIN AND MAY CARRY SUCH
	MATERIALS INTO THE BODY.

SIGNS AND SYMPTOMS OF EXPOSURE

EFFECTS DUE TO INGESTION MAY INCLUDE: NAUSEA, FATIGUE, HEADACHE

SYNERGISTIC EFFECTS

NO DATA AVAILABLE

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY

TOXICITY TO FISH	LC50 – PIMEPHALES PROMELAS (FATHEAD MINNOW) – 34,000 mg/l – 96 h LC50 – ONCORHYNCHUS MYKISS (RAINBOW TROUT) - 35,000 mg/l -96 h
TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES	EC50 – DAPHNIA PULEX (WATER FLEA) -27,500 mg/l
TOXICITY TO ALGAE	EC50 – LEPOMIS MACROCHIRUS (BLUEGILL) - >400,000 mg/l -96 h

PERSISTENCE AND DEGRADABILITY

NO DATA AVAILABLE

BIOACCUMULATIVE POTENTIAL

NO DATA AVAILABLE

MOBILITY IN SOIL

NO DATA AVAILABLE

PBT AND vPvB ASSESSMENT

NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISPOSAL OF THIS PRODUCT, SOLUTIONS AND ANY BY-PRODUCTS SHOULD AT ALL TIMES COMPLY WITH THE REQUIREMENTS OF ENVIRONMENTAL PROTECTION AND WASTE DISPOSAL LEGISLATION AND ANY REGIONAL LOCAL AUTHORITY REQUIREMENTS. AVOID DISPERSAL OF SPILLED MAERIAL AND RUNOFF AND CONTACT WITH SOIL, WATERWAYS, DRAINS AND SEWERS. OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

DISPOSE OF CONTAMINATED PACKAGING AS UNUSED PRODUCT

SECTION 14. TRANSPORT INFORMATION

THIS PRODUCT IS SUBJECT TO THE DE MINIMIS EXCEPTIONS FOR DANGEROUS GOODS/HAZARDOUS MATERIALS IN ACCORDANCE WITH THE FOLLOWING REGULATIONS: IATA 2.6.10, ADR 3.5.1.4, AND U.S. DOT 49 CFR 173.4b.

DOT CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IATA-DGR CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IMDG CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

SECTION 15. REGULATORY INFORMATION

OSHA HAZARDS

COMBUSTIBLE LIQUID, TARGET ORGAN EFFECT

UNITED STATES REGULATORY INFORMATION

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA) SECTION 302/304 (40CFR355.30/40CFR355.40):

NONE OF THE INGREDIENTS IS LISTED.

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA) SECTION 313:

THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS

FIRE HAZARD, CHRONIC HEALTH HAZARD

PA AND NJ RIGHT TO KNOW COMPONENTS DIMETHYL SULFOXIDE

CAS #: 67-68-5

CALIFORNIA PROP. 65 COMPONENTS

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

CANADA REGULATORY INFORMATION WHMIS CLASSIFICATION: NOT CONTROLLED UNDER WHMIS.

EU REGULATORY INFORMATION

THIS PRODUCT IS NOT CLASSIFIED ACCORDING TO EU LEGISLATION.

SECTION 16. OTHER INFORMATION

THIS INFORMATION IS BASED ON OUR PRESENT KNOWLEDGE. HOWEVER, THIS SHALL NOT CONSTITUTE A GUARANTEE FOR ANY SPECIFIC PRODUCT FEATURES AND SHALL NOT ESTABLISH A LEGALLY VALID CONTRACTUAL RELATIONSHIP. THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT, BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. CYTOSKELETON INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM CONTACT WITH THE ABOVE PRODUCT. COPYRIGHT 2018 CYTOSKELETON, INC.