Cytoskeleton, Inc.

MATERIAL SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG/PRODUCT#: MG01, MG02, MG03, MG04, MG05, MG06, MG07, MG08

NAME: MemGlow[™] 488, MemGlow[™] 560, MemGlow[™] 590, MemGlow[™] 640, MemGlow[™] 700, MemGlow[™] NR4A Membrane Polarity Probe, MemGlow[™] NR12A Membrane Polarity Probe, MemGlow[™] NR12S Membrane Polarity Probe

USE: LABORATORY CHEMICALS

PROVIDED AS: <1 milligram lyophilized powder

MANUFACTURER/SUPPLIER: CYTOSKELETON INC.

1830 S. Acoma St. Denver, CO 80223 PHONE: 303-322-2254 FAX: 303-322-2257

24H EMERGENCY TOLL-FREE NUMBER: CALL INFOTRAC DAY OR NIGHT WITHIN USA, CANADA, AND PUERTO RICO: 1-800-535-5053 OUTSIDE USA, CANADA, AND PUERTO RICO: 352-323-35000 (COLLECT CALLS ACCEPTED)

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS number
MemGlow [™] fluorophore	none

SECTION 3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

OSHA HAZARDS TOXIC BY INGESTION, IRRITANT

THIS PRODUCT IS CONSIDERED HAZARDOUS BY THE OSHA HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200).

THIS PRODUCT IS CLASSIFIED AS HAZARDOUS ACCORDING TO DIRECTIVE 67/548/EC AND ASSOCIATED AMENDMENTS.

POTENTIAL HEALTH EFFECTS

INHALATION

MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION SKIN

MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION TOXIC IF SWALLOWED CAUSES EYE IRRITATION

INGESTION EYES

NFPA RATINGS (SCALE 0-4) FIRE = 1 HEALTH = 2 REACTIVITY = 0

HMIS RATINGS

HEALTH = 2FIRE = 1 REACTIVITY = 0

GHS CLASSIFICATION:

SIGNAL WORD:



HAZARD PICTOGRAMS:

ACUTE TOXICITY, CATEGORY 4 SERIOUS EYE DAMAGE, CATEGORY 1 CHRONIC AQUATIC TOXICITY, CATEGORY 3 SPECIFIC TARGET ORGAN TOXICITY -SINGLE EXPOSURE (CATEGORY 3) SKIN IRRITATION (CATEGORY 2)

HEALTH HAZARD STATEMENTS:

H302:	HARMFUL IF SWALLOWED
H315:	CAUSES SKIN IRRITATION
H318:	CAUSES SERIOUS EYE DAMAGE
H319:	CAUSES SERIOUS EYE IRRITATION
H335:	MAY CAUSE RESPIRATORY IRRITATION
H412:	HARMFUL TO AQUATIC LIFE WITH LONG-LASTING
	EFFECTS

PRECAUTIONARY STATEMENTS:

AVOID BREATHING
DUST/FUMES/GAS/MIST/VAPORS/SPRAY
WASH SKIN THOROUGHLY AFTER HANDLING
DO NOT EAT, DRINK OR SMOKE WHEN USING THIS
PRODUCT
USE ONLY IN A WELL-VENTILATED AREA
WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE
PROTECTION
IF SWALLOWED, CALL A POISON CENTER OR
PHYSICIAN IF YOU FEEL UNWELL.
IF ON SKIN: WSH WITH PLENTY OF SOAP AND WATER.

P304 + P340:	IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING.
P305+P351+P338:	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES IF PRESENT AND EASY TO DO. CONTINUE RINSING.
P332 + P313:	IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ATTENTION.
P337 + P313:	IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION.
P362:	TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE.
P403 + P233:	STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER TIGHTLY CLOSED.
P405: P501:	STORE LOCKED UP. DISPOSE OF CONTENTS/CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

SECTION 4. FIRST-AID MEASURES

AFTER INHALATION: SUPPLY FRESH AIR. CONSULT PHYSICIAN IN CASE OF COMPLAINTS. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN

AFTER SKIN CONTACT: IMMEDIATELY WASH SKIN WITH SOAP AND RINSE WITH COPIOUS AMOUNTS OF WATER. CALL FOR PHYSICIAN

AFTER EYE CONTACT: RINSE OPENED EYE FOR AT LEAST 15 MINUTES UNDER RUNNING WATER. THEN CONSULT PHYSICIAN

AFTER SWALLOWING: WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL FOR PHYSICIAN

WASH CONTAMINATED CLOTHING BEFORE REUSE.

SECTION 5. FIREFIGHTING MEASURES

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING AGENTS: CARBON DIOXIDE, EXTINGUISHING POWDER OR WATER SPRAY. ADVICE FOR FIREFIGHTERS PROTECTIVE EQUIPMENT: MOUNT RESPIRATORY PROTECTIVE DEVICE PREVENT CONTACT WITH SKIN AND EYES. HAZARDOUS COMBUSTION PRODUCTS: HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS: CARBON OXIDES, NITROGEN OXIDES (NOx), SULPHUR OXIDES, PHOSPHOROUS OXIDES, LITHIUM OXIDES

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: WEAR PROTECTIVE CLOTHING, RESPIRATOR, CHEMICAL SAFETY GOGGLES, GLOVES. AVOID DUST FORMATION. AVOID BREATHING VAPORS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. **ENVIRONMENTAL PRECAUTIONS**: DILUTE WITH PLENTY OF WATER. DO NOT ALLOW TO ENTER SEWERS/SURFACE OR GROUND WATER. **METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP**: UPON RECONSTITUTION, ABSORB WITH LIQUID-BINDING MATERIAL (SAND, DIATOMITE, ACID BINDERS, UNIVERSAL BINDERS, SAWDUST). DISPOSE CONTAMINATED MATERIAL AS WASTE ACCORDING TO SECTION 13. ENSURE ADEQUATE VENTILATION. IN LYOPHILIZED FORM, PICK UP WITHOUT CREATING DUST. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL. **REFERENCE TO OTHER SECTIONS:** SEE SECTION 8 FOR INFORMATION ON

PERSONAL PROTECTION EQUIPMENT. SEE SECTION 13 FOR DISPOSAL INFORMATION.

SECTION 7. HANDLING AND STORAGE

HANDLING

PRECAUTIONS FOR SAFE HANDLING: AVOID FORMATION OF DUST AND AEROSOLS. AVOID CONTACT WITH SKIN AND EYES. ENSURE GOOD VENTILATION/EXHAUSTION AT THE WORKPLACE. WEAR APPROPRIATE PROTECTIVE CLOTHING (SEE SECTION 8). DO NOT RE-USE CONTAINER. **INFORMATION ABOUT PROTECTION AGAINST EXPLOSIONS AND FIRES**: NOT IGNITABLE

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES STORAGE

REQUIREMENTS TO BE MET BY STOREROOMS AND RECEPTACLES: STORE AT 2-8°C. KEEP CONTAINER TIGHTLY CLOSED AND SEALED UNTIL READY FOR USE. STORE DESICCATED.

FURTHER INFORMATION ABOUT STORAGE CONDITIONS: KEEP RECEPTACLE TIGHTLY SEALED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES

PERSONAL PROTECTIVE EQUIPMENT GENERAL PROTECTIVE AND HYGIENIC MEASURES KEEP AWAY FROM FOODSTUFFS, BEVERAGES AND FEED WASH HANDS BEFORE BREAKS AND AT THE END OF WORK IMMEDIATELY REMOVE ALL SOILED AND CONTAMINATED CLOTHING AVOID CONTACT WITH THE EYES AND SKIN

BREATHING EQUIPMENT

SHORT TERM FILTER DEVICE: FILTER P1 (EU EN 143) OR TYPE P5 (US) DO NOT BREATHE. USE MECHANICAL EXHAUST SYSTEM

PROTECTION OF HANDS PROTECTIVE GLOVES.

THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/SUBSTANCE/PREPARATION. AS THE PRODUCT IS A PREPARATION OF SEVERAL SUBSTANCES, THE RESISTANCE OF THE GLOVE MATERIAL CANNOT BE CALCULATED IN ADVANCE AND THEREFORE HAS TO BE CHECKED PRIOR TO APPLICATION. NO RECOMMENDATION CAN BE GIVEN FOR THE GLOVE MATERIAL FOR THIS PRODUCT. SELECT GLOVE MATERIALS BASE ON PENETRATION TIMES, RATES OF DIFFUSION AND DEGRADATION OF MATERIAL.

MATERIAL OF GLOVES

THE SELECTION OF SUITABLE GLOVES DEPENDS NOT ONLY ON THE MATERIAL BUT ON QUALITY OF MATERIAL AND VARIES FROM MANUFACTURER TO MANUFACTURER.

PENETRATION TIME OF GLOVE MATERIAL

THE EXACT BREAK TROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.

FOR THE PERMANENT CONTACT OF A MAXIMUM OF 15 MINUTES, GLOVES MADE OF THE FOLLOWING MATERIALS ARE SUITABLE: NEOPRENE GLOVES

EYE PROTECTION: TIGHTLY SEALED GOGGLES AND FACE SHIELD

BODY PROTECTION: PROTECTIVE WORK CLOTHING

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES GENERAL INFORMATION FORM: SOLID (LYOPHILIZED POWDER) CHANGE IN CONDITION

CHANGE IN CONDITION MELTING POINT/MELTING RANGE: NO DATA AVAILABLE BOILING POINT/BOILING RANGE: NO DATA AVAILABLE FLASH POINT: NO DATA AVAILABLE SELF-IGNITING: NO DATA AVAILABLE DANGER OF EXPLOSION: NO DATA AVAILABLE. DENSITY: NO DATA AVAILABLE SOLUBILITY IN/MISCIBILITY WITH WATER: FULLY MISCIBLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY CHEMICAL STABILITY STABLE WHEN STORED AS RECOMMENDED.

THERMAL DECOMPOSITION/CONDITIONS TO BE AVOIDED: STRONG OXIDIZING AGENTS, STRONG ACIDS

POSSIBILITY OF HAZARDOUS REACTIONS: NO DANGEROUS REACTIONS KNOWN

HAZARDOUS COMBUSTION PRODUCTS: HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS: CARBON OXIDES, NITROGEN OXIDES (NOx), SULPHUR OXIDES, PHOSPHOROUS OXIDES, LITHIUM OXIDES

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY

NO DATA AVAILABLE

IRRITATION AND CORROSION

NO DATA AVAILABLE

SENSITIZATION

NO DATA AVAILABLE

CHRONIC EXPOSURE

IARC/ACGIH/NTP/OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN.

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (GLOBALLY HARMONIZED SYSTEM) INHALATION - MAY CAUSE RESPIRATORY IRRITATION

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE (GLOBABLLY HARMONIZED SYSTEM) NO DATA AVAILABLE

TO THE BEST OF OUR KNOWLEDGE, THE TOXICOLOGICAL PROPERTIES OF THIS PRODUCT HAVE NOT BEEN THOROUGHLY INVESTIGATED.

POTENTIAL HEALTH EFFECTS

INHALATION	MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION
SKIN	MAY BE HARMFUL IF ABSORBED THROUGH SKIN.
INGESTION	CAUSES SKIN IRRITATION TOXIC IF SWALLOWED
EYES	CAUSES EYE IRRITATION

SECTION 12. ECOLOGICAL INFORMATION

NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISPOSAL OF THIS PRODUCT, SOLUTIONS AND ANY BY-PRODUCTS SHOULD AT ALL TIMES COMPLY WITH THE REQUIREMENTS OF ENVIRONMENTAL PROTECTION AND WASTE DISPOSAL LEGISLATION AND ANY REGIONAL LOCAL AUTHORITY REQUIREMENTS. AVOID DISPERSAL OF SPILLED MAERIAL AND RUNOFF AND CONTACT WITH SOIL, WATERWAYS, DRAINS AND SEWERS. OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

DISPOSE OF CONTAMINATED PACKAGING AS UNUSED PRODUCT

SECTION 14. TRANSPORT INFORMATION

DOT CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IATA-DGR CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

IMDG CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT.

SECTION 15. REGULATORY INFORMATION

OSHA HAZARDS

TOXIC BY INGESTION, IRRITANT

DSL STATUS:

2,3,3-TRIMETHYLINDOLENINE IS ON THE CANADIAN DSL LIST 1,1,2-TRIMETHYL-1H-BENZO[E]INDOLE IS ON THE CANADIAN DSL LIST 5-CHLORO-1-PENTYNE IS ON THE CANADIAN DSL LIST TRIETHYL ORTHOFORMATE IS ON THE CANADIAN DSL LIST MALONALDEHYDE DIANILIDE HYDROCHLORIDE IS ON THE CANADIAN DSL LIST GLUTACONDIANIL HYDROCHLORIDE IS ON THE CANADIAN DSL LIST GLUTARIC ANHYDRIDE IS ON THE CANADIAN DSL LIST 3-BROMO-1-PROPANOL IS ON THE CANADIAN DSL LIST 1,3-PROPANESULTONE IS ON THE CANADIAN DSL LIST BORON TRIFLUORIDE ETHERATE IS ON THE CANADIAN DSL LIST

TSCA:

CAS# 1640-39-7 IS LISTED ON THE TSCA INVENTORY CAS# 41532-84-7 IS LISTED ON THE TSCA INVENTORY CAS# 14267-92-6 IS LISTED ON THE TSCA INVENTORY CAS# 122-51-0 IS LISTED ON THE TSCA INVENTORY CAS# 50328-50-2 IS LISTED ON THE TSCA INVENTORY CAS# 1497-49-0 IS LISTED ON THE TSCA INVENTORY CAS# 108-55-4 IS LISTED ON THE TSCA INVENTORY CAS# 109-63-7 IS LISTED ON THE TSCA INVENTORY CAS# 627-18-9 IS LISTED ON THE TSCA INVENTORY CAS# 1120-71-4 IS LISTED ON THE TSCA INVENTORY

OSHA:

PROPANE SULTONE IS CONSIDERED HIGHLY HAZARDOUS BY OSHA

UNITED STATES REGULATORY INFORMATION SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA) SECTION 302/304 (40CFR355.30/40CFR355.40):

PROPANE SULTONE

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA) SECTION 313:

PROPANE SULTONE

SARA 311/312 HAZARDS ACUTE HEALTH HAZARD

STATE RIGHT TO KNOW COMPONENTS PA AND NJ

NONE

CALIFORNIA PROP. 65 COMPONENTS PROPANE SULTONE IS LISTED AS CAUSING CANCER

SAFETY PHRASES:

S22: DO NOT BREATHE DUST

RISK PHRASES:

R22: HARMFUL IF SWALLOWED R36/37/38: IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN

HAZARD SYMBOLS: XI

SECTION 16. OTHER INFORMATION

THIS INFORMATION IS BASED ON OUR PRESENT KNOWLEDGE. HOWEVER, THIS SHALL NOT CONSTITUTE A GUARANTEE FOR ANY SPECIFIC PRODUCT FEATURES AND SHALL NOT ESTABLISH A LEGALLY VALID CONTRACTUAL RELATIONSHIP. THE ABOVE INFORMATION WAS GATHERED BY DILIGENT RESEARCH AND / OR CONTROL AND THE RECOMMENDATIONS ARE BASED ON PRUDENT APPLICATION OF PROFESSIONAL JUDGMENT. THIS INFORMATION SHOULD NOT BE CONSIDERED AS EXHAUSTIVE AND SHOULD ONLY BE USED AS AN INDICATION. ALL PRODUCTS AND MIXTURES CAN PRESENT UNKNOWN HAZARDS AND SHOULD BE USED WITH CAUTION. THE ABOVE INFORMATION SHALL BE USED ONLY AS A GUIDE. CYTOSKELETON INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM CONTACT WITH THE ABOVE PRODUCT. COPYRIGHT 2020 CYTOSKELETON, INC.