Cytoskeleton, Inc.

REVISED 7.17.18

MATERIAL SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG/PRODUCT#: TL440M

NAME: TUBULIN PROTEINS DERIVED FROM PORCINE BRAIN LABELED WITH 7-AMINO-4-METHYL-3-COUMARINYLACETIC ACID (AMCA)

USE: LABORATORY CHEMICALS

MANUFACTURER/SUPPLIER:

CYTOSKELETON INC. 1830 S. Acoma St. Denver, CO 80223 PHONE: 303-322-2254 FAX: 303-322-2257

24H EMERGENCY TOLL-FREE NUMBER: CALL INFOTRAC DAY OR NIGHT WITHIN USA AND CANADA: 1-800-535-5053 OUTSIDE USA AND CANADA: +1 352-323-3500 (COLLECT CALLS ACCEPTED)

SECTION 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

THIS PRODUCT CONTAINS A COMPONENT DEEMED HAZARDOUS BY OSHA (29 CFR 1910.1200), EUROPEAN UNION DIRECTIVE 67/548/EC AND GHS AT A CONCENTRATION OF <1%. THEREFORE, THIS PRODUCT IS NOT CONSIDERED HAZARDOUS.

OSHA HAZARDS IRRITANT

ROUTES OF ENTRY: DERMAL CONTACT, EYE CONTACT, INHALATION, INGESTION

POTENTIAL ACUTE HEALTH EFFECTS

INHALATION	MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY
	TRACT IRRITATION
INGESTION	MAY BE HARMFUL IF SWALLOWED
SKIN	MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES
	SKIN IRRITATION
EYES	CAUSES EYE IRRITATION

POTENTIAL CHRONIC HEALTH EFFECTS

CHRONIC EFFECTS REPEATED OR PROLONGED INHALATION OF DUST MAY LEAD TO CHRONIC RESPIRATORY IRRITATION. ONCE SENSITIZED, A SEVERE ALLERGIC REACTION MAY OCCUR WHEN SUBSEQUENTLY EXPOSED TO VERY LOW LEVELS

OVER-EXPOSURE SIGNS/SYMPTOMS

INHALATION	RESPIRATORY TRACT IRRITATION, COUGHING, WHEEZING
	AND BREATHING DIFFICULTIES, ASTHMA
INGESTION	NO SPECIFIC DATA
SKIN	IRRITATION, REDNESS
EYES	IRRITATION, WATERING, REDNESS

NFPA RATINGS (SCALE 0-4) FIRE = 0HEALTH = 2^* REACTIVITY = 0

HMIS RATINGS

 $\begin{aligned} HEALTH &= 2^*\\ FIRE &= 0\\ REACTIVITY &= 0 \end{aligned}$

*AT CONCENTRATIONS ABOVE 1%. THIS PRODUCT CONTAINS THE HAZARDOUS COMPONENT AT CONCENTRATIONS <1%.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM 🗘

SIGNAL WORD WARNING

HAZARDOUS STATEMENTS:

H315: IRRITATING TO SKIN

H319: CAUSES SEVERE EYE IRRITATION

H335: MAY CAUSE RESPIRATORY TRACT IRRITATION

PRECAUTIONARY STATEMENTS:

P261: AVOID BREATHING DUST/FUME/GAS/MIST/VAPORS/AEROSOLS

P280: WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE SHIELD P305 + P351 + P338: IF IN EYES: RINSE CAUTIOUSLY FOR SEVERAL MINUTES WITH WATER. REMOVE CONTACT LENSES IF THEY ARE PRESENT AND IF THEY CAN BE REMOVED EASILY. CONTINUE TO RINSE.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

PIPES (PIPERAZINE-N, N-BIS(2-ETHANESULFONIC ACID), SESQUISODIUM SALT	CAS#: 100037-69-2 EINECS#: UNLISTED	<1%
FICOLL (SUCROSE, EPICHLOROHYDRIN COPOLYMER)	CAS#: 26873-85-8 EINECS#: UNLISTED	<1%
SUCROSE	CAS#: 57-50-1 EINECS#: 200-334-9	<1%
GLYCEROL	CAS#: 56-81-5 EINECS#: 200-289-5	<1%
ANTIFOAM C	CAS#: UNLISTED EINECS#: UNLISTED	<0.1%
DTT (DITHIOTHREITOL)	CAS#: 3483-12-3 EINECS#: 222-468-7	<1%
GTP (GUANOSINE 5'-TRIPHOSPHATE SODIUM SALT HYDRATE)	CAS#: 36051-31-7 EINECS#: 252-847-2	<1%
MAGNESIUM CHLORIDE	CAS#: 7791-18-6 EINECS#: UNLISTED	<1%
EGTA (ETHYLENE GLYCOL-BIS(2-AMINOETHYLETHER)- N,N,N',N'-TETRAACETIC ACID	CAS#: 67-42-5 EINECS#:200-651-2	<1%
7-AMINO-4-METHYL-3-COUMARINYLACETIC ACID	CAS#: 106562-32-7 EINECS#: NONE	<1%
PROTEIN	CAS#: NONE EINECS#: NONE	<u>></u> 95%

SECTION 4. FIRST-AID MEASURES

AFTER INHALATION: SUPPLY FRESH AIR. IF NOT BREATHING, IF BREATHING IS IRREGULAR OR IF RESPIRATORY ARREST OCCURS, PROVIDE ARTIFICIAL RESPIRATION. CONSULT PHYSICIAN **AFTER SKIN CONTACT**: IMMEDIATELY WASH SKIN WITH SOAP AND RINSE WITH COPIOUS AMOUNTS OF WATER. CONSULT PHYSICIAN **AFTER EYE CONTACT**: CHECK FOR AND REMOVE ANY CONTACT LENSES. RINSE OPENED EYE FOR AT LEAST 15 MINUTES UNDER RUNNING WATER. THEN CONSULT PHYSICIAN **AFTER SWALLOWING**: WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CONSULT PHYSICIAN

WASH CONTAMINATED CLOTHING BEFORE REUSE.

SECTION 5. FIREFIGHTING MEASURES

FLAMMABLE PROPERTIES

FLASH POINT:NO DATA AVAILABLEIGNITION TEMPERATURE:NO DATA AVAILABLE

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING AGENTS: USE DRY CHEMICAL POWDER, WATER SPRAY, CARBON DIOXIDE OR ALCOHOL-RESISTANT FOAM. ADVICE FOR FIREFIGHTERS PROTECTIVE EQUIPMENT: MOUNT RESPIRATORY PROTECTIVE DEVICE PREVENT CONTACT WITH SKIN, FACE AND EYES HAZARDOUS COMBUSTION PRODUCTS: HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS - CARBON OXIDES, NITROGEN OXIDES (NOX).

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: WEAR PROTECTIVE CLOTHING, RESPIRATOR, CHEMICAL SAFETY GOGGLES, GLOVES. AVOID DUST FORMATION. AVOID BREATHING DUST. ENSURE ADEQUATE VENTILATION.

ENVIRONMENTAL PRECAUTIONS: DILUTE WITH PLENTY OF WATER. DO NOT ALLOW TO ENTER SEWERS/SURFACE OR GROUND WATER.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP: FOR POWDER, PICK UP AND ARRANGE DISPOSAL WITHOUT CREATING DUST. KEEP IN SUITABLE CLOSED CONTAINERS FOR DISPOSAL. FOR RECONSTITUTED LIQUID, ABSORB WITH LIQUID-BINDING MATERIAL (SAND, DIATOMITE, ACID BINDERS, UNIVERSAL BINDERS, SAWDUST). DISPOSE CONTAMINATED MATERIAL AS WASTE ACCORDING TO SECTION 13. ENSURE ADEQUATE VENTILATION. **REFERENCE TO OTHER SECTIONS:** SEE SECTION 8 FOR INFORMATION ON PERSONAL PROTECTION EQUIPMENT. SEE SECTION 13 FOR DISPOSAL INFORMATION.

SECTION 7. HANDLING AND STORAGE

HANDLING

PRECAUTIONS FOR SAFE HANDLING: ENSURE GOOD

VENTILATION/EXHAUSTION AT THE WORKPLACE. WEAR APPROPRIATE PROTECTIVE CLOTHING (SEE SECTION 8). DO NOT RE-USE CONTAINER. DO NOT EAT, DRINK OR SMOKE IN AREAS WHERE THIS PRODUCT IS HANDLED, STORED OR PROCESSED. WASH HANDS AFTER WORKING WITH MATERIAL. AVOID CONTACT WITH SKIN AND EYES. AVOID FORMATION OF DUST AND AEROSOLS. **INFORMATION ABOUT PROTECTION AGAINST EXPLOSIONS AND FIRES**: STORE IN CONTAINER PROTECTED FROM DIRECT SUNLIGHT IN A DRY, COOL, WELL-VENTILATED PLACE. STORE AT -70°C OR 4°C WITH DESICCANT. SEPARATE FROM OXIDIZING MATERIALS. KEEP CONTAINERS CLOSED AND SEALED.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES STORAGE

REQUIREMENTS TO BE MET BY STOREROOMS AND RECEPTACLES: STORE AT 2-8°C WITH DESICCANT (OR -70°C). KEEP CONTAINER TIGHTLY CLOSED AND SEALED UNTIL READY FOR USE. STORE DESICCATED. **FURTHER INFORMATION ABOUT STORAGE CONDITIONS**: KEEP RECEPTACLE TIGHTLY SEALED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES

PERSONAL PROTECTIVE EQUIPMENT GENERAL PROTECTIVE AND HYGIENIC MEASURES KEEP AWAY FROM FOODSTUFFS, BEVERAGES AND FEED WASH HANDS BEFORE BREAKS AND AT THE END OF WORK IMMEDIATELY REMOVE ALL SOILED AND CONTAMINATED CLOTHING AVOID CONTACT WITH THE EYES AND SKIN

BREATHING EQUIPMENT

SHORT TERM FILTER DEVICE: FILTER P1 (EU EN 143) OR TYPE P95 (US) DO NOT BREATHE. USE MECHANICAL EXHAUST SYSTEM

PROTECTION OF HANDS PROTECTIVE GLOVES.

THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/SUBSTANCE/PREPARATION. AS THE PRODUCT IS A PREPARATION OF SEVERAL SUBSTANCES, THE RESISTANCE OF THE GLOVE MATERIAL CANNOT BE CALCULATED IN ADVANCE AND THEREFORE HAS TO BE CHECKED PRIOR TO APPLICATION. NO RECOMMENDATION CAN BE GIVEN FOR THE GLOVE MATERIAL FOR THIS PRODUCT. SELECT GLOVE MATERIALS BASE ON PENETRATION TIMES, RATES OF DIFFUSION AND DEGRADATION OF MATERIAL.

MATERIAL OF GLOVES

THE SELECTION OF SUITABLE GLOVES DEPENDS NOT ONLY ON THE MATERIAL BUT ON QUALITY OF MATERIAL AND VARIES FROM MANUFACTURER TO MANUFACTURER.

PENETRATION TIME OF GLOVE MATERIAL

THE EXACT BREAK TROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.

FOR THE PERMANENT CONTACT OF A MAXIMUM OF 15 MINUTES, GLOVES MADE OF THE FOLLOWING MATERIALS ARE SUITABLE: NEOPRENE GLOVES

EYE PROTECTION: TIGHTLY SEALED GOGGLES OR SAFETY GLASSES

BODY PROTECTION: PROTECTIVE WORK CLOTHING

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES GENERAL INFORMATION FORM: SOLID (LYOPHILIZED POWDER) COLOR: BLUE TO BROWN CHANGE IN CONDITION MELTING POINT/MELTING RANGE: NO DATA AVAILABLE BOILING POINT/BOILING RANGE: NO DATA AVAILABLE FLASH POINT: NO DATA AVAILABLE SELF-IGNITING: NO DATA AVAILABLE DANGER OF EXPLOSION: NO DATA AVAILABLE DENSITY: NO DATA AVAILABLE SOLUBILITY IN/MISCIBILITY WITH WATER: FULLY MISCIBLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY CHEMICAL STABILITY: THE PRODUCT IS STABLE WHEN STORED AS RECOMMENDED.

THERMAL DECOMPOSITION/CONDITIONS TO BE AVOIDED: AVOID CREATION OF DUST WHEN HANDLING AND AVOID ALL POSSIBLE SOURCES OF IGNITION. PREVENT DUST ACCUMULATION. REACTIVE OR INCOMPATIBLE WITH STRONG OXIDIZING MATERIALS.

POSSIBILITY OF HAZARDOUS REACTIONS: NO DATA AVAILABLE

HAZARDOUS DECOMPOSITION PRODUCTS: HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS - CARBON OXIDES, NITROGEN OXIDES (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

TO THE BEST OF OUR KNOWLEDGE, THE TOXICOLOGICAL PROPERTIES OF THIS PRODUCT HAVE NOT BEEN THOROUGHLY INVESTIGATED.

NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS.

POTENTIAL HEALTH EFFECTS

INHALATIONMAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY
TRACT IRRITATIONINGESTIONMAY BE HARMFUL IF SWALLOWED

SKINMAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES
SKIN IRRITATIONEYESCAUSES EYE IRRITATION

ACUTE TOXICITY

ORAL LD50

NO DATA AVAILABLE

INHALATION LC50 AND DERMAL LD50 NO DATA AVAILABLE

SKIN CORROSION/IRRITATION NO DATA AVAILABLE

SERIOUS EYE DAMAGE/EYE IRRITATION NO DATA AVAILABLE

RESPIRATORY OR SKIN SENSITIZATION NO DATA AVAILABLE

GERM CELL MUTAGENICITY NO DATA AVAILABLE

CARCINOGENICITY

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC, ACGIH, NTP OR OSHA.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

TERATOGENICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (GHS) INHALATION - MAY CAUSE RESPIRATORY IRRITATION

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE (GHS) NO DATA AVAILABLE

ASPIRATION HAZARD NO DATA AVAILABLE

SECTION 12. ECOLOGICAL INFORMATION

NO DATA AVAILABLE. NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS.

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISPOSAL OF THIS PRODUCT, SOLUTIONS AND ANY BY-PRODUCTS SHOULD AT ALL TIMES COMPLY WITH THE REQUIREMENTS OF ENVIRONMENTAL PROTECTION AND WASTE DISPOSAL LEGISLATION AND ANY REGIONAL LOCAL AUTHORITY REQUIREMENTS. AVOID DISPERSAL OF SPILLED MAERIAL AND RUNOFF AND CONTACT WITH SOIL, WATERWAYS, DRAINS AND SEWERS. OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

DISPOSE OF CONTAMINATED PACKAGING AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT. NOT REGULATED

IATA-DGR CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT. NOT REGULATED

IMDG CLASSIFICATION: THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS FOR TRANSPORT. NOT REGULATED

SECTION 15. REGULATORY INFORMATION

OSHA HAZARDS IRRITANT

UNITED STATES REGULATORY INFORMATION

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA) SECTION 302/304 (40CFR355.30/40CFR355.40): NONE OF THE INGREDIENTS IS LISTED.

SARA 311/312 HAZARDS ACUTE HEALTH HAZARD

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986-USA) SECTION 313: THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

PA AND NJ RIGHT TO KNOW COMPONENTS 7-AMINO-4-METHYL-3-COUMARINYLACETIC ACID CAS #: 106562-32-7

CALIFORNIA PROP. 65 COMPONENTS

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

SECTION 16. OTHER INFORMATION

THIS INFORMATION IS BASED ON OUR PRESENT KNOWLEDGE. HOWEVER, THIS SHALL NOT CONSTITUTE A GUARANTEE FOR ANY SPECIFIC PRODUCT FEATURES AND SHALL NOT ESTABLISH A LEGALLY VALID CONTRACTUAL RELATIONSHIP. THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT, BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. CYTOSKELETON INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM CONTACT WITH THE ABOVE PRODUCT.

COPYRIGHT 2018 CYTOSKELETON, INC.